


# **ILLUSTRATED PARTS LIST**

**MFG ID NO. 96042001501**

**CUSTOMER CATALOG NO. SOGT26H54**


**PRODUCT NO. 960 42 00-15**

TRACTOR - - MODEL NUMBER SOGT26H54 (96042001501), PRODUCT NO. 960 42 00-15  
DECALS



| KEY NO. | PART NO. | DESCRIPTION             | KEY NO. | PART NO.   | DESCRIPTION                         |
|---------|----------|-------------------------|---------|------------|-------------------------------------|
| 1       | 402104   | Decal, Operator's       | 11      | 178502     | Decal, Mower Caution                |
| 2       | 190425   | Decal, Hood RH          | 12      | 170563     | Decal, Mower Warning Keep Hand Away |
| 3       | 402439   | Decal, Dash Lower       | 13      | 190429     | Decal, Fender                       |
| 4       | 404424   | Decal, Replacement      | --      | 166960     | Decal, Bypass                       |
| 5       | 190430   | Decal, Strg Whl         | --      | 193279X428 | Pad, Footrest, LH                   |
| 6       | 402837   | Decal, Engine HP        | --      | 193101X428 | Pad, Footrest, RH                   |
| 8       | 198785   | Decal, Mower Sch.       | --      | 405037     | Manual, Operator's E&SP             |
| 9       | 145005   | Decal, Battery Dnge/Poi | --      | 404320     | Manual, Parts                       |
| 10      | 190426   | Decal, Hood LH          |         |            |                                     |

WHEELS AND TIRES




| KEY NO. | PART NO.   | DESCRIPTION                        |
|---------|------------|------------------------------------|
| 1       | 59192      | Cap, Valve, Tire                   |
| 2       | 65139      | Stem, Valve                        |
| 3       | 106228X624 | Rim Assembly, Front                |
| 4       | 59904      | Tube, Front (Service Item Only)    |
| 5       | 106230X    | Tire, Front                        |
| 6       | 278H       | Fitting, Grease (Front Wheel Only) |
| 7       | 9040H      | Bearing, Flange (Front Wheel Only) |
| 8       | 104757X428 | Cap, Axle (Front Wheel Only)       |
| 9       | 184708     | Tire, Rear                         |
| 10      | 7152J      | Tube, Rear (Service Item Only)     |
| 11      | 400404X624 | Rim Assembly, Rear                 |
| --      | 144334     | Sealant, Tire (10 oz. Tube)        |


**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER SOGT26H54 (96042001501), PRODUCT NO. 960 42 00-15  
SCHEMATIC

02929-194276\_Regulated-TeX



TRACTOR - - MODEL NUMBER SOGT26H54 (96042001501), PRODUCT NO. 960 42 00-15  
ELECTRICAL




**TRACTOR - - MODEL NUMBER SOGT26H54 (96042001501), PRODUCT NO. 960 42 00-15  
ELECTRICAL**

| <b>KEY<br/>NO.</b> | <b>PART<br/>NO.</b> | <b>DESCRIPTION</b>               |
|--------------------|---------------------|----------------------------------|
| 1                  | 144927              | Battery                          |
| 2                  | 74760412            | Bolt Hex Head 1/4-20 x 3/4       |
| 8                  | 186491              | Box Battery                      |
| 16                 | 176138              | Switch Interlock Push-In         |
| 21                 | 175688              | Harness Socket Light W/4152J     |
| 22                 | 4152J               | Bulb Light                       |
| 24                 | 400253              | Cable Battery                    |
| 25                 | 198893              | Cable Start Red 17.5"            |
| 26                 | 175158              | Fuse                             |
| 27                 | 73510400            | Nut Keps Hex 1/4-20 unc          |
| 28                 | 145491              | Cable, Ground                    |
| 29                 | 401545              | Switch, Seat                     |
| 30                 | 193350              | Switch, Ignition                 |
| 33                 | 140401              | Key, Ignition                    |
| 34                 | 110712X             | Switch Light / Reset             |
| 40                 | 194276              | Harness Ignition                 |
| 41                 | 17720408            | Screw Thd Cut 1/4-20 x 1/2       |
| 42                 | 131563              | Cover, Terminal                  |
| 43                 | 192507              | Solenoid                         |
| 46                 | 198138              | Gauge Hourmeter                  |
| 50                 | 174651              | Switch, PTO                      |
| 55                 | 17490512            | Screw Thdrol 5/16-18 x 3/4 TYTT  |
| 59                 | 400303              | Outlet 12-Volt                   |
| 71                 | 400260              | Harness Ign. Dash                |
| 79                 | 175242              | Bulbholder Asm. Incan Descent    |
| 90                 | <b>400724</b>       | Cover Terminal Battery           |
| 91                 | 190270              | Strap Battery Mount Front        |
| 99                 | 17670412            | Screw Hexwsh Thdrol 1/4-20 x 3/4 |
| 100                | 19091416            | Washer 9/32 x 7/8 x 16 Ga.       |
| - -                | <b>197460</b>       | Harness Pigtail Trans.           |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - - MODEL NUMBER SOGT26H54 (96042001501), PRODUCT NO. 960 42 00-15 CHASSIS




chassis-tex\_15-vgt-hydro

**TRACTOR - - MODEL NUMBER SOGT26H54 (96042001501), PRODUCT NO. 960 42 00-15  
CHASSIS**

| <b>KEY<br/>NO.</b> | <b>PART<br/>NO.</b> | <b>DESCRIPTION</b>               |
|--------------------|---------------------|----------------------------------|
| 2                  | 401140              | Drawbar                          |
| 5                  | 195102X428          | Dash                             |
| 14                 | 175260X505          | Hood                             |
| 17                 | 17060612            | Screw 3/8-16 x .75               |
| 18                 | 175289X428          | Grille                           |
| 36                 | <b>17060512</b>     | Screw 5/16-18 x 3/4              |
| 37                 | 400009X505          | Fender                           |
| 58                 | 194314              | Bracket Fender                   |
| 68                 | 17490508            | Screw Thdrol 5/16-18 x 1/2       |
| 99                 | <b>401996</b>       | Rod Bypass Asm.                  |
| 102                | <b>4497H</b>        | Retainer Spring 1"               |
| 122                | 192512              | Screw WSHD Hex 10-32 x 5/8       |
| 130                | 191611              | Screw 10 x 3/4 Single Lead-Hex   |
| 139                | <b>171873</b>       | Bolt Shoulder 5/16-18            |
| 148                | 164655              | Bumper                           |
| 150                | 175352              | Duct Heat Hood                   |
| 152                | 194329              | Shield Browning/Debris           |
| 157                | 161840              | Lens Bar                         |
| 159                | 17000612            | Screw Hexwsh Thdrol 3/8-16 x 3/4 |
| 161                | 193097X428          | Console Fuel Window              |
| 162                | 142432              | Screw Hex Wsh Hi-Lo 1/4 x 1/2    |
| 165                | 194330              | Bracket Support Tank             |
| 175                | 193236              | Crossmember                      |
| 176                | 400776              | Screw #10-24 x 5/8 Rnd Qudrx     |
| 177                | 195227              | Bushing Steering                 |
| 178                | 195651              | Cargo Asm. Net                   |
| 180                | 194260              | Chassis                          |
| 181                | 193102X428          | Bushing Mtg. Fender Crgo.        |
| 182                | 192551              | Dash Lower                       |
| 183                | 74780520            | Bolt Fin Hex 5/16-18 unc x 1-1/4 |
| 184                | 195780              | Spacer Fender                    |
| 188                | 194316              | Bracket Pickoff Hood             |
| 194                | 73900500            | Nut Lock Hex Flange 5/16-18      |
| 196                | 193098X428          | Console Asm. Deck Lift           |
| 198                | 197300X505          | Indicator Deck Lift              |
| 199                | 196377              | Plate Deck Lift                  |
| 205                | 169847X428          | Skirt Hood RH                    |
| 206                | 169848X428          | Skirt Hood LH                    |
| 219                | 195161              | Stud Fastener                    |
| 222                | 137729              | Screw thd Roll 1/4-20 x 5/8      |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER SOGT26H54 (96042001501), PRODUCT NO. 960 42 00-15  
DRIVE**



drive-tex\_23\_GT\_TuffTorq


**TRACTOR - - MODEL NUMBER SOGT26H54 (96042001501), PRODUCT NO. 960 42 00-15  
DRIVE**

| KEY NO. | PART NO. | DESCRIPTION                           |
|---------|----------|---------------------------------------|
| 1       | -----    | Transaxle, TuffTorq K46               |
| 2       | 186211   | Key                                   |
| 7       | 199844   | Hub Asm. Wheel                        |
| 9       | 140080   | Bolt Hub Wheel                        |
| 15      | 19131316 | Washer 13/32 x 13/16 x 16 Ga.         |
| 17      | 401072   | Spring, Brake                         |
| 26      | 199679   | Spring Return Cruise                  |
| 29      | 403806   | Rod, Brake                            |
| 33      | 12000001 | Ring E                                |
| 35      | 197275   | Rod, Brake, Park                      |
| 37      | 121749X  | Washer                                |
| 42      | 123533X  | Cover, Foot Pedal                     |
| 49      | 72110614 | Bolt                                  |
| 50      | 194327   | Pulley Idler Flat                     |
| 51      | 73900600 | Lock Nut 3/8-16                       |
| 52      | 194326   | Idler V-Groove 910" Offset            |
| 56      | 130969   | V-Belt, Drive                         |
| 64      | 197865   | Shaft Asm. Pedal Brake Control        |
| 74      | 142432   | Screw Hx Wsh Hi-Lo 1/4 x 1/2 unc      |
| 80      | 404483   | Strap Torque                          |
| 92      | 74760520 | Bolt Fin Hex 5/16-18 unc x 1.25       |
| 169     | 74490560 | Bolt Hex Flghd<br>5/16-18 x 3.0 Gr. 5 |
| 116     | 73900500 | Nut Lock Hex Flange 5/16-18           |
| 125     | 17000512 | Screw 5/16-18 x 3/4                   |
| 153     | 4497H    | Retainer Spring                       |
| 159     | 76020412 | Pin Cotter 1/8 x 3/4                  |
| 160     | 169484   | Retainer Clip                         |
| 161     | 195403   | Spring, Return, Clutch                |
| 162     | 195785   | Spacer Transaxle                      |
| 163     | 401034   | Rod Pedal Control                     |
| 166     | 197290   | Nut Push .625                         |

| KEY NO. | PART NO.   | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 167     | 196211     | Latch Brake Parking           |
| 170     | 194322     | Keeper Belt Centerspan        |
| 171     | 72110616   | Bolt                          |
| 183     | 400424     | Spacer Split                  |
| 184     | 195361X428 | Handle Parking Brake          |
| 185     | 72110620   | Bolt                          |
| 186     | 194321     | Spacer Retainer               |
| 187     | 19133210   | Washer                        |
| 188     | 194323     | Link Clutch Ground Drive      |
| 189     | 194317     | Bellcrank Ground Drive        |
| 190     | 194318     | Keeper Bellcrank Ground Drive |
| 196     | 17000616   | Screw 3/8-16 x 1              |
| 197     | 199769     | Bracket Clutch Anti-Rotation  |
| 205     | 121748X    | Washer                        |
| 206     | 197867     | Bracket Mount Latch Cruise    |
| 207     | 197868     | Latch Control Cruise          |
| 208     | 197869     | Bolt Sector Control Cruise    |
| 209     | 199466     | Rod Control Cruise            |
| 210     | 197860     | Rocker Asm. Pdeal Control     |
| 211     | 120183X    | Bearing Nylon                 |
| 213     | 195352X428 | Knob Control Cruise           |
| 214     | 197302X428 | Pad Pedal Forward             |
| 215     | 197301X428 | Pad Pedal Reverse             |
| 222     | 19212010   | Washer 21/32 x 1-1/4 x 10 Ga. |
| 224     | 193099X428 | Console Toolbox               |
| 225     | 403319     | Keeper Belt Trans.            |
| 226     | 400831     | Bracket Mount Torque          |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER SOGT26H54 (96042001501), PRODUCT NO. 960 42 00-15  
STEERING ASSEMBLY**




**TRACTOR - - MODEL NUMBER SOGT26H54 (96042001501), PRODUCT NO. 960 42 00-15**  
**STEERING ASSEMBLY**

| <b>KEY<br/>NO.</b> | <b>PART<br/>NO.</b> | <b>DESCRIPTION</b>                  |
|--------------------|---------------------|-------------------------------------|
| 1                  | 186093X428          | Wheel, Steering                     |
| 2                  | 195968              | Axle Asm., Front                    |
| 4                  | 197937              | Spindle Asm., LH                    |
| 5                  | 197936              | Spindle Asm., RH                    |
| 6                  | 6266H               | Bearing, Race Thrust Harden         |
| 7                  | 121748X             | Washer 25/32 x 1-5/8 x 16 Ga.       |
| 8                  | 12000029            | Ring, Klip #T5304-75                |
| 9                  | 121232X             | Cap, Spindle                        |
| 13                 | 121749X             | Washer 25/32 x 1-1/4 x 16 Ga.       |
| 14                 | 10040600            | Washer, Lock Hvy Hlcl Spr 3/8       |
| 15                 | 73540600            | Nut, Crown Lock 3/8-24 unf          |
| 16                 | 194746              | Shaft Steering                      |
| 19                 | 194729              | Plate Steering                      |
| 20                 | 195626X428          | Boot, Steering                      |
| 21                 | 186737              | Adapter, Wheel Steering             |
| 22                 | 194845              | Bushing, Strg. Blk                  |
| 26                 | 186095X428          | Insert, Wheel Steering              |
| 28                 | 17000612            | Screw 3/8-16 x 3/4                  |
| 35                 | 194732              | Gear, Sector Plate                  |
| 45                 | 19183812            | Washer 9/16 x 2-3/8 x 12 Ga.        |
| 50                 | 73900600            | Nut Lock Flg. 3/8-16 unc            |
| 51                 | 73940800            | Nut Hex Jam Toplock 1/2-20 unf      |
| 53                 | 188967              | Washer Hardened .793 x 1.637 x .060 |
| 54                 | 74760636            | Bolt Hex Hs 3/8-16 unc x 2-1/4      |
| 55                 | 197636              | Spacer Brace Axle                   |
| 57                 | 197246              | Bracket Upstop                      |
| 58                 | 194747              | Bolt Shoulder Sector Pivot CFM      |
| 59                 | 194748              | Washer Thrust Sector Steering       |
| 60                 | 73971000            | Nut Flange Lock 5/8-11              |
| 61                 | 194740              | Draglink LH                         |
| 62                 | 194741              | Draglink, RH                        |
| 63                 | 17000512            | Screw 5/16-18 x 3/4                 |
| 64                 | 199849              | Retainer Clip Spring Steering       |
| 65                 | 194734              | Brace Axle Front                    |
| 66                 | 71020748            | Bolt Hex Fghd 7/16-14 x 3 Serr      |
| 67                 | 194737              | Bushing PM Front Axle               |
| 68                 | 73900700            | Nut Lock Flange 7/16-14 Gr. 5       |
| 69                 | 199162              | Washer 1.5 x .505 x .118            |
| 70                 | 196197              | Bracket Deck Susp. Front            |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER SOGT26H54 (96042001501), PRODUCT NO. 960 42 00-15**  
**SEAT ASSEMBLY**




seat-tex\_7-vgt

| KEY NO. | PART NO. | DESCRIPTION                  |
|---------|----------|------------------------------|
| 1       | 402673   | Seat                         |
| 2       | 180166   | Bracket Pivot Fender         |
| 3       | 140675   | Strap, Asm Fender            |
| 5       | 145006   | Clip, Push In, Hinged        |
| 6       | 73800600 | Nut, Lock W/Ins. 3/8-16 unc  |
| 7       | 124181X  | Spring, Seat Cprsn           |
| 8       | 171877   | Bolt 5/16-18 uncx 3/4 w/Sems |
| 10      | 196977   | Pan, Seat                    |

| KEY NO. | PART NO. | DESCRIPTION                   |
|---------|----------|-------------------------------|
| 21      | 171852   | Bolt, Shoulder 5/16-18        |
| 37      | 73800500 | Nut, Lock 5/16-18 unc         |
| 40      | 197661   | Handle Slide Seat             |
| 41      | 198200   | Spring Latch Seat             |
| 43      | 74760612 | Bolt Fin Hex 3/8-16 unc x 3/4 |
| 44      | 19133812 | Washer 13/32 x 2-3/8 x 12 Ga. |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - - MODEL NUMBER SOGT26H54 (96042001501), PRODUCT NO. 960 42 00-15 ENGINE



engine-tex\_11-vgt


## SPARK ARRESTER KIT

| KEY NO. | PART NO.      | DESCRIPTION                         |
|---------|---------------|-------------------------------------|
| 1       | -----         | Engine B&S Model No. 445877-0569-E1 |
| 2       | 149723        | Muffler                             |
| 9       | <b>194320</b> | Keeper Asm. Belt Engine             |
| 11      | 179335        | Clutch Electric                     |
| 12      | <b>194343</b> | Pulley Engine                       |
| 15      | 193499        | Tank Fuel 4.0                       |
| 18      | 195951        | Cap Asm                             |
| 20      | 175437X428    | Control Throttle                    |
| 21      | 191611        | Screw 10 x 3/4 Single Lead-Hex      |
| 22      | 187767X428    | Control Choke                       |
| 28      | 401135        | Fuel Line                           |
| 29      | 137180        | Spark Arrester Kit                  |
| 31      | 145006        | Clip Push-In Hinged                 |
| 37      | 123487X       | Clamp Hose                          |

| KEY NO. | PART NO. | DESCRIPTION                       |
|---------|----------|-----------------------------------|
| 41      | 126197X  | Washer 1-1/2 OD x 15/32 ID x .250 |
| 42      | 10040700 | Washer Lock 7/16                  |
| 45      | 73510400 | Nut Keps Hex 1/4-20 unc           |
| 62      | 146629   | Shield Heat Muffler               |
| 69      | 165391   | Gasket                            |
| 70      | 159955   | Tube Exhaust LH                   |
| 71      | 160589   | Tube Exhaust RH                   |
| 79      | 183906   | Screw Socket Head                 |
| 81      | 148456   | Tube Drain Oil Easy               |
| 82      | 181654   | Plug Drain Oil                    |
| 84      | 17060620 | Screw 3/8-16 x 1-1/4              |
| 85      | 179953   | Bolt Hex 7/16-20 x 3.75 Gr. 5     |
| 87      | 198239   | Bolt 5/16-18 unc x 1 w/Sems       |
| 90      | 17000616 | Screw 3/8-16 x 1                  |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER SOGT26H54 (96042001501), PRODUCT NO. 960 42 00-15**  
**MOWER DECK**




# TRACTOR - - MODEL NUMBER SOGT26H54 (96042001501), PRODUCT NO. 960 42 00-15 MOWER DECK

| KEY NO. | PART NO.   | DESCRIPTION                   |
|---------|------------|-------------------------------|
| 1       | 195632     | Deck Weldment Mower           |
| 6       | 196066     | Cover Mandrel LH              |
| 7       | 197181     | Cover Mandrel RH              |
| 8       | 174365     | Bolt 7/16 Asm. Blade          |
| - -     | 187255     | Blade Mulching                |
| 11      | 187292     | Blade Bagging                 |
| 13      | 187291     | Shaft Asm. w/Lower Bearing    |
| 14      | 187281     | Housing, Mandrel              |
| 15      | 110485X    | Bearing, Ball, Mandrel        |
| 17      | 72110505   | Bolt Carr. 5/16-18 x 5/8      |
| 21      | 73680500   | Nut, Crownlock 5/16-18 unc    |
| 24      | 105304X    | Cap Sleeve                    |
| 25      | 178102     | Spring, Torsion               |
| 26      | 110452X    | Nut, Push                     |
| 27      | 187257X428 | Deflector Shield              |
| 29      | 131491     | Rod, Hinge                    |
| 30      | 173984     | Screw, Thdroll Washer Head    |
| 31      | 187690     | Washer, Spacer Mower Vented   |
| 32      | 153535     | Pulley, Mandrel               |
| 33      | 400234     | Nut, Flg. Top Lock            |
| 34      | 73680600   | Nut Crownlock 3/8-16 unc      |
| 39      | 197380     | Pulley, Idler, Stationary     |
| 43      | 196065     | Arm, Idler                    |
| 46      | 137729     | Screw, Thdroll. 1/4-20 x 5/8  |
| 47      | 196103     | V-Belt, Mower                 |
| 49      | 73900600   | Nut, Lock Flg. 3/8-16 unc     |
| 50      | 72110616   | Bolt Rdhd Sqnk 3/8-16 unc x 2 |

| KEY NO. | PART NO. | DESCRIPTION                                           |
|---------|----------|-------------------------------------------------------|
| 52      | 197379   | Pulley Idler Clutching                                |
| 58      | 187342   | Baffle Right                                          |
| 59      | 187344   | Baffle Left                                           |
| 60      | 187607   | Baffle Center                                         |
| 97      | 178515   | Washer Hardened                                       |
| 98      | 196105   | Spring Drive                                          |
| 113     | 72110508 | Bolt Rdhd Sqnk 5/16-18 x 3/4                          |
| 114     | 187556   | Rod Tension Relief                                    |
| 116     | 193406   | Bolt, Shoulder                                        |
| 117     | 174873   | Gauge Wheel                                           |
| 120     | 19132012 | Washer 13/32 x 1-1/4 x 12 Ga.                         |
| 122     | 187557   | Bushing Tension Relief                                |
| 185     | 73900700 | Nut Lock Flange 7/16-14 Gr. 5                         |
| 187     | 195161   | Stud Fastener w/"D" Anti-Rotation                     |
| 188     | 73900500 | Nut Lock Hex Flange 5/16-18                           |
| 189     | 195185   | Arm Susp. Mower Rear                                  |
| 190     | 196539   | Bolt Shoulder                                         |
| 192     | 198468   | Keeper Belt Idler                                     |
| 194     | 72140716 | Bolt Carr Sqnk 3/8-16 x 2-1/4                         |
| 196     | 72140620 | Bolt Rdhd 3/8-16 unc x 2-1/2 Gr. 5                    |
| - -     | 187254   | High Lift                                             |
| - -     | 187292   | Mandrel Asm. Service (Includes Key Nos. 13-15 and 33) |
| - -     | 197701   | Replacement Mower, Complete                           |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER SOGT26H54 (96042001501), PRODUCT NO. 960 42 00-15**  
**MOWER LIFT**



| KEY NO. | PART NO. | DESCRIPTION                  |
|---------|----------|------------------------------|
| 2       | 195223   | Shaft Asm., Lift             |
| 3       | 195230   | Lever Asm., Lift Rh          |
| 7       | 196492   | Grip, Lever                  |
| 10      | 196314   | Spring Torsion               |
| 87      | 194209   | Pin Cotter 7/16 Bow Tie Lock |
| 88      | 195304   | Spring Lift Assist           |
| 89      | 19191912 | Washer Clear Zinc            |

| KEY NO. | PART NO. | DESCRIPTION                      |
|---------|----------|----------------------------------|
| 90      | 194208   | Pin Cotter 5/16 Bow Tie Lock     |
| 91      | 403407   | Link Lift Susp Mower Rear        |
| 97      | 17060612 | Screw 3/8-16 x .75 Smgml Tap/R.Z |
| 98      | 195264   | Link Lift Susp. Front Mower      |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm