



# REPAIR PARTS

## TRACTOR - - MODEL NUMBER PB19546LT (96042003501), PRODUCT NO. 960 42 00-35 SCHEMATIC

02836\_193374 / 390



IGNITION SWITCH

| POSITION     | CIRCUIT "MAKE" |
|--------------|----------------|
| OFF          | M+G+A1         |
| RUN/OVERRIDE | B+A1           |
| RUN          | B+A1 L+A2      |
| START        | B + S + A1     |

**NOTE**  
YOUR TRACTOR IS EQUIPPED WITH A SPECIAL ALTERNATOR SYSTEM. THE LIGHTS ARE NOT CONNECTED TO THE BATTERY, BUT HAVE THEIR OWN ELECTRICAL SOURCE. BECAUSE OF THIS, THE BRIGHTNESS OF THE LIGHTS WILL CHANGE WITH ENGINE SPEED. AT IDLE THE LIGHTS WILL DIM. AS THE ENGINE IS SPEEDED UP, THE LIGHTS WILL BECOME THEIR BRIGHTEST.

02836

●  
NON-REMOVABLE  
CONNECTIONS


○  
REMOVABLE  
CONNECTIONS

### WIRING INSULATED CLIPS

**NOTE:** IF WIRING INSULATED CLIPS WERE REMOVED FOR SERVICING OF UNIT, THEY SHOULD BE REPLACED TO PROPERLY SECURE YOUR WIRING.

# REPAIR PARTS


TRACTOR - - MODEL NUMBER PB19546LT (96042003501), PRODUCT NO. 960 42 00-35



| KEY NO. | PART NO. | DESCRIPTION                   |
|---------|----------|-------------------------------|
| 1       | 402015   | Decal Oper                    |
| 2       | 408834   | Decal Eng. H.P.               |
| 3       | 186164   | Decal Hood LH                 |
| 4       | 408794   | Decal Side Panel Logo         |
| 5       | 411174   | Decal Lwr Dash                |
| 6       | 170563   | Decal Warning, Keep Hand Away |
| 7       | 413417   | Decal Replacement Parts       |
| 8       | 411658   | Decal Fender Warn S/F         |
| 9       | 172740   | Decal Fender Logo             |

| KEY NO. | PART NO.   | DESCRIPTION                |
|---------|------------|----------------------------|
| 11      | 172743     | Decal Ins Strg Whl         |
| 12      | 408948     | Decal Fend SD RH           |
| 13      | 408949     | Decal Fend SD LH           |
| 14      | 160396     | Decal V-Belt Schematic     |
| 16      | 186163     | Decal Hood RH              |
| 20      | 145005     | Decal Bat Dan/Psn          |
| --      | 193226X428 | Pad Footrest LH            |
| --      | 193227X428 | Pad Footrest RH            |
| --      | 413437     | Manual Operator's (Eng)    |
| --      | 413438     | Manual Operator's (French) |

## WHEELS AND TIRES



| KEY NO. | PART NO.   | DESCRIPTION                       |
|---------|------------|-----------------------------------|
| 1       | 59192      | Cap Valve Tire                    |
| 2       | 65139      | Stem Valve                        |
| 3       | 106222X    | Tire F T 15 x 6 0 - 6             |
| 4       | 59904      | Tube Front)                       |
| 5       | 106732X421 | Rim Asm 6" Front                  |
| 6       | 278H       | Fitting Grease (Front Wheel Only) |
| 7       | 9040H      | Bearing Flange (Front Wheel Only) |
| 8       | 106108X421 | Rim Asm 8" Rear                   |
| 9       | 106268X    | Tire R T 18 x 9.5-8 Turf Saver    |
| --      | 420531     | Tire R T 18 x 9.5-8 Turf Saver LT |
| 10      | 7152J      | Tube Rear                         |
| 11      | 104757X421 | Cap Axle Blk 1 50 x 1 00          |
| --      | 144334     | Sealant, Tire (10 oz. Tube)       |


**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS



TRACTOR -- MODEL NUMBER PB19546LT (96042003501), PRODUCT NO. 960 42 00-35  
ELECTRICAL

T02S

With 12V Outlet Option



With Service Minder Option




# REPAIR PARTS

TRACTOR - - MODEL NUMBER PB19546LT (96042003501), PRODUCT NO. 960 42 00-35  
ELECTRICAL

| KEY<br>NO. | PART<br>NO.   | DESCRIPTION                             |
|------------|---------------|-----------------------------------------|
| 1          | 163465        | Battery                                 |
| 2          | 74760412      | Bolt Hex Hd 1/4-20 unc x 3/4            |
| 8          | 193228        | Box Battery                             |
| 16         | 176138        | Switch Interlock                        |
| 21         | 183759        | Harness Socket Light                    |
| 22         | 4152J         | Bulb, Light #1156                       |
| 25         | 401662        | Cable Battery 6 Ga. Red 14.5            |
| 26         | 175158        | Fuse                                    |
| 27         | 73510400      | Nut Keps Hex 1/4-20 unc                 |
| 28         | 198885        | Cable Ground 18" Rear Battery Blk 6 Ga. |
| 29         | 401545        | Switch Seat                             |
| 30         | 193350        | Switch Ign                              |
| 33         | 140401        | Key Ign Molded Generic                  |
| 34         | 110712X       | Switch Light/Reset                      |
| 40         | 401098        | Harness Ign                             |
| 41         | 17720408      | Screw 1/4-20 unc x 1/2                  |
| 42         | 131563        | Cover Terminal Red                      |
| 43         | 192507        | Solenoid                                |
| 55         | 17060512      | Screw 5/16-18 x 3/4                     |
| 71         | 400449        | Harness Ign. Chass.                     |
| 79         | <b>175242</b> | Socket Asm Bulb Twistlock               |
| 87         | <b>197802</b> | Swch Intrlck Clutch Cable Tx            |
| 90         | 400725        | Cover Terminal                          |
| 92         | 196615        | Harness Pigtail Reverse Switch          |
| 93         | 192540        | Screw Plastic 10-14 x 2.0               |
| 94         | 191834        | Modual Reverse ROS                      |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER PB19546LT (96042003501), PRODUCT NO. 960 42 00-35 CHASSIS**



# REPAIR PARTS


TRACTOR - - MODEL NUMBER PB19546LT (96042003501), PRODUCT NO. 960 42 00-35  
CHASSIS

| KEY NO. | PART NO.   | DESCRIPTION                      |
|---------|------------|----------------------------------|
| 2       | 194263     | Drawbar                          |
| 5       | 197783X428 | Dash                             |
| 14      | 183393X428 | Hood                             |
| 15      | 183834X599 | Lens Grille LH                   |
| 18      | 183828     | Grille                           |
| 25      | 183835X599 | Lens Grille RH                   |
| 36      | 17060512   | Screw 5/16-18 x 3/4              |
| 37      | 193218X428 | Fender                           |
| 68      | 17490508   | Screw Thdrol 5/16-18 x 1/2       |
| 130     | 191611     | Screw 10 x 3/4 Single Lead-Hex   |
| 137     | 184921     | Bumper Hood                      |
| 138     | 193224X428 | Cupholder                        |
| 150     | 184322     | Duct Heat Hood                   |
| 151     | 407807     | Bracket Pivot                    |
| 152     | 194329     | Shield Browning/Debris           |
| 159     | 17000612   | Screw Hexwsh Thdrol 3/8-16 x 3/4 |
| 162     | 142432     | Screw Hex Wsh Hi-Lo 1/4 x 1/2    |
| 175     | 193243     | Crossmember                      |
| 176     | 400776     | Screw 10-24 x 5/8 Wshd Qdrx      |
| 177     | 195228     | Bushing Steering                 |
| 180     | 194260     | Chassis                          |
| 181     | 193102X428 | Bushing Mtg. Fender Crgo.        |
| 182     | 193057     | Dash Lower                       |
| 183     | 74780520   | Bolt Fin Hex 5/16-18 x 1-1/4     |
| 186     | 183829X428 | Insert Grille                    |
| 194     | 73900500   | Nut Lock Hex Flange 5/16-18      |
| 196     | 410584     | Console Asm. Deck Lift           |
| 197     | 409167     | Rod Pivot Hood                   |
| 207     | 183833     | Bezel Grille RH                  |
| 208     | 183832     | Bezel Grille LH                  |
| 219     | 195161     | Stud Fastener                    |
| 222     | 137729     | Screw Thd Roll 1/4-20 x 5/8      |
| 230     | 170165     | Bolt Shoulder 5/16-18            |
| 235     | 406129     | Spacer Fender                    |
| 236     | 73930500   | Nut Center Lock 5/16-18          |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR - - MODEL NUMBER PB19546LT (96042003501), PRODUCT NO. 960 42 00-35  
DRIVE



drive-tex\_D6800\_Fender\_13

# REPAIR PARTS

TRACTOR - - MODEL NUMBER PB19546LT (96042003501), PRODUCT NO. 960 42 00-35  
DRIVE


| KEY NO. | PART NO.   | DESCRIPTION                                   | KEY NO. | PART NO.   | DESCRIPTION                     |
|---------|------------|-----------------------------------------------|---------|------------|---------------------------------|
| 1       | -----      | Transaxle, D6800<br>(See Transaxle Breakdown) | 159     | 76020412   | Pin Cotter 1/8 x 3/4            |
| 2       | 123583X    | Key Square                                    | 160     | 169484     | Retainer Clip                   |
| 15      | 19131316   | Washer 13/32 x 13/16 x 16 Ga.                 | 161     | 195403     | Spring, Return, Clutch          |
| 17      | 197297     | Spring, Brake                                 | 162     | 195785     | Spacer                          |
| 22      | 197660     | Rod Shift                                     | 165     | 196212     | Busing Shaft Brake Hand Control |
| 23      | 409154x421 | Knob                                          | 166     | 197290     | Nut Push .625                   |
| 26      | 197455     | Spring Brake RTN                              | 167     | 405257     | Latch Brake Parking             |
| 29      | 197267     | Rod, Brake                                    | 172     | 197657     | Strap Torque LH                 |
| 33      | 12000001   | Ring E                                        | 174     | 197289     | Nut Push                        |
| 35      | 197722     | Rod, Brake, Park                              | 175     | 198981     | Shaft Asm Shift                 |
| 37      | 121749X    | Washer 25/32 x 1-1/4 x 16 Ga.                 | 176     | 196214     | Arm Clevis Rod Shift            |
| 42      | 8883R      | Cover, Foot Pedal                             | 178     | 197456     | Spring Shift                    |
| 49      | 72110614   | Bolt                                          | 184     | 198403X505 | Handle Parking Brake            |
| 50      | 194327     | Pulley Idler Flat                             | 185     | 72110620   | Bolt                            |
| 51      | 73900600   | Lock Nut 3/8-16                               | 186     | 194321     | Spacer Retainer                 |
| 52      | 194326     | Idler V-Groove                                | 187     | 19133210   | Washer                          |
| 56      | 411245     | V-Belt, Drive                                 | 188     | 194323     | Link Clutch Ground Drive        |
| 61      | 123666X    | Pulley Transaxle                              | 189     | 194317     | Bellcrank Ground Drive          |
| 64      | 196200     | Shaft Asm. Pedal Brake Control                | 190     | 194318     | Keeper Bellcrank Ground Drive   |
| 70      | 193225X428 | Console                                       | 192     | 150360     | Nut Lock Center 1/4-28          |
| 73      | 74490560   | Bolt Hex FLNGD 5/16 - 18 x 3.75               | 193     | 17060512   | Screw 5/16-18 x 3/4             |
| 74      | 142432     | Screw 1/4 x 1/2                               | 195     | 197332     | Bracket Brake Rod               |
| 116     | 73900500   | Nut Lock Hex Flange 5/16-18                   | 202     | 199589     | Link Shift                      |
| 125     | 17000512   | Screw 5/16-18 x 3/4                           | 203     | 19111116   | Washer 11/32 x 11/16 x 16 Ga.   |
| 134     | 402430     | Arm Shift                                     | 205     | 121748X    | Washer 25/32 x 1-5/8 x 16 Ga.   |
| 139     | 74550412   | Bolt 1/4-20 unf Gr. 8 w/Patch                 | 232     | 74780716   | Bolt 7/16-14 x 1 Gr.5           |
| 140     | 10040400   | Washer Lock Hvy Helical 1/4                   | 233     | 405296     | Washer Serrated                 |
| 141     | 19091210   | Washer 9/32 x 3/4 x 10 Ga.                    |         |            |                                 |
| 155     | 12000028   | Ring Retainer                                 |         |            |                                 |
| 157     | 105701X    | Washer Plate Shf                              |         |            |                                 |
| 158     | 194352     | Keeper T/A                                    |         |            |                                 |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm



# REPAIR PARTS

TRACTOR - - MODEL NUMBER PB19546LT (96042003501), PRODUCT NO. 960 42 00-35  
ENGINE



# REPAIR PARTS

TRACTOR - - MODEL NUMBER PB19546LT (96042003501), PRODUCT NO. 960 42 00-35  
ENGINE

| KEY<br>NO. | PART<br>NO. | DESCRIPTION                      |
|------------|-------------|----------------------------------|
| 1          | -----       | Engine B&S Model No. 31P677      |
| 2          | 137352      | Muffler                          |
| 9          | 194319      | Keeper Belt Engine               |
| 12         | 405140      | Pulley Engine                    |
| 15         | 407545      | Tank Fuel 1.50                   |
| 18         | 197725      | Cap Asm                          |
| 20         | 176636X421  | Control Throttle/Choke           |
| 21         | 191611      | Screw 10 x 3/4 Single Lead-Hex   |
| 28         | 401137      | Fuel Line                        |
| 29         | 137180      | Spark Arrester Kit               |
| 37         | 123487X     | Clamp Hose                       |
| 42         | 10040700    | Washer Lock 7/16                 |
| 45         | 73510400    | Nut Keps Hex 1/4-20 unc          |
| 69         | 165291      | Gasket                           |
| 79         | 192334      | Screw Socket Hd 5/16-18 x .75    |
| 81         | 148456      | Tube Drain Oil Easy              |
| 82         | 181654      | Plug Drain Oil                   |
| 84         | 17060620    | Screw 3/8-16 x 1-1/4             |
| 85         | 173937      | Bolt Hex 7/16-20 x 4 x Gr. 5-1.5 |
| 90         | 17000612    | Screw 3/8-16 x 1.0               |
| 96         | 19091416    | Washer 9/32 x 7/8 x 16 Ga.       |
| 97         | 17670412    | Screw 1/4-20 x 3/4               |


**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

## Engine Power Rating Information

The gross power rating for individual gas engine models is labeled in accordance with SAE (Society of Automotive Engineers) code J11940 (Small Engine Power & Torque Rating Procedure), and rating performance has been obtained and corrected in accordance with SAE J1995 (Revision 2002-5). Actual gross engine power will be lower and is affected by, among other things, ambient operating conditions and engine-to-engine variability. Given both the wide array of products on which engines are placed and the variety of environmental issues applicable to operating the equipment, the gas engine will not develop the rated gross power when used in a given piece of power equipment (actual "on-site" or net horsepower). This difference is due to a variety of factors including, but not limited to, accessories (air cleaner, exhaust, charging, cooling, carburetor, fuel pump, etc.), application limitations, ambient operating conditions (temperature, humidity, altitude), and engine-to-engine variability. Due to manufacturing and capacity limitations, Briggs & Stratton may substitute an engine of higher rated power for this Series engine.

# REPAIR PARTS

TRACTOR - - MODEL NUMBER PB19546LT (96042003501), PRODUCT NO. 960 42 00-35  
MOWER DECK



46\_man-Tex\_It\_6

# REPAIR PARTS

TRACTOR - - MODEL NUMBER PB19546LT (96042003501), PRODUCT NO. 960 42 00-35  
MOWER DECK


| KEY NO. | PART NO.   | DESCRIPTION                                      | KEY NO. | PART NO.   | DESCRIPTION                                                                                                                   |
|---------|------------|--------------------------------------------------|---------|------------|-------------------------------------------------------------------------------------------------------------------------------|
| 1       | 405050x421 | Mower Housing                                    | 60      | 400132     | Arm Brake Mower                                                                                                               |
| 2       | 405507     | Cover Mandrel LH                                 | 63      | 199478     | Arm Brake Mower                                                                                                               |
| 3       | 405506     | Cover Mandrel RH                                 | 64      | 405139     | Linkage Brake                                                                                                                 |
| 6       | 195186     | Arm Suspension                                   | 67      | 198398X421 | Handle, Clutch Cable                                                                                                          |
| 7       | 191611     | Screw 10 x 3/4 Single Hex                        | 68      | 405143     | V-Belt                                                                                                                        |
| 8       | 193003     | Bolt/Washer Asm 7/16-20 unf                      | 69      | 72140505   | Bolt Rdhd Sqnk 5/16-18 x 5/8                                                                                                  |
| 11      | 405380     | Blade, 46" Hi-Lift<br>(For bagging or discharge) | 70      | 198332     | Clutch Asm. Manual                                                                                                            |
| 13      | 192872     | Shaft Assembly, Mandrel                          | 113     | 17000510   | Screw 5/16-18                                                                                                                 |
| 14      | 187281     | Housing, Mandrel                                 | 116     | 4898H      | Bolt SHLD                                                                                                                     |
| 15      | 110485X    | Bearing, Ball, Mandrel                           | 117     | 188606     | Wheel Gauge                                                                                                                   |
| 19      | 196539     | Bolt, Shoulder                                   | 118     | 73930600   | Nut Centerlock 3/8-16 unc                                                                                                     |
| 21      | 73680500   | Nut, Crownlock 5/16-18 unc                       | 119     | 19121414   | Washer 3/8 x 7/8 x 14 Ga.                                                                                                     |
| 23      | 192557     | Bracket, Deflector                               | 122     | 197258     | Keeper Belt Eng. LH                                                                                                           |
| 24      | 105304X    | Cap, Sleeve                                      | 123     | 197259     | Keeper Belt Eng. RH                                                                                                           |
| 25      | 197026     | Spring, Torsion, Deflector                       | 129     | 19131312   | Washer 13/32 x 13/16 x 12 Ga.                                                                                                 |
| 26      | 110452X    | Nut, Push                                        | 144     | 199204     | Keeper Belt                                                                                                                   |
| 27      | 405357     | Shield, Deflector                                | 145     | 177968     | Pulley Idler                                                                                                                  |
| 29      | 131491     | Rod, Hinge                                       | 147     | 401872     | Spring Return                                                                                                                 |
| 30      | 173984     | Screw Thdrol Rolling Wsh Hd                      | 152     | 408714     | Cable Clutch Manual w/Spr.                                                                                                    |
| 31      | 187690     | Washer, Spacer                                   | 188     | 195161     | Stud Fastener                                                                                                                 |
| 32      | 195945     | Pulley, Mandrel                                  | 189     | 73900500   | Nut Lock Hex Flange                                                                                                           |
| 33      | 400234     | Nut, Toplock, Flanged                            | 195     | 17000612   | Screw Hexwsh Thdr 3/8-16 x 3/4                                                                                                |
| 34      | 72110612   | Bolt Carr Sh. 3/8-16 x 1-1/2 Gr. 5               | 198     | 403149     | Baffle Center Front                                                                                                           |
| 36      | 196106     | Pulley, Idler, Flat                              | 199     | 403150     | Baffle Front RH                                                                                                               |
| 37      | 19131316   | Washer 13/32 x 13/16 x 16 Ga.                    | 240     | 74520636   | Bolt Fin Hex 3/8-16 x 2-1/4 Gr. 5                                                                                             |
| 38      | 199189     | Keeper Belt LH Mandrel                           | 241     | 19133210   | Washer 13/32 x 2 x 10 Ga.                                                                                                     |
| 40      | 73900600   | Nut, Lock Flg. 3/8-16 unc                        | - -     | 192870     | Mandrel Assembly (Includes housing, shaft assembly, and bearing only - pulley/nut/washer and blade bolt/washers not included) |
| 42      | 198410     | Spring Torsion Brake                             | - -     | 411232     | Replacement Mower, Complete                                                                                                   |
| 43      | 197256     | Spring Torsion Retainer                          |         |            |                                                                                                                               |
| 46      | 137729     | Screw Thd Roll 1/4-20 x 5/8                      |         |            |                                                                                                                               |
| 47      | 197250     | Bracket Clutch Cable                             |         |            |                                                                                                                               |
| 55      | 197249     | Arm, Idler                                       |         |            |                                                                                                                               |
| 56      | 199092     | Spacer, Retainer                                 |         |            |                                                                                                                               |
| 57      | 17000616   | Screw Hexwsh Thd 3/8-16 x 1                      |         |            |                                                                                                                               |
| 59      | 141043     | Guard, Tuv Idler (94)                            |         |            |                                                                                                                               |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR - - MODEL NUMBER PB19546LT (96042003501), PRODUCT NO. 960 42 00-35

## STEERING




| KEY NO. | PART NO.   | DESCRIPTION                         | KEY NO. | PART NO. | DESCRIPTION                    |
|---------|------------|-------------------------------------|---------|----------|--------------------------------|
| 1       | 186093X428 | Wheel, Steering                     | 54      | 74760636 | Bolt Hex HS 3/8-16 unc x 2-1/4 |
| 2       | 184706     | Axle Asm., Front                    | 55      | 197636   | Spacer Brace Axle              |
| 4       | 403087     | Spindle Asm., LH                    | 57      | 407465   | Bracket Upstop                 |
| 5       | 403088     | Spindle Asm., RH                    | 58      | 194747   | Bolt Shoulder Sector Pivot CFM |
| 6       | 6266H      | Bearing, Race Thrust Harden         | 59      | 194748   | Washer Thrust Sector Steering  |
| 7       | 121748X    | Washer 25/32 x 1-5/8 x 16 Ga.       | 60      | 73971000 | Nut Flange Lock 5/8-11         |
| 8       | 12000029   | Ring, Klip #T5304-75                | 61      | 194740   | Draglink, LH                   |
| 9       | 121232X    | Cap, Spindle                        | 62      | 194741   | Draglink, RH                   |
| 13      | 121749X    | Washer 25/32 x 1-1/4 x 16 Ga.       | 63      | 17000512 | Screw 5/16-18 x 3/4            |
| 14      | 10040600   | Washer Lock 3/8                     | 64      | 199849   | Retainer Clip Spring Steering  |
| 15      | 73540600   | Nut, Crown Lock 3/8-24 unf          | 65      | 194734   | Brace Axle Front               |
| 16      | 408220     | Shaft Steering                      | 66      | 71020748 | Bolt Hex Fghd 7/16-14 x 3 Serr |
| 19      | 194729     | Plate Steering                      | 67      | 194737   | Bushing PM Front Axle          |
| 20      | 198375X428 | Boot, Steering                      | 68      | 73900700 | Nut Lock Flange 7/16-14 Gr. 5  |
| 21      | 186737     | Adapter, Wheel Steering             | 69      | 199162   | Washer 1.5 x .505 x .118       |
| 22      | 194845     | Bushing, Strg. Blk                  | 70      | 196197   | Bracket Deck Susp. Front       |
| 26      | 186095X428 | Insert, Wheel Steering              | 71      | 196075   | Shaft Ext. Steering            |
| 28      | 17000612   | Screw 3/8-16 x 3/4                  | 72      | 74780572 | Bolt 5/16-18 x 4.5 Gr. 5       |
| 33      | 10040500   | Washer Lock 5/16                    |         |          |                                |
| 35      | 194732     | Gear, Sector Plate                  |         |          |                                |
| 45      | 19113812   | Washer 11/32 x 2-3/8 x 12 Ga.       |         |          |                                |
| 50      | 73900600   | Nut Lock Flg 3/8-16 unc             |         |          |                                |
| 53      | 188967     | Washer Hardened .793 x 1.637 x .060 |         |          |                                |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR - - MODEL NUMBER PB19546LT (96042003501), PRODUCT NO. 960 42 00-35  
SEAT



seat-tex\_7-vgt


| KEY NO. | PART NO. | DESCRIPTION                   |
|---------|----------|-------------------------------|
| 1       | 197514   | Seat                          |
| 2       | 180166   | Bracket Pivot Fender          |
| 3       | 140675   | Strap, Asm Fender             |
| 6       | 73800600 | Nut, Lock w/Ins. 3/8-16 unc   |
| 7       | 124181X  | Spring, Seat Cprsn            |
| 8       | 171877   | Bolt 5/16-18 unc x 3/4 w/Sems |
| 10      | 196977   | Pan, Seat                     |
| 21      | 171852   | Bolt, Shoulder 5/16-18        |
| 37      | 73800500 | Nut, Lock 5/16-18 unc         |

| KEY NO. | PART NO. | DESCRIPTION                   |
|---------|----------|-------------------------------|
| 40      | 197661   | Handle Slide                  |
| 41      | 198200   | Spring Latch                  |
| 43      | 74760612 | Bolt 3/8-16 unc x 3/4         |
| 44      | 19133812 | Washer 13/32 x 2 3/8 x 12 Ga. |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# REPAIR PARTS

TRACTOR - - MODEL NUMBER PB19546LT (96042003501), PRODUCT NO. 960 42 00-35  
MOWER LIFT



# REPAIR PARTS

TRACTOR - - MODEL NUMBER PB19546LT (96042003501), PRODUCT NO. 960 42 00-35  
MOWER LIFT

| KEY<br>NO. | PART<br>NO. | DESCRIPTION                      |
|------------|-------------|----------------------------------|
| 2          | 195223      | Shaft Asm., Lift                 |
| 3          | 195231      | Lever Asm., Lift RH              |
| 7          | 196492X421  | Grip, Lever                      |
| 10         | 196314      | Spring Torsion                   |
| 87         | 194209      | Pin Cotter 7/16 Bow Tie Lock     |
| 88         | 410710      | Spring Lift Assist               |
| 89         | 19191912    | Washer Clear Zinc                |
| 90         | 194208      | Pin Cotter 5/16 Bow Tie Lock     |
| 91         | 195181      | Link Lift Susp Mower Rear        |
| 97         | 17000612    | Screw 3/8-16 x .75 Smgml Tap/R.Z |
| 98         | 195270      | Link Lift Susp. Front Mower      |
| 100        | 73930600    | Nut Centerlock 3/8 -16 unc       |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm