



TRACTOR - - MODEL NUMBER YTH2042 (96043012102), PRODUCT NO. 960 43 01-21  
DECALS



| KEY NO. | PART NO.     | DESCRIPTION                      |
|---------|--------------|----------------------------------|
| 1       | 532 41 16-57 | Decal, Fender Warn./Instructions |
| 2       | 532 42 91-96 | Decal, Hood Logo                 |
| 3       | 532 17 05-63 | Decal, Mower Warning             |
| 4       | 532 43 86-65 | Decal, Hood Panel                |
| 5       | 532 42 38-29 | Decal, Customer Respons.         |
| 6       | 532 43 84-71 | Decal, Replacement               |
| 8       | 532 42 95-51 | Decal, Engine                    |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 9       | 532 14 50-05 | Decal, Battery Dnge/Poi       |
| 12      | 532 16 03-96 | Decal, Mower V-Belt Schematic |
| --      | 532 16 69-60 | Decal, Bypass                 |
| --      | 532 43 96-81 | Pad, Footrest, LH             |
| --      | 532 43 99-66 | Pad, Footrest, RH             |
| --      | 532 44 45-72 | Manual, Owner's (English)     |
| --      | 532 44 45-73 | Manual, Owner's (Spanish)     |

WHEELS AND TIRES




| KEY NO. | PART NO.     | DESCRIPTION                       |
|---------|--------------|-----------------------------------|
| 1       | 532 05 91-92 | Cap Valve Tire                    |
| 2       | 532 06 51-39 | Stem Valve                        |
| 3       | 532 13 83-36 | Rim Asm 6" Front                  |
| 4       | 532 05 99-04 | Tube Front (Service Item Only)    |
| 5       | 532 10 62-22 | Tire Front 15 x 6.0-6             |
| 6       | 532 12 49-57 | Fitting Grease (Front Wheel Only) |
| 7       | 532 12 49-59 | Bearing Flange (Front Wheel Only) |
| 8       | 532 17 50-39 | Cap Axle Blk 1 50 x 1 00          |
| 9       | 532 13 84-68 | Tire Rear 20 x 8-8                |
| 10      | 532 12 49-26 | Tube Rear (Service Item Only)     |
| 11      | 532 13 83-37 | Rim Asm 8" Rear                   |
| --      | 532 14 43-34 | Sealant, Tire (10 oz. Tube)       |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER YTH2042 (96043012102), PRODUCT NO. 960 43 01-21  
SCHEMATIC




SCH11

NOTE  
YOUR TRACTOR IS  
EQUIPPED WITH A SPECIAL  
ALTERNATOR SYSTEM.  
THE LIGHTS ARE NOT  
CONNECTED TO THE  
BATTERY, BUT HAVE THEIR  
OWN ELECTRICAL SOURCE.  
BECAUSE OF THIS, THE  
BRIGHTNESS OF THE LIGHTS  
WILL CHANGE WITH ENGINE  
SPEED. AT IDLE THE LIGHTS  
WILL DIM. AS THE ENGINE IS  
SPEEDED UP, THE LIGHTS  
WILL BECOME THEIR  
BRIGHTEST.



IGNITION SWITCH

| POSITION     | CIRCUIT    | "MAKE" |
|--------------|------------|--------|
| OFF          | M+G+A1     |        |
| RUN/OVERRIDE | B+A1       |        |
| RUN          | B+A1       | L+A2   |
| START        | B + S + A1 |        |




WIRING INSULATED CLIPS  
NOTE: IF WIRING INSULATED  
CLIPS WERE REMOVED FOR  
SERVICING OF UNIT, THEY  
SHOULD BE RE-INSTALLED TO  
PROPERLY SECURE YOUR  
WIRING.

NON-REMOVABLE  
CONNECTIONS  
REMOVABLE  
CONNECTIONS



**TRACTOR -- MODEL NUMBER YTH2042 (96043012102), PRODUCT NO. 960 43 01-21**  
**ELECTRICAL**

T02S

With 12V Outlet Option



With Service Minder Option




# TRACTOR - - MODEL NUMBER YTH2042 (96043012102), PRODUCT NO. 960 43 01-21 ELECTRICAL

| KEY<br>NO. | PART<br>NO.  | DESCRIPTION                    |
|------------|--------------|--------------------------------|
| 1          | 532 16 34-65 | Battery                        |
| 2          | 874 76 04-12 | Bolt Hex Head 1/4-20 x 3/4     |
| 8          | 532 19 32-28 | Box Battery                    |
| 16         | 532 17 61-38 | Switch Interlock Push-In       |
| 21         | 532 40 02-52 | Harness Socket Light w/4152J   |
| 22         | 532 00 41-52 | Bulb Light                     |
| 25         | 532 41 28-95 | Cable Starter                  |
| 26         | 532 17 51-58 | Fuse                           |
| 27         | 873 51 04-00 | Nut Keps Hex 1/4-20 unc        |
| 28         | 532 19 88-85 | Cable, Ground                  |
| 29         | 532 40 15-45 | Switch, Seat                   |
| 30         | 532 19 33-50 | Switch, Ign                    |
| 33         | 532 41 19-33 | Key/Chain                      |
| 34         | 532 11 07-12 | Switch Light/Reset             |
| 40         | 532 40 10-98 | Harness Ign. Dash              |
| 41         | 817 72 04-08 | Screw Thd Cut 1/4-20 x 1/2     |
| 42         | 532 13 15-63 | Cover, Terminal                |
| 43         | 532 19 25-07 | Solenoid                       |
| 55         | 817 06 05-12 | Screw Thdrol 5/16-18 x 3/4     |
| 71         | 532 40 04-49 | Harness Chassis                |
| 79         | 532 17 52-42 | Socket Asm Bulb Twistlock      |
| 87         | 532 19 78-02 | Switch Interlock Clutch Cable  |
| 90         | 532 43 53-95 | Cover, Terminal Battery        |
| 92         | 532 19 66-15 | Harness Pigtail Reverse Switch |
| 93         | 532 19 25-40 | Screw Plastite 10-14 x 2.0     |
| 94         | 532 19 18-34 | Module Reverse ROS             |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - - MODEL NUMBER YTH2042 (96043012102), PRODUCT NO. 960 43 01-21

## CHASSIS



chassis-tex\_GT HUSQ II\_7\_r1


# TRACTOR - - MODEL NUMBER YTH2042 (96043012102), PRODUCT NO. 960 43 01-21 CHASSIS

| KEY NO. | PART NO.     | DESCRIPTION                     |
|---------|--------------|---------------------------------|
| 3       | 532 43 97-52 | Logo                            |
| 5       | 532 43 74-73 | Dash                            |
| 14      | 532 44 11-77 | Hood                            |
| 15      | 532 43 97-33 | Lens LH                         |
| 18      | 532 43 77-62 | Grille                          |
| 25      | 532 44 33-85 | Lens RH                         |
| 34      | 532 19 61-25 | Plate Engine                    |
| 36      | 817 06 05-12 | Screw 5/16-18 x 3/4             |
| 37      | 532 44 12-66 | Fender                          |
| 52      | 873 68 05-00 | Nut Crown Lock 5/16             |
| 68      | 817 49 05-08 | Screw THDROL 5/16-18 x 1/2      |
| 130     | 532 41 63-58 | Screw #10 x 0.750 BOS Thread    |
| 137     | 532 40 75-90 | Bumper Dash                     |
| 138     | 532 43 97-47 | Cupholder                       |
| 150     | 532 43 99-21 | Air Duct                        |
| 151     | 532 43 66-70 | Hood Pivot Bracket              |
| 152     | 532 19 95-35 | Shield Browning                 |
| 159     | 817 00 06-12 | Screw Hexwash Thor 3/8-16 x 3/4 |
| 162     | 532 14 24-32 | Screw                           |
| 175     | 532 19 63-04 | Crossmember Plate               |
| 176     | 532 40 07-76 | Screw 10-24 x 5/8               |
| 177     | 532 19 52-27 | Bushing Steering                |
| 178     | 532 19 97-82 | Cargo Net                       |
| 180     | 532 19 54-57 | Chassis                         |
| 181     | 532 43 97-46 | Bushing Mtg. Fender Crgo        |
| 182     | 532 40 68-59 | Dash Lower                      |
| 183     | 874 52 05-20 | Bolt 5/16-18 x 1-1/4 Full Thd   |
| 189     | 817 00 05-12 | Screw 5/16-18 x 3/4             |
| 191     | 532 43 74-55 | Insert Reflective RH            |
| 194     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18     |

| KEY NO. | PART NO.     | DESCRIPTION                     |
|---------|--------------|---------------------------------|
| 195     | 532 40 41-37 | Plug Dash                       |
| 196     | 532 43 96-47 | Console Asm. Deck Lift          |
| 202     | 532 43 97-28 | Vent Side Hood RH               |
| 203     | 532 43 97-27 | Vent Side Hood LH               |
| 204     | 532 43 57-14 | Vent Top Hood                   |
| 205     | 532 43 97-30 | Skirt Side RH                   |
| 206     | 532 43 97-29 | Skirt Side LH                   |
| 207     | 532 43 97-34 | Bezel RH                        |
| 208     | 532 43 97-35 | Bezel LH                        |
| 213     | 874 76 05-12 | Bolt 5/16-18 x 3/4              |
| 214     | 532 19 91-45 | Clip Retainer                   |
| 217     | 532 40 91-67 | Rod Pivot Hood                  |
| 218     | 532 19 63-95 | X-Piece Hood Stop               |
| 228     | 532 19 51-61 | Stud Fastener                   |
| 234     | 532 40 47-42 | Bumper Hood                     |
| 235     | 532 40 61-29 | Spacer Fender                   |
| 236     | 873 93 05-00 | Nut Lock 5/16-18 unc            |
| 287     | 817 60 04-06 | Screw Hex Washhead 1/4-20 x 3/8 |
| 289     | 532 40 35-71 | Plug Cruise/Phone               |
| 297     | 532 43 74-56 | Insert Reflective LH            |
| --      | 532 43 99-76 | Dash Plug Reminder              |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - - MODEL NUMBER YTH2042 (96043012102), PRODUCT NO. 960 43 01-21 DRIVE



drive-tex\_K46\_fender\_24\_r1


# TRACTOR - - MODEL NUMBER YTH2042 (96043012102), PRODUCT NO. 960 43 01-21 DRIVE

| KEY NO. | PART NO.     | DESCRIPTION                                                                  |
|---------|--------------|------------------------------------------------------------------------------|
| 1       | — — — — —    | Transaxle, Tufftorq K46BA (408214) (Order parts from transaxle manufacturer) |
| 2       | 532 12 35-83 | Key Square                                                                   |
| 15      | 819 13 13-16 | Washer 13/32 x 13/16 x 16 Ga.                                                |
| 17      | 532 41 36-78 | Spring, Brake                                                                |
| 22      | 532 19 76-60 | Rod Shift                                                                    |
| 23      | 532 14 08-45 | Knob                                                                         |
| 29      | 532 40 38-06 | Rod, Brake                                                                   |
| 33      | 812 00 00-01 | Ring E                                                                       |
| 35      | 532 43 54-86 | Rod, Brake, Park                                                             |
| 42      | 532 12 48-72 | Cover, Foot Pedal                                                            |
| 49      | 872 11 06-14 | Bolt                                                                         |
| 50      | 532 19 43-27 | Pulley Idler Flat                                                            |
| 51      | 873 90 06-00 | Lock Nut 3/8-16                                                              |
| 52      | 532 19 43-26 | Idler V-Groove 910" Offset                                                   |
| 56      | 532 13 09-69 | V-Belt, Drive                                                                |
| 64      | 532 19 62-00 | Shaft Asm. Pedal Brake Control                                               |
| 70      | 532 43 99-71 | Console                                                                      |
| 73      | 874 49 05-44 | Bolt Hex 5/16-18 G 5                                                         |
| 74      | 532 14 24-32 | Screw 1/4 x 1/2                                                              |
| 80      | 532 44 06-19 | Strap Torque                                                                 |
| 99      | 532 41 57-42 | Rod Spring Bypass                                                            |
| 116     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18                                                  |
| 125     | 817 00 05-12 | Screw 5/16-18 x 3/4                                                          |
| 143     | 817 49 05-08 | Screw THDROL 5/16-18                                                         |
| 153     | 532 12 47-88 | Retainer Spring 1"                                                           |
| 159     | 876 02 04-12 | Pin Cotter 1/8 x 3/4                                                         |
| 160     | 532 16 94-84 | Retainer Clip                                                                |
| 161     | 532 10 57-09 | Spring, Return, Clutch                                                       |

| KEY NO. | PART NO.     | DESCRIPTION                       |
|---------|--------------|-----------------------------------|
| 166     | 532 42 91-64 | Nut Push .625                     |
| 167     | 532 40 52-57 | Latch Brake Parking               |
| 170     | 532 19 43-22 | Keeper Belt Centerspan            |
| 171     | 872 11 06-16 | Bolt 3/8 - 16 unc x 2             |
| 174     | 532 19 72-89 | Nut Push                          |
| 175     | 532 40 62-08 | Shaft Asm Shift                   |
| 176     | 532 19 62-14 | Arm Clevis Rod Shift              |
| 178     | 532 19 74-56 | Spring Shift                      |
| 183     | 532 13 70-57 | Spacer Axle                       |
| 184     | 532 44 14-55 | Handle Parking Brake              |
| 185     | 872 11 06-22 | Bolt                              |
| 186     | 532 19 43-21 | Spacer Retainer                   |
| 187     | 819 13 32-10 | Washer                            |
| 188     | 532 19 43-23 | Link Clutch Ground Drive          |
| 189     | 532 19 43-17 | Bellcrank Ground Drive            |
| 190     | 532 19 43-18 | Keeper Bellcrank Ground Drive     |
| 205     | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga.     |
| 211     | 532 19 62-12 | Bushing Shaft                     |
| 216     | 532 19 61-31 | Bracket Pulley Idler              |
| 221     | 532 40 31-87 | Retainer Spring Clip Handle       |
| 225     | 532 40 33-19 | Keeper Belt Transaxle             |
| 226     | 532 40 15-64 | Bracket Mount Torque              |
| 227     | 817 49 05-12 | Screw 5/16 - 18 x 3/4             |
| 230     | 532 18 89-67 | Washer Harden .793 x 1.637 x .060 |
| 232     | 874 78 07-16 | Bolt 7/16-14 x 1 Gr 5             |
| 233     | 532 40 52-96 | Washer Serrated                   |
| 279     | 532 40 62-07 | Link Shift                        |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER YTH2042 (96043012102), PRODUCT NO. 960 43 01-21  
ENGINE



engine-tex\_BS\_63

## TRACTOR - - MODEL NUMBER YTH2042 (96043012102), PRODUCT NO. 960 43 01-21 ENGINE

| KEY NO. | PART NO.     | DESCRIPTION                                                                           |
|---------|--------------|---------------------------------------------------------------------------------------|
| 1       | - - - - -    | Engine Briggs Model No. 331777-1372-B1(429842) (Order parts from engine manufacturer) |
| 2       | 532 18 86-55 | Muffler                                                                               |
| 9       | 532 19 43-20 | Keeper Belt Engine                                                                    |
| 12      | 532 40 54-71 | Pulley Engine                                                                         |
| 15      | 532 40 74-89 | Tank Fuel                                                                             |
| 18      | 532 43 02-20 | Cap Fuel                                                                              |
| 20      | 532 40 15-08 | Control Throttle                                                                      |
| 21      | 532 41 63-58 | Screw #10 x 0.750 BOS Thread                                                          |
| 28      | 532 40 11-37 | Fuel Line                                                                             |
| 29      | 532 13 71-80 | Spark Arrester Kit                                                                    |
| 37      | 532 12 34-87 | Clamp Hose                                                                            |
| 42      | 810 04 07-00 | Washer Lock 7/16                                                                      |
| 45      | 873 51 04-00 | Nut Keps Hex 1/4-20 unc                                                               |
| 69      | 532 16 52-91 | Gasket                                                                                |
| 79      | 532 19 23-34 | Screw 5/16-18 x 3/4                                                                   |
| 81      | 532 14 84-56 | Tube Drain Oil Easy                                                                   |
| 82      | 532 42 82-87 | Valve Drain Oil                                                                       |
| 84      | 817 06 06-20 | Screw 3/8-16 x 1/4                                                                    |
| 85      | 532 17 39-37 | Bolt Hex 7/16-20 x 4 Gr. 5                                                            |
| 87      | 532 17 18-77 | Bolt 5/16-18 unc x 3/4 w/sems                                                         |
| 90      | 817 00 06-16 | Screw 3/8-16 x 1                                                                      |
| 94      | 532 40 54-50 | Exhaust Tube                                                                          |
| 96      | 819 09 14-16 | Washer 9/32 x 7/8 x 16 Ga.                                                            |
| 97      | 817 67 04-12 | Screw 1/4-20 x 3/4                                                                    |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

For engine service and replacement parts, call the toll free number for your engine manufacturer listed below:

Briggs & Stratton                      1-800-233-3723

### Engine Power Rating Information

The gross power rating for individual gas engine models is labeled in accordance with SAE (Society of Automotive Engineers) code J1940 (Small Engine Power & Torque Rating Procedure), and rating performance has been obtained and corrected in accordance with SAE J1995 (Revision 2002-05). Torque values are derived at 3060 RPM; horsepower values are derived at 3600 RPM. Actual gross engine power will be lower and is affected by, among other things, ambient operating conditions and engine-to-engine variability. Given both the wide array of products on which engines are placed and the variety of environmental issues applicable to operating the equipment, the gas engine will not develop the rated gross power when used in a given piece of power equipment (actual "on-site" or net power). This difference is due to a variety of factors including, but not limited to, accessories (air cleaner, exhaust, charging, cooling, carburetor, fuel pump, etc.), application limitations, ambient operating conditions (temperature, humidity, altitude), and engine-to-engine variability. Due to manufacturing and capacity limitations, Briggs & Stratton may substitute an engine of higher rated power for this Series engine.

[illegible]


**TRACTOR - - MODEL NUMBER YTH2042 (96043012102), PRODUCT NO. 960 43 01-21**  
**STEERING ASSEMBLY**

| KEY<br>NO. | PART<br>NO.  | DESCRIPTION                         |
|------------|--------------|-------------------------------------|
| 1          | 532 43 99-97 | Wheel, Steering                     |
| 2          | 532 19 59-68 | Axle Asm., Front                    |
| 4          | 532 40 30-87 | Spindle Asm., LH                    |
| 5          | 532 40 30-88 | Spindle Asm., RH                    |
| 6          | 532 12 49-31 | Bearing, Race Thrust Harden         |
| 7          | 532 12 17-48 | Washer 25/32 x 1-5/8 x 16 Ga.       |
| 8          | 812 00 00-29 | Ring, Klip #T5304-75                |
| 9          | 532 12 12-32 | Cap, Spindle                        |
| 13         | 532 12 17-49 | Washer 25/32 x 1-1/4 x 16 Ga.       |
| 14         | 810 04 06-00 | Washer, Lock Hvy Hlcl Spr 3/8       |
| 15         | 873 54 06-00 | Nut, Crown Lock 3/8-24 unf          |
| 16         | 532 40 82-19 | Shaft Steering                      |
| 19         | 532 19 47-29 | Plate Steering                      |
| 21         | 532 18 67-37 | Adapter, Wheel Steering             |
| 22         | 532 42 05-37 | Strg. Supt. Lower                   |
| 26         | 532 43 97-43 | Insert, Wheel Steering              |
| 28         | 817 00 06-12 | Screw 3/8-16 x 3/4                  |
| 35         | 532 19 47-32 | Gear, Sector Plate                  |
| 45         | 819 18 38-12 | Washer 9/16 ID x 2-3/8 OD 12 GZIN   |
| 51         | 873 94 08-00 | Nut Hex Jam Toplock 1/2-20          |
| 53         | 532 18 89-67 | Washer Hardened .793 x 1.637 x .060 |
| 57         | 532 40 74-65 | Bracket Upstop                      |
| 58         | 532 19 47-47 | Bolt Shoulder Sector Pivot CFM      |
| 59         | 532 19 47-48 | Washer Thrust Sector Steering       |
| 60         | 873 97 10-00 | Nut Flange Lock 5/8-11              |
| 61         | 532 19 47-40 | Draglink, LH                        |
| 62         | 532 19 47-41 | Draglink, RH                        |
| 63         | 817 00 05-12 | Screw 5/16-18 x 3/4                 |
| 64         | 532 19 98-49 | Retainer Clip Spring Steering       |
| 66         | 871 02 07-48 | Bolt Hex Fghd 7/16-14 x 3 Serr      |
| 67         | 532 19 47-37 | Bushing PM Front Axle               |
| 68         | 873 90 07-00 | Nut Lock Flange 7/16-14 Gr. 5       |
| 69         | 532 19 91-62 | Washer 1.5 x .505 x .118            |
| 70         | 532 19 61-97 | Bracket Deck Susp. Front            |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# TRACTOR - - MODEL NUMBER YTH2042 (96043012102), PRODUCT NO. 960 43 01-21

## MOWER DECK



42\_D\_man-tex\_LT\_33\_r3


# TRACTOR - - MODEL NUMBER YTH2042 (96043012102), PRODUCT NO. 960 43 01-21 MOWER DECK

| KEY NO. | PART NO.     | DESCRIPTION                                      |
|---------|--------------|--------------------------------------------------|
| 1       | 532 43 98-17 | Mower Housing                                    |
| 6       | 532 19 51-86 | Arm Suspension                                   |
| 7       | 532 41 63-58 | Screw #10 x .750 BOS Thread                      |
| 8       | 532 19 30-03 | Bolt/Washer Asm 7/16-20 unf                      |
| 11      | 532 13 89-71 | Blade, 42" Hi-Lift<br>(For bagging or discharge) |
| 13      | 532 19 28-72 | Shaft Assembly, Mandrel                          |
| 14      | 532 18 72-81 | Housing, Mandrel                                 |
| 15      | 532 11 04-85 | Bearing, Ball, Mandrel                           |
| 19      | 532 19 65-39 | Bolt, Shoulder                                   |
| 20      | 532 15 97-70 | Baffle, Vortex                                   |
| 21      | 873 68 05-00 | Nut, Crownlock 5/16-18 unc                       |
| 23      | 532 19 25-57 | Bracket, Deflector                               |
| 24      | 532 10 53-04 | Cap, Sleeve                                      |
| 25      | 532 19 70-26 | Spring, Torsion, Deflector                       |
| 26      | 532 11 04-52 | Nut, Push                                        |
| 27      | 532 40 30-04 | Shield, Deflector                                |
| 29      | 532 13 14-91 | Rod, Hinge                                       |
| 30      | 532 17 39-84 | Screw Thdrol Rolling Wsh Hd                      |
| 31      | 532 18 76-90 | Washer, Spacer                                   |
| 32      | 532 19 74-73 | Pulley, Mandrel                                  |
| 33      | 532 40 02-34 | Nut, Toplock, Flanged                            |
| 34      | 872 11 06-12 | Bolt Carr Sh. 3/8-16 x 1-1/2 Gr. 5               |
| 36      | 532 19 73-79 | Pulley, Idler, Flat                              |
| 37      | 819 13 13-16 | Washer                                           |
| 38      | 532 43 25-20 | Keeper Belt Mandrel                              |
| 40      | 873 90 06-00 | Nut, Lock Flg. 3/8-16 unc                        |
| 42      | 532 19 84-10 | Spring Torsion Brake                             |
| 43      | 532 19 72-56 | Spring Torsion Retainer                          |
| 46      | 532 13 77-29 | Screw Thd Roll 1/4-20 x 5/8                      |
| 47      | 532 19 72-50 | Bracket Clutch Cable                             |
| 55      | 532 43 71-10 | Arm, Idler                                       |
| 56      | 532 19 90-92 | Spacer, Retainer                                 |
| 57      | 817 00 06-16 | Screw 3/8-16 x 1                                 |
| 59      | 532 14 10-43 | Guard, Tuv Idler                                 |
| 60      | 532 19 72-61 | Arm Brake Mower                                  |

| KEY NO. | PART NO.     | DESCRIPTION                                                                                                                              |
|---------|--------------|------------------------------------------------------------------------------------------------------------------------------------------|
| 62      | 872 11 06-16 | Bolt Rd Hd Sq Nk 3/8-16 unc x 2                                                                                                          |
| 63      | 532 19 94-77 | Arm Brake Mower                                                                                                                          |
| 64      | 532 19 99-18 | Link Brake                                                                                                                               |
| 67      | 532 40 30-12 | Handle Clutch Cable                                                                                                                      |
| 68      | 532 42 96-36 | V-Belt                                                                                                                                   |
| 69      | 872 14 05-05 | Bolt                                                                                                                                     |
| 70      | 532 19 99-72 | Clutch Asm Manual                                                                                                                        |
| 113     | 817 00 05-10 | Screw 5/16-18                                                                                                                            |
| 116     | 532 12 48-42 | Bolt, Shoulder                                                                                                                           |
| 117     | 532 18 86-06 | Wheel, Gauge                                                                                                                             |
| 118     | 873 93 06-00 | Nut, Crownlock 3/8-1                                                                                                                     |
| 119     | 819 12 14-14 | Washer 13/32 x 7/8 x 14 Ga.                                                                                                              |
| 122     | 532 19 72-58 | Keeper Belt Engine LH                                                                                                                    |
| 123     | 532 19 72-59 | Keeper Belt Engine RH                                                                                                                    |
| 144     | 532 19 92-04 | Keeper Belt                                                                                                                              |
| 145     | 532 19 31-97 | Pulley Idler                                                                                                                             |
| 147     | 532 40 19-71 | Spring Return                                                                                                                            |
| 152     | 532 43 51-10 | Manual Clutch Cable                                                                                                                      |
| 188     | 532 19 51-61 | Stud Fastener                                                                                                                            |
| 189     | 873 90 05-00 | Nut Lock Hex Flange                                                                                                                      |
| 192     | 532 19 72-60 | Bracket Brake Stand LH                                                                                                                   |
| 195     | 817 00 06-12 | Screw 3/8-16 x 3/4                                                                                                                       |
| 241     | 532 15 29-27 | Screw TT #10-32 5 3/8 Flange                                                                                                             |
| 242     | 532 41 55-98 | Port Washout                                                                                                                             |
| --      | 532 41 64-05 | Coupling Quick connect                                                                                                                   |
| --      | 532 19 28-70 | Mandrel Assembly (Includes hous-<br>ing, shaft assembly, and bearing<br>only - pulley/nut/washer and blade<br>bolt/washers not included) |
| --      | 532 43 29-37 | Replacement Mower, Complete                                                                                                              |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER YTH2042 (96043012102), PRODUCT NO. 960 43 01-21**  
**MOWER LIFT**




| KEY NO. | PART NO.     | DESCRIPTION                  |
|---------|--------------|------------------------------|
| 2       | 532 42 20-27 | Shaft Asm., Lift             |
| 3       | 532 19 52-31 | Lever Asm., Lift RH          |
| 7       | 532 41 15-55 | Grip, Lever                  |
| 10      | 532 19 63-14 | Spring Torsion               |
| 87      | 532 19 42-09 | Pin Cotter 7/16 Bow Tie Lock |
| 88      | 532 41 07-10 | Spring Lift Assist           |
| 89      | 819 19 19-12 | Washer Clear Zinc            |
| 90      | 532 19 42-08 | Pin Cotter 5/16 Bow Tie Lock |

| KEY NO. | PART NO.     | DESCRIPTION                      |
|---------|--------------|----------------------------------|
| 91      | 532 19 51-81 | Link Asm Lift LH Rear            |
| 97      | 817 00 06-12 | Screw Hex Wsh. THDR 3/8-16 x 3/4 |
| 98      | 532 19 52-70 | Link Lift Susp. Front Mower      |
| 100     | 873 93 06-00 | Nut Centerlock 3/8-16 unc        |
| 101     | 532 40 70-03 | Link Asm. Lift FXD               |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER YTH2042 (96043012102), PRODUCT NO. 960 43 01-21  
SEAT ASSEMBLY



seat-tex\_6-tex LT

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 1       | 532 43 98-18 | Seat                          |
| 2       | 532 18 01-66 | Bracket Pivot Fender          |
| 3       | 532 14 06-75 | Strap, Asm Fender             |
| 6       | 873 80 06-00 | Nut, Lock w/Ins. 3/8-16 unc   |
| 7       | 532 12 41-81 | Spring, Seat Cprsn            |
| 8       | 532 17 18-77 | Bolt 5/16-18 unc x 3/4 w/Sems |
| 10      | 532 19 69-77 | Pan, Seat                     |
| 21      | 532 17 18-52 | Bolt, Shoulder 5/16-18        |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 37      | 873 80 05-00 | Nut, Lock 5/16-18 unc         |
| 40      | 532 19 76-61 | Handle Slide Seat             |
| 41      | 532 19 82-00 | Spring Latch Seat             |
| 43      | 874 76 06-12 | Bolt Fin Hex 3/8-16 unc x 3/4 |
| 44      | 819 13 38-12 | Washer 13/32 x 2-3/8 x 12 Ga. |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm