



TRACTOR - - MODEL NUMBER YTH20K46 (96045000411), PRODUCT NO. 960 45 00-04  
SCHEMATIC

SCH10



**TRACTOR - - MODEL NUMBER YTH20K46 (96045000411), PRODUCT NO. 960 45 00-04  
ELECTRICAL**

T04S




**TRACTOR - - MODEL NUMBER YTH20K46 (96045000411), PRODUCT NO. 960 45 00-04  
ELECTRICAL**

| <b>KEY<br/>NO.</b> | <b>PART<br/>NO.</b> | <b>DESCRIPTION</b>              |
|--------------------|---------------------|---------------------------------|
| 1                  | 532 16 34-65        | Battery                         |
| 2                  | 874 76 04-12        | Bolt Hex Head 1/4-20 x 3/4      |
| 8                  | 532 19 32-28        | Box Battery                     |
| 16                 | 532 17 61-38        | Switch Interlock Push-In        |
| 21                 | 532 18 37-59        | Harness Socket Light w/4152J    |
| 22                 | 532 00 41-52        | Bulb Light                      |
| 25                 | 532 41 28-95        | Cable Starter                   |
| 26                 | 532 17 51-58        | Fuse                            |
| 27                 | 873 51 04-00        | Nut Keps Hex 1/4-20 unc         |
| 28                 | 532 19 88-85        | Cable, Ground                   |
| 29                 | 532 40 15-45        | Switch, Seat                    |
| 30                 | 532 19 33-50        | Switch, Ign                     |
| 33                 | 532 41 19-33        | Key/Chain                       |
| 34                 | 532 11 07-12        | Switch Light/Reset              |
| 40                 | 532 40 10-98        | Harness Ign. Dash               |
| 41                 | 817 72 04-08        | Screw Thd Cut 1/4-20 x 1/2      |
| 42                 | 532 13 15-63        | Cover, Terminal                 |
| 43                 | 532 19 25-07        | Solenoid                        |
| 46                 | 532 40 17-63        | Gauge Servicere minder Hrmtr    |
| 55                 | 817 06 05-12        | Screw Thdrol 5/16-18 x 3/4 TYTT |
| 71                 | 532 40 04-49        | Harness Ign.                    |
| 79                 | 532 17 52-42        | Socket Asm. Bulb                |
| 87                 | 532 19 78-02        | Switch Interlock                |
| 90                 | 532 40 07-25        | Cover Terminal                  |
| 141                | 532 41 69-77        | Kit T2 ROS                      |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER YTH20K46 (96045000411), PRODUCT NO. 960 45 00-04 CHASSIS**




# TRACTOR - - MODEL NUMBER YTH20K46 (96045000411), PRODUCT NO. 960 45 00-04 CHASSIS

| KEY NO. | PART NO.            | DESCRIPTION                      | KEY NO. | PART NO.     | DESCRIPTION            |
|---------|---------------------|----------------------------------|---------|--------------|------------------------|
| 2       | <b>532 41 22-82</b> | Drawbar Lower                    | 196     | 532 41 45-80 | Console Asm. Deck Lift |
| 3       | 532 40 50-12        | Logo                             | 202     | 532 40 30-48 | Vent Side Hood RH      |
| 5       | 532 40 87-03        | Dash                             | 203     | 532 40 30-76 | Vent Side Hood LH      |
| 14      | 532 41 10-46        | Hood                             | 204     | 532 41 66-13 | Vent Top Hood          |
| 15      | 532 19 89-07        | Lens LH                          | 205     | 532 40 17-09 | Skirt Hood Side RH     |
| 18      | 532 40 86-07        | Grille/Lens Asm.                 | 206     | 532 40 17-11 | Skirt Hood Side LH     |
| 25      | 532 19 89-06        | Lens RH                          | 207     | 532 19 71-98 | Bezel RH               |
| 36      | 817 06 05-12        | Screw 5/16-18 x 3/4              | 208     | 532 19 71-99 | Bezel LH               |
| 37      | 532 41 87-14        | Fender                           | 209     | 532 19 91-30 | Insert Hex Top RH      |
| 58      | 532 41 22-80        | Drawbar Upper 2PC Sml. Fender    | 210     | 532 19 91-31 | Insert Hex Top LH      |
| 68      | 817 49 05-08        | Screw Thdrol 5/16-18 x 1/2       | 211     | 532 19 91-32 | Insert Hex Bottom RH   |
| 130     | 532 41 63-58        | Screw #10 x 0.750                | 212     | 532 19 91-33 | Insert Hex Bottom LH   |
| 137     | 532 40 75-90        | Bumper Dash                      | 214     | 532 19 91-45 | Clip Retainer Tinner   |
| 138     | 532 40 29-54        | Cupholder                        | 217     | 532 40 91-67 | Rod Pivot              |
| 150     | 532 19 85-13        | Air Duct                         | 228     | 532 19 51-61 | Stud Fastner           |
| 152     | <b>532 19 43-29</b> | Shield Browning                  | 234     | 532 40 47-42 | Bumper Hood            |
| 159     | 817 00 06-12        | Screw 3/8-16 x 3/4               | 235     | 532 40 61-29 | Spacer Fender          |
| 162     | 532 14 24-32        | Screw                            | 236     | 873 93 05-00 | Nut Lock 5/16-18 unc   |
| 175     | 532 19 63-04        | Crossmember                      | 238     | 532 40 86-06 | Trim                   |
| 176     | 532 40 07-76        | Screw 10-24 x 5/8                | 239     | 532 11 04-52 | Nut, Push              |
| 177     | 532 19 52-27        | Bushing Steering                 | 287     | 817 60 04-06 | Screw 1/4-20 x 3/8     |
| 178     | 532 19 97-82        | Cargo Net Asm.                   |         |              |                        |
| 180     | <b>532 19 42-60</b> | Chassis                          |         |              |                        |
| 181     | 532 40 30-25        | Bushing Mtg. Fender Crgo         |         |              |                        |
| 182     | 532 40 68-59        | Dash Lower                       |         |              |                        |
| 183     | 874 78 05-20        | Bolt Fin Hex 5/16-18 unc x 1-1/4 |         |              |                        |
| 189     | 817 00 05-12        | Screw 5/16-18 x 3/4              |         |              |                        |
| 194     | 873 90 05-00        | Nut Lock Hex Flange 5/16-18      |         |              |                        |
| 195     | 532 40 41-37        | Plug Hole Dash Lower             |         |              |                        |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm


**TRACTOR - - MODEL NUMBER YTH20K46 (96045000411), PRODUCT NO. 960 45 00-04  
DRIVE**



# TRACTOR - - MODEL NUMBER YTH20K46 (96045000411), PRODUCT NO. 960 45 00-04 DRIVE

| KEY NO. | PART NO.     | DESCRIPTION                                                                          | KEY NO. | PART NO.            | DESCRIPTION                   |
|---------|--------------|--------------------------------------------------------------------------------------|---------|---------------------|-------------------------------|
| 1       | ----         | Transaxle, Hydro Gear T2-<br><b>AABC-1X2B-1GX1</b><br>(Internal Parts Not Available) | 161     | 532 10 57-09        | Spring, Return, Clutch        |
| 2       | 532 12 35-83 | Key Square                                                                           | 163     | 532 41 33-22        | Rod Control                   |
| 15      | 819 13 13-16 | Washer 13/32 x 13/16 x 16 Ga.                                                        | 166     | 532 19 72-90        | Nut Push                      |
| 17      | 532 19 72-96 | Spring, Brake                                                                        | 167     | 532 40 52-57        | Latch Brake Parking           |
| 26      | 532 19 96-79 | Spring Return Cruise                                                                 | 170     | 532 41 34-30        | Keeper V-Idler                |
| 29      | 532 40 83-91 | Rod, Brake                                                                           | 183     | 532 15 69-72        | Spacer Axle                   |
| 33      | 812 00 00-01 | Ring E                                                                               | 184     | 532 40 31-18        | Handle Parking Brake          |
| 35      | 532 19 95-91 | Rod, Brake, Park                                                                     | 185     | <b>872 11 06-22</b> | Bolt                          |
| 37      | 532 12 17-49 | Washer 25/32 x 1-1/4 x 16 Ga.                                                        | 186     | 532 19 43-21        | Spacer Retainer               |
| 42      | 532 12 48-72 | Cover, Foot Pedal                                                                    | 187     | 819 13 32-10        | Washer                        |
| 49      | 872 11 06-14 | Bolt                                                                                 | 188     | 532 19 43-23        | Link Clutch Ground Drive      |
| 50      | 532 19 43-27 | Pulley Idler Flat                                                                    | 189     | 532 19 43-17        | Bellcrank Ground Drive        |
| 51      | 873 90 06-00 | Lock Nut 3/8-16                                                                      | 190     | 532 19 43-18        | Keeper Bellcrank Ground Drive |
| 52      | 532 19 43-26 | Idler V-Groove 910" Offset                                                           | 205     | 532 12 17-48        | Washer 25/32 x 1-5/8 x 16 Ga. |
| 56      | 532 12 59-07 | V-Belt, Drive                                                                        | 206     | 532 19 78-67        | Bracket Mount Latch Cruise    |
| 64      | 532 19 78-65 | Shaft Asm. Pedal Brake Control                                                       | 207     | 532 19 78-68        | Latch Control Cruise          |
| 73      | 874 49 05-44 | Bolt Hex 5/16-18 Gr. 5                                                               | 208     | 532 19 78-69        | Gear Sector Control Cruise    |
| 80      | 532 40 83-93 | Strap Torque                                                                         | 209     | 532 19 95-92        | Rod Control Cruise            |
| 92      | 874 76 05-20 | Bolt Fin Hex 5/16-18 unc x 1.25                                                      | 210     | 532 40 09-80        | Rocker Asm. Pedal Control     |
| 99      | 532 40 84-18 | Rod Spring Bypass                                                                    | 211     | 532 12 01-83        | Bearing Nylon                 |
| 114     | 873 80 05-00 | Nut Lock HX w/Ins 5/16-18                                                            | 213     | 532 40 31-19        | Knob Control Cruise           |
| 116     | 873 90 05-00 | Nut Lock Hex Flange 5/16-18                                                          | 214     | 532 40 17-22        | Pedal Forward                 |
| 121     | 532 17 56-11 | Bracket Strap Torque                                                                 | 215     | 532 40 17-23        | Pedal Reverse                 |
| 122     | 872 01 05-20 | Bolt 5/16-18 x 2.50                                                                  | 221     | 532 40 31-87        | Retainer Spring Clip Handle   |
| 125     | 817 00 05-12 | Screw 5/16-18 x 3/4                                                                  | 222     | 879 21 20-10        | Washer 21/32 x 1-1/4 10 Ga.   |
| 153     | 532 12 47-88 | Retainer Spring 1"                                                                   | 231     | 532 40 72-87        | Idler V-Groove 1.688" Offset  |
| 159     | 876 02 04-12 | Pin Cotter 1/8 x 3/4                                                                 |         |                     |                               |
| 160     | 532 16 94-84 | Retainer Clip                                                                        |         |                     |                               |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm



## SPARK ARRESTER KIT


engine-tex\_Kohl\_7

**TRACTOR - - MODEL NUMBER YTH20K46 (96045000411), PRODUCT NO. 960 45 00-04  
ENGINE**

| <b>KEY<br/>NO.</b> | <b>PART<br/>NO.</b> | <b>DESCRIPTION</b>                   |
|--------------------|---------------------|--------------------------------------|
| 1                  | -----               | Engine Kohler Model No. <b>SV600</b> |
| 2                  | 532 18 86-55        | Muffler                              |
| 9                  | 532 19 43-19        | Keeper Belt Engine                   |
| 12                 | 532 40 51-40        | Pulley Engine                        |
| 15                 | 532 40 74-89        | Tank Fuel                            |
| 18                 | 532 19 77-25        | Cap Asm                              |
| 20                 | 532 40 15-08        | Control Throttle                     |
| 21                 | 532 41 63-58        | Screw # 10 x 0.750                   |
| 28                 | 532 40 11-37        | Fuel Line                            |
| 29                 | 532 13 71-80        | Spark Arrester Kit                   |
| 37                 | 532 12 34-87        | Clamp Hose                           |
| 42                 | 810 04 07-00        | Washer Lock 7/16                     |
| 45                 | 873 51 04-00        | Nut Keps Hex 1/4-20 unc              |
| 69                 | 532 18 59-09        | Gasket                               |
| 81                 | 532 14 84-56        | Tube Drain Oil Easy                  |
| 82                 | 532 18 16-54        | Plug Drain Oil                       |
| 85                 | 532 17 39-37        | Bolt Hex 7/16-20 x 4 x Gr. 5-1.5 Thr |
| 87                 | 537 17 18-77        | Bolt 5/16-18 unc x 3/4 w/Sems        |
| 90                 | 817 00 06-16        | Screw 3/8-16 x 1                     |
| 92                 | 817 12 06-16        | Screw 3/8-16 x 1                     |
| 94                 | 532 18 86-54        | Tube Exhaust                         |
| 95                 | 532 19 23-34        | Screw Socket Hd. 5/16-18 x .75       |
| 96                 | 819 09 14-16        | Washer 9/32 x 7/8 x 16 Ga.           |
| 97                 | 817 67 04-12        | Screw 1/4-20 x 3/4                   |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER YTH20K46 (96045000411), PRODUCT NO. 960 45 00-04**  
**STEERING ASSEMBLY**




steering-tex\_special\_18

**TRACTOR - - MODEL NUMBER YTH20K46 (96045000411), PRODUCT NO. 960 45 00-04  
STEERING ASSEMBLY**

| <b>KEY<br/>NO.</b> | <b>PART<br/>NO.</b> | <b>DESCRIPTION</b>               |
|--------------------|---------------------|----------------------------------|
| 1                  | 532 42 34-69        | Wheel, Steering                  |
| -                  | 532 41 64-80        | Wheel, Steering                  |
| 2                  | <b>532 18 47-06</b> | Axle Cast Iron                   |
| 4                  | 532 40 30-87        | Spindle Asm., LH                 |
| 5                  | 532 40 30-88        | Spindle Asm., RH                 |
| 6                  | 532 12 49-31        | Washer, Thrust                   |
| 7                  | 532 12 17-48        | Washer 25/32 x 1-5/8 x 16 Ga.    |
| 8                  | 812 00 00-29        | Ring, Klip #T5304-75             |
| 9                  | 532 12 12-32        | Cap, Spindle                     |
| 13                 | 532 12 17-49        | Washer 25/32 x 1-1/4 x 16 Ga.    |
| 14                 | 810 04 06-00        | Washer, Lock Hvy Hlcl Spr 3/8    |
| 15                 | 873 54 06-00        | Nut, Crown Lock 3/8-24 unf       |
| 16                 | 532 40 82-19        | Shaft Steering                   |
| 19                 | 532 19 47-29        | Plate Steering                   |
| 21                 | 532 18 67-37        | Adapter, Wheel Steering          |
| 22                 | 532 19 48-45        | Bushing, Strg. Blk               |
| 26                 | 532 41 59-87        | Insert, Wheel Steering           |
| - -                | 532 19 36-52        | Insert, Wheel Steering           |
| 28                 | 817 00 06-12        | Screw 3/8-16 x 3/4               |
| 35                 | 532 19 47-32        | Gear, Sector Plate               |
| 45                 | 819 18 38-12        | Washer 9/16 ID x 2-3/8 OD 12 Ga. |
| 50                 | <b>873 90 06-00</b> | Nut Lock 3/8-16                  |
| 51                 | 873 94 08-00        | Nut Hex Jam Toplock 1/2-20 unf   |
| 53                 | 532 18 89-67        | Washer Hardened .793x1.637x.060  |
| 54                 | <b>874 46 06-36</b> | Bolt Hex 3/8-16 x 2-1/4          |
| 55                 | <b>532 41 47-36</b> | Spacer Brace Axle                |
| 57                 | 532 40 74-65        | Bracket Upstop                   |
| 58                 | 532 19 47-47        | Bolt Shoulder Sector Pivot CFM   |
| 59                 | 532 19 47-48        | Washer Thrust Sector Steering    |
| 60                 | 873 97 10-00        | Nut Flange Lock 5/8-11           |
| 61                 | 532 19 47-40        | Draglink, LH                     |
| 62                 | 532 19 47-41        | Draglink, RH                     |
| 63                 | 817 00 05-12        | Screw 5/16-18 x 3/4              |
| 64                 | 532 19 98-49        | Retainer Clip Spring Steering    |
| 65                 | <b>532 19 47-34</b> | Brace Axle Front                 |
| 66                 | 871 02 07-48        | Bolt Hex Fghd 7/16-14 x 3 Serr   |
| 67                 | 532 19 47-37        | Bushing PM Front Axle            |
| 68                 | 873 90 07-00        | Nut Lock Flange 7/16-14 Gr. 5    |
| 69                 | 532 19 91-62        | Washer 1.5 x .505 x .118         |
| 70                 | 532 19 61-97        | Bracket Deck Susp. Front         |
| 78                 | <b>532 05 70-79</b> | Washer Thrust                    |
| 228                | 532 40 44-84        | Decal, Wheel Steering            |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm


TRACTOR - - MODEL NUMBER YTH20K46 (96045000411), PRODUCT NO. 960 45 00-04  
DECALS



| KEY NO. | PART NO.            | DESCRIPTION              |
|---------|---------------------|--------------------------|
| 1       | 532 41 91-38        | Decal, Fender Warning    |
| 2       | 532 42 20-12        | Decal, Hood              |
| 3       | 532 41 01-08        | Decal, Hood Panel SD     |
| 4       | <b>532 42 38-30</b> | Decal, Hood              |
| 5       | 532 18 09-41        | Decal, Customer Respons. |
| 6       | <b>532 42 39-98</b> | Decal, Replacement       |
| 8       | 532 19 15-54        | Decal, Fender            |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 9       | 532 14 50-05 | Decal, Battery Dnge/Poi       |
| 12      | 532 16 03-96 | Decal, Mower V-Belt Schematic |
| --      | 532 16 69-60 | Decal, Bypass                 |
| --      | 532 41 08-05 | Pad, Footrest, LH             |
| --      | 532 41 08-06 | Pad, Footrest, RH             |


WHEELS AND TIRES



| KEY NO. | PART NO.            | DESCRIPTION                       |
|---------|---------------------|-----------------------------------|
| 1       | 532 05 91-92        | Cap Valve Tire                    |
| 2       | 532 06 51-39        | Stem Valve                        |
| 3       | 532 13 83-36        | Rim Front                         |
| 4       | 532 05 99-04        | Tube Front (Service Item Only)    |
| 5       | 532 10 62-22        | Tire Front 15 x 6.0-6             |
| 6       | <b>532 12 49-57</b> | Fitting Grease (Front Wheel Only) |
| 7       | <b>532 12 49-59</b> | Bearing Flange (Front Wheel Only) |
| 8       | 532 17 50-39        | Cap Axle Blk 1 50 x 1 00          |
| 9       | 532 42 05-31        | Tire R 18 x 9.5-8 Turf Saver LT   |
| 10      | <b>532 12 49-26</b> | Tube Rear (Service Item Only)     |
| 11      | 532 13 83-37        | Rim Asm 8" Rear                   |
| --      | 532 14 43-34        | Sealant, Tire (10 oz. Tube)       |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER YTH20K46 (96045000411), PRODUCT NO. 960 45 00-04  
SEAT ASSEMBLY**




seat-tex\_6.5SL\_3

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 1       | 532 40 66-21 | Seat                          |
| 2       | 532 18 01-66 | Bracket Pivot Fender          |
| 3       | 532 14 06-75 | Strap, Asm Fender             |
| 6       | 873 80 06-00 | Nut, Lock w/Ins. 3/8-16 unc   |
| 7       | 532 12 41-81 | Spring, Seat Cprsn            |
| 8       | 532 17 18-77 | Bolt 5/16-18 unc x 3/4 w/Sems |
| 10      | 532 19 69-77 | Pan, Seat                     |
| 21      | 532 17 18-52 | Bolt, Shoulder 5/16-18        |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 37      | 873 80 05-00 | Nut, Lock 5/16-18 unc         |
| 40      | 532 19 76-61 | Handle Slide Seat             |
| 41      | 532 19 82-00 | Spring Latch Seat             |
| 43      | 874 76 06-12 | Bolt Fin Hex 3/8-16 unc x 3/4 |
| 44      | 819 13 38-12 | Washer 13/32 x 2-3/8 x 12 Ga. |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER YTH20K46 (96045000411), PRODUCT NO. 960 45 00-04**  
**MOWER DECK**




46\_tex\_lt\_pred\_11\_r1

# TRACTOR - - MODEL NUMBER YTH20K46 (96045000411), PRODUCT NO. 960 45 00-04 MOWER DECK

| KEY PART<br>NO. NO. | DESCRIPTION                                     | KEY PART<br>NO. NO. | DESCRIPTION                                                                                                                                           |
|---------------------|-------------------------------------------------|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1                   | 532 41 08-63 Mower Housing                      | 63                  | 532 19 94-77 Arm Brake Mower                                                                                                                          |
| 2                   | 532 40 55-06 Cover Mandrel RH                   | 64                  | 532 40 51-38 Linkage Brake                                                                                                                            |
| 3                   | 532 40 55-07 Cover Mandrel LH                   | 67                  | 532 40 30-12 Handle, Clutch Cable                                                                                                                     |
| 6                   | 532 19 51-86 Arm Suspension                     | 68                  | 532 40 51-43 V-Belt                                                                                                                                   |
| 7                   | 532 41 63-58 Screw # 10 x 0.750                 | 69                  | 872 14 05-05 Bolt                                                                                                                                     |
| 8                   | 532 19 30-03 Bolt/Washer asm 7/16-20 unf        | 70                  | 532 40 65-63 Clutch Asm. Cable                                                                                                                        |
| 11                  | 532 40 53-80 Blade Mower Hi Lift                | 113                 | 817 00 05-10 Screw 5/16-18                                                                                                                            |
| 13                  | 532 19 28-72 Shaft Assembly, Mandrel            | 116                 | 532 19 34-06 Bolt, Shoulder                                                                                                                           |
| 14                  | 532 18 72-81 Housing, Mandrel                   | 117                 | 532 17 48-73 Wheel, Gauge                                                                                                                             |
| 15                  | 532 11 04-85 Bearing, Ball, Mandrel             | 119                 | 819 13 20-12 Washer 13/32 x 1-1/4 x 12 Ga.                                                                                                            |
| 19                  | 532 19 65-39 Bolt, Shoulder                     | 122                 | 532 19 72-58 Keeper Belt Eng. LH                                                                                                                      |
| 21                  | 873 68 05-00 Nut                                | 123                 | 532 19 72-59 Keeper Belt Eng. RH                                                                                                                      |
| 23                  | 532 19 25-57 Bracket, Deflector                 | 144                 | 532 19 92-04 Keeper Belt                                                                                                                              |
| 24                  | 532 10 53-04 Cap, Sleeve                        | 145                 | 532 19 31-97 Pulley Idler                                                                                                                             |
| 25                  | 532 19 70-26 Spring, Torsion, Deflector         | 147                 | 532 40 18-72 Spring Return                                                                                                                            |
| 26                  | 532 11 04-52 Nut, Push                          | 152                 | 532 40 83-19 Cable Clutch Manual w/Spr.                                                                                                               |
| 27                  | 532 40 53-57 Shield, Deflector                  | 188                 | 532 19 51-61 Stud Fastener                                                                                                                            |
| 29                  | 532 13 14-91 Rod, Hinge                         | 189                 | 873 90 05-00 Nut Lock Hex Flange                                                                                                                      |
| 30                  | 532 17 39-84 Screw Thdrol Rolling Wsh Hd        | 195                 | 817 00 06-12 Screw 3/8-16 x 3/4                                                                                                                       |
| 31                  | 532 18 76-90 Washer, Spacer                     | 197                 | 819 13 13-12 Washer 13/32 x 13/16 x 12 Ga.                                                                                                            |
| 32                  | 532 19 74-73 Pulley, Mandrel                    | 198                 | 532 40 31-49 Baffle Center Front                                                                                                                      |
| 33                  | 532 40 02-34 Nut, Toplock, Flanged              | 199                 | 532 40 31-50 Baffle Front RH                                                                                                                          |
| 34                  | 872 11 06-12 Bolt Carr Sh. 3/8-16 x 1-1/2 Gr. 5 | 200                 | 532 41 35-24 Washer 13/32 x 1 x 1/2 11 Ga.                                                                                                            |
| 36                  | 532 19 73-79 Pulley, Idler, Flat                | 240                 | 874 52 06-36 Bolt 3/8-16 unc x 2-1/4 Gr. 5                                                                                                            |
| 37                  | 819 13 13-16 Washer 13/32 x 13/16 x 16 Ga.      | 241                 | 532 15 29-27 Screw                                                                                                                                    |
| 38                  | 532 19 91-89 Keeper Belt LH Mandrel             | 242                 | 532 41 55-98 Washout Port                                                                                                                             |
| 40                  | 873 90 06-00 Nut, Lock Flg. 3/8-16 unc          | - -                 | 532 19 28-70 Mandrel Assembly (Includes hous-<br>ing, shaft assembly, and bearing<br>only - pulley/nut/washer and blade<br>bolt/washers not included) |
| 42                  | 532 19 84-10 Spring Torsion Brake               | - -                 | 532 40 84-78 Replacement Mower, Complete                                                                                                              |
| 43                  | 532 19 72-56 Spring Torsion Retainer            |                     |                                                                                                                                                       |
| 46                  | 532 13 77-29 Screw                              |                     |                                                                                                                                                       |
| 47                  | 532 19 72-50 Bracket Clutch Cable               |                     |                                                                                                                                                       |
| 55                  | 532 19 72-49 Arm, Idler                         |                     |                                                                                                                                                       |
| 56                  | 532 19 90-92 Spacer, Retainer                   |                     |                                                                                                                                                       |
| 57                  | 817 00 06-16 Screw Hexwsh Thd 3/8-16 x 1        |                     |                                                                                                                                                       |
| 59                  | 532 14 10-43 Guard, Tuv Idler (94)              |                     |                                                                                                                                                       |
| 60                  | 532 19 94-71 Arm Brake Mower LH                 |                     |                                                                                                                                                       |

NOTE: All component dimensions given in U.S. inches  
1 inch = 25.4 mm

**TRACTOR - - MODEL NUMBER YTH20K46 (96045000411), PRODUCT NO. 960 45 00-04**  
**MOWER LIFT**



| KEY NO. | PART NO.            | DESCRIPTION                  |
|---------|---------------------|------------------------------|
| 2       | 532 19 52-23        | Shaft Asm., Lift             |
| 3       | 532 19 52-31        | Lever Asm., Lift RH          |
| 7       | 532 41 15-55        | Grip, Lever                  |
| 10      | 532 19 63-14        | Spring Torsion               |
| 87      | 532 19 42-09        | Pin Cotter 7/16 Bow Tie Lock |
| 88      | 532 41 07-10        | Spring Lift Assist           |
| 89      | <b>819 17 19-12</b> | Washer Clear Zinc            |
| 90      | 532 19 42-08        | Pin Cotter 5/16 Bow Tie Lock |

| KEY NO. | PART NO.     | DESCRIPTION                      |
|---------|--------------|----------------------------------|
| 91      | 532 19 51-81 | Link Lift Susp Mower Rear        |
| 97      | 817 00 06-12 | Screw 3/8-16 x .75 Smgml Tap/R.Z |
| 98      | 532 19 52-70 | Link Lift Susp. Front Mower      |
| 100     | 873 93 06-00 | Nut Center Lock 3/8-16 unc       |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm