


# REPAIR PARTS

TILLER - - MODEL NUMBER 900 DRT (96093001101), PRODUCT NUMBER 960 93 00-11  
HANDLE ASSEMBLY




| KEY NO. | PART NO.     | DESCRIPTION                       |
|---------|--------------|-----------------------------------|
| 1       | 532 18 94-82 | Control, Throttle                 |
| 2       | 532 42 76-43 | Grip, Handle                      |
| 4       | 532 15 92-28 | Bar Assembly, Control             |
| 6       | 532 18 06-76 | Panel, Control                    |
| 8       | 871 19 10-08 | Screw, Truss Hd. #10-24 unc x 1/2 |
| 10      | 532 12 47-97 | Grip, Handle                      |
| 11      | 532 12 47-88 | Clip, Hairpin                     |
| 12      | 532 08 13-28 | Bolt, Shoulder                    |
| 13      | 532 18 74-97 | Handle, Shift                     |
| 14      | 532 10 93-13 | Grommet, Rubber                   |
| 15      | 532 10 93-37 | Rod, Shift                        |
| 16      | 872 11 06-08 | Bolt, Carriage 3/8-16 x 1 Gr. 5   |
| 17      | 532 10 92-29 | Lock, Handle                      |
| 18      | 873 68 06-00 | Nut, Crownlock 3/8-16 unc         |
| 19      | 819 13 16-11 | Washer 13/32 x 1 x 11 Ga.         |

| KEY NO. | PART NO.     | DESCRIPTION                        |
|---------|--------------|------------------------------------|
| 20      | 532 10 92-28 | Lever, Lock, Handle                |
| 21      | 532 18 11-27 | Handle                             |
| 23      | 532 08 67-77 | Screw, Hex Washer SLT #10-24 x .50 |
| 24      | 532 00 94-84 | Clip                               |
| 26      | 532 15 92-31 | Cable, Clutch                      |
| 27      | 873 90 04-00 | Nut, Hex Flange 1/4-20 unc         |
| 29      | 873 73 10-00 | Nut, Keps #10-24 unc               |
| 30      | 532 10 41-64 | Tie, Cable                         |
| 31      | 532 15 06-96 | Bolt, Pivot                        |
| 33      | 872 14 04-04 | Bolt, Carriage 1/4-20 unc x 1/2    |
| 37      | 532 10 26-04 | Grip, Bar, Control                 |
| 41      | 532 10 27-44 | Clamp, Bar, Control                |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

# REPAIR PARTS

TILLER - - MODEL NUMBER 900 DRT (96093001101), PRODUCT NUMBER 960 93 00-11  
MAINFRAME, LEFT SIDE




| KEY NO. | PART NO.     | DESCRIPTION                                   |
|---------|--------------|-----------------------------------------------|
| 3       | 873 22 06-00 | Nut, Hex 3/8-16                               |
| 4       | 532 43 24-20 | Shield, Inner Belt Guard RT                   |
| 5       | 532 16 43-29 | Pin Spirol Flared                             |
| 6       | 532 16 27-56 | Lever, Shift                                  |
| 7       | 872 11 04-04 | Bolt, Carriage 1/4-20 x 1/2 Gr. 5             |
| 8       | 532 16 15-30 | Plate, Shift Indicator                        |
| 9       | 532 08 67-77 | Screw, Hex, Washer Head, Slotted #10-24 x 1/2 |
| 10      | 532 00 94-84 | Clip                                          |
| 12      | 873 51 04-00 | Nut, Keps Hex 1/4-20 unc                      |
| 13      | 823 23 05-06 | Screw, Set, Hex 5/16-18 x 3/8                 |
| 14      | 532 11 06-52 | Spacer, Split 0.327 x 0.42 x 2.09             |
| 15      | 819 11 11-16 | Washer 11/32 x 11/16 x 16 Ga.                 |
| 16      | 532 14 51-02 | Sheave, Transmission                          |
| 19      | 812 00 00-28 | Retainer, Ring                                |
| 21      | 532 15 61-17 | Spacer, Split                                 |
| 22      | 874 77 05-08 | Bolt, Fin Hex 5/16-24 unf x 1/2               |
| 23      | 532 10 21-90 | Tire                                          |
|         | 532 15 07-40 | Rim                                           |
|         | 532 12 47-18 | Tire Valve                                    |
| 24      | 532 12 68-75 | Rivet, Drilled                                |
| 25      | 532 12 47-88 | Clip, Hairpin                                 |
| 26      | 532 16 67-92 | Guard, Belt                                   |

| KEY NO. | PART NO.     | DESCRIPTION                       |
|---------|--------------|-----------------------------------|
| 27      | 532 13 28-01 | Belt, V                           |
| 28      | 532 10 46-79 | Pulley, Idler                     |
| 29      | 812 00 00-32 | Ring, Klip                        |
| 30      | 532 15 92-29 | Bracket, Idler                    |
| 31      | 532 10 23-84 | Bolt, Hex 5/16-16 x 12            |
| 32      | 532 10 21-41 | Shaft, Idler Arm                  |
| 33      | 874 76 06-16 | Bolt, Hex 3/8-16 x 1              |
| 34      | 532 10 23-83 | Counterweight, L. H.              |
| 36      | 532 10 23-31 | Bracket, Reinforcement, L. H.     |
| 37      | 532 13 08-12 | Sheave, Engine                    |
| 38      | 874 76 05-44 | Bolt, Fin Hex 5/16-18 unc x 2-3/4 |
| 39      | 532 14 00-62 | Cap, Plunger Blk                  |
| 40      | 532 17 04-88 | Screw Hex Wsh Slit #10-24 x 1/2   |
| 44      | 873 80 05-00 | Nut Lock Hex w/Ins 5/16-18 unc PL |
| 65      | 873 97 05-00 | Nut Lock Hex Flange               |
| 66      | 819 13 13-12 | Washer 13/32 x 13/16 x 12 Ga.     |
| 67      | 874 76 05-28 | Bolt, Hex 5/16-18 x 1-3/4         |
| 68      | 873 51 06-00 | Nut Keps Hex 3/8-16 unc           |
| 69      | 532 16 41-73 | Keeper Belt Engine                |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

# REPAIR PARTS

TILLER - - MODEL NUMBER 900 DRT (96093001101), PRODUCT NUMBER 960 93 00-11  
MAINFRAME, RIGHT SIDE



mainframe\_right\_26\_r3

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 1       | 532 18 51-90 | Bumper Asm.                   |
| 2       | 873 97 05-00 | Locknut, Hex, Flange 5/16-18  |
| 3       | 819 11 11-16 | Washer 11/32 x 11/16 x 16 Ga. |
| 4       | 874 76 05-12 | Bolt 5/16-18 x 3/4            |
| 5       | 532 10 23-32 | Bracket, Reinforcement R.H.   |
| 6       | 874 76 05-28 | Bolt 5/16-18 x 1-3/4          |
| 7       | 532 10 21-73 | Counter Weight, R.H.          |
| 10      | 874 76 05-24 | Bolt, Hex 5/16-18 x 1-1/2     |
| 11      | 532 12 47-88 | Clip, Hairpin                 |
| 12      | 532 12 68-75 | Rivet, Drilled                |
| 13      | 532 10 21-90 | Tire                          |
|         | 532 15 07-40 | Rim                           |
|         | 532 12 47-18 | Tire Valve                    |


| KEY NO. | PART NO.     | DESCRIPTION                                           |
|---------|--------------|-------------------------------------------------------|
| 15      | -----        | Engine, Briggs & Stratton<br>Model No. 121002-1383-B8 |
| 44      | 873 51 06-00 | Nut Keps Hex 3/8-16 unc                               |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm  
For engine service and replacement parts, call the toll free  
number for your engine manufacturer listed below:  
Briggs & Stratton 1-800-233-3723

# REPAIR PARTS

**TILLER - - MODEL NUMBER 900 DRT (96093001101), PRODUCT NUMBER 960 93 00-11**

## TRANSMISSION



transmission\_13


| KEY NO. | PART NO.     | DESCRIPTION                                                 |
|---------|--------------|-------------------------------------------------------------|
| 1       | 532 18 82-40 | Transmission Assembly (Includes Key Nos. 2-52)              |
| 2       | 532 18 82-20 | Gearcase, L.H. w/Bearing (Includes Key No. 4)               |
| 3       | 532 43 10-22 | Gasket, Gearcase                                            |
| 4       | 532 00 50-20 | Bearing, Needle                                             |
| 5       | 532 00 13-70 | Washer, Thrust 5/8 x 1.10 x 1/32                            |
| 6       | 532 16 15-20 | Pinion, Input                                               |
| 7       | 532 16 15-18 | Shaft, Input                                                |
| 8       | 532 00 48-95 | Bearing, Needle                                             |
| 9       | 532 15 44-67 | Washer, Seal                                                |
| 10      | 532 00 73-92 | Ball, Steel                                                 |
| 11      | 532 10 03-71 | Spring, Shift, Fork                                         |
| 12      | 532 10 61-60 | O-Ring                                                      |
| 13      | 532 14 21-45 | Arm, Shift                                                  |
| 14      | 532 00 83-53 | Fork, Shift                                                 |
| 15      | 812 00 00-39 | Ring, Klip                                                  |
| 16      | 532 16 15-16 | Shaft, Shift                                                |
| 18      | 532 00 43-58 | Washer                                                      |
| 19      | 812 00 00-40 | Ring, Klip                                                  |
| 20      | 532 10 21-14 | Gear, Assembly, Reverse Idler (Includes Key Nos. 21 and 22) |
| 21      | 532 10 21-15 | Gear, Reverse Idler                                         |
| 22      | 532 00 68-03 | Bearing, Needle                                             |
| 23      | 532 16 15-27 | Shaft, Reverse Idler                                        |
| 24      | 810 04 07-00 | Washer, Lock 7/16                                           |
| 25      | 873 61 07-00 | Nut, Hex 7/16-20                                            |
| 27      | 523 14 30-09 | Bearing, Shaft, Ground Drive L.H.                           |
| 28      | 532 10 63-90 | Spacer 0.765 x 1.125 x 1.23                                 |
| 29      | 532 10 21-34 | Chain #35-50 Pitch                                          |
| 30      | 532 15 07-37 | Ground Shaft Assembly                                       |
| 31      | 532 14 30-08 | Bearing, Shaft, Ground Drive R.H.                           |
| 32      | 532 10 63-88 | Spacer 0.70 x 1.00 x 1.150                                  |

| KEY NO. | PART NO.     | DESCRIPTION                                               |
|---------|--------------|-----------------------------------------------------------|
| 33      | 532 10 21-21 | Sprocket and Gear Assembly                                |
| 34      | 532 10 21-12 | Shaft, Reduction (2nd)                                    |
| 35      | 532 10 21-01 | Screw, Whiz, Lock 5/16-18 x 3-1/2                         |
| 36      | 532 16 15-24 | Sprocket Assembly w/Bearing (Includes Key Nos. 37 and 38) |
| 37      | 532 10 04-13 | Bearing, Needle                                           |
| 38      | 532 16 15-25 | Sprocket, Tine                                            |
| 39      | 532 16 15-26 | Gear, Cluster, Red 1st & 2nd                              |
| 40      | 532 10 53-46 | Gear, Reverse                                             |
| 41      | 532 16 15-23 | Shaft, Reduction (1st)                                    |
| 42      | 532 00 42-20 | Washer, Thrust                                            |
| 43      | 532 10 61-46 | Spacer 1.01 x 1.75 x 0.760                                |
| 44      | 532 15 52-36 | Seal Asm. Oil                                             |
| 48      | 532 18 82-35 | Gearcase, R.H. w/Bearing (Includes Key No. 8)             |
| 49      | 532 43 14-85 | Shaft, Tine                                               |
| 50      | 532 10 61-47 | Chain, Roller #50-50 Pitch                                |
| 51      | 817 72 04-08 | Screw 1/4-20 x 1/2                                        |
| 52      | 873 22 05-00 | Nut, Hex 5/16-18                                          |
| 53      | 532 16 51-40 | Bearing Kit, Tine Shaft                                   |
| 54      | 532 16 15-28 | Gear, DRT Idler w/Bearing (Includes Key No. 55)           |
| 55      | 532 00 34-00 | Bearing, Needle                                           |
| 56      | 532 16 15-29 | Gear, DRT Idler                                           |
| 57      | 532 16 58-89 | Spacer, Split .52 x .64 x 1.04                            |
| 58      | 532 17 95-20 | Screw 1/4-20 x .875                                       |
| 60      | 532 18 32-26 | Fitting Grease                                            |
| 61      | 532 43 10-15 | Spacer 1.015 x 1.50 x .656                                |
| --      | 532 00 60-66 | Grease, Plastilube #1                                     |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

# REPAIR PARTS

TILLER - - MODEL NUMBER 900 DRT (96093001101), PRODUCT NUMBER 960 93 00-11  
TINE SHIELD



tine\_shield\_23\_in\_r1


| KEY NO. | PART NO.     | DESCRIPTION                         |
|---------|--------------|-------------------------------------|
| 1       | 873 90 05-00 | Nut, Lock Hex Flange 5/16-18 unc    |
| 2       | 532 16 29-52 | Shield, Side, Outer L. H.           |
| 3       | 532 00 83-93 | Pin, Stake, Depth                   |
| 4       | 812 00 00-35 | Ring, Klip                          |
| 5       | 532 18 08-47 | Bolt Rdhd Sqnk 5/16-18 x 3/4        |
| 6       | 532 00 83-94 | Spring                              |
| 7       | 532 00 83-92 | Bracket, Latch                      |
| 8       | 532 10 92-30 | Spring, Depth Stake                 |
| 9       | 532 40 38-89 | Shield, Tine                        |
| 13      | 872 11 05-10 | Bolt, Carriage 5/16-18 x 1-1/4      |
| 14      | 532 12 43-43 | Bracket, Shield Tine                |
| 15      | 532 16 29-53 | Shield, Side, Outer R.H.            |
| 16      | 873 90 04-00 | Nut, Hex Flange 1/4-20              |
| 18      | 872 04 04-10 | Bolt, Carriage 1/4-20 x 1-1/4 Gr. 5 |
| 19      | 532 10 27-01 | Grip                                |
| 20      | 873 22 06-00 | Nut, Hex 3/8-16                     |
| 21      | 532 10 21-56 | Stake, Depth                        |
| 22      | 874 93 06-32 | Bolt, Hex 3/8-16 x 2                |

| KEY NO. | PART NO.     | DESCRIPTION                 |
|---------|--------------|-----------------------------|
| 23      | 532 00 44-40 | Hinge                       |
| 24      | 872 14 04-04 | Bolt, Carriage 1/4-20 x 1/2 |
| 25      | 532 00 67-12 | Cap, Vinyl                  |
| 26      | 532 10 92-27 | Pad, Idler                  |
| 27      | 532 12 50-16 | Shield, Leveling            |
| 28      | 532 12 05-88 | Pin, Hinge                  |
| 30      | 873 97 05-00 | Nut Lock Flange             |
| 29      | 532 40 39-60 | Shield, Side                |
| 31      | 532 42 34-63 | Stake, Drag                 |
| 32      | 873 22 04-00 | Nut, Fin, Hex 1/4-20 unc    |
| 33      | 810 04 04-00 | Washer Lock Hvy Helical 1/4 |
| 38      | 873 51 05-00 | Nut Keps Hex 5/16-18 unc    |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

# REPAIR PARTS

TILLER - - MODEL NUMBER 900 DRT (96093001101), PRODUCT NUMBER 960 93 00-11  
TINE ASSEMBLY



| KEY NO. | PART NO.     | DESCRIPTION      |
|---------|--------------|------------------|
| 2       | 532 13 26-73 | Pin, Shear       |
| 4       | 532 00 31-46 | Clip, Hairpin    |
| 5       | 532 18 88-45 | Hub Assembly     |
| 6       | 873 61 06-00 | Nut, Hex 3/8-24  |
| 7       | 810 04 06-00 | Washer, Lock 3/8 |

| KEY NO. | PART NO.     | DESCRIPTION          |
|---------|--------------|----------------------|
| 8       | 874 61 06-16 | Bolt, Hex 3/8-24 x 1 |
| 16      | 532 16 34-99 | Tine, Spade          |
| 17      | 532 16 35-00 | Tine, Cleaning       |


**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm



# REPAIR PARTS

TILLER - - MODEL NUMBER 900 DRT (96093001101), PRODUCT NUMBER 960 93 00-11

## DECALS



| KEY NO. | PART NO.     | DESCRIPTION                    |
|---------|--------------|--------------------------------|
| 1       | 532 42 91-96 | Decal, Belt Guard              |
| 2       | 532 43 17-82 | Decal, Console                 |
| 3       | 532 43 95-18 | Decal, Console                 |
| 4       | 532 43 95-15 | Decal, Tine Shield             |
| 5       | 532 11 06-14 | Decal, Hand Placement          |
| 6       | 532 16 62-02 | Decal, Shift Indicator         |
| 7       | 532 43 95-38 | Decal, Reverse                 |
| 8       | 532 43 22-78 | Decal, Engine B&S              |
| 9       | 532 17 67-82 | Decal, Warning, Rotating Tines |
| 10      | 532 40 91-43 | Decal, Engine Intek REF        |
| 12      | 532 43 95-37 | Decal, Forward                 |
| - -     | 532 43 94-91 | Manual, Owner's (English)      |
| - -     | 532 43 94-92 | Manual, Owner's (French)       |