





POULAN PRO ROTARY LAWN MOWER - MODEL NO. PR675Y22RP (MFG. ID. NO. 96142009900)

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532 42 79-75	Upper Handle	27	532 43 52-76	Wheel & Tire Assembly, Rear	49	532 85 02-63	Washer, Helical
2	532 18 35-67	Cable, Operator Presence	28	532 17 47-19	Bolt, Shoulder 3/8-16 x 1	50	532 85 10-84	Screw, Machine, Hex Head 3/8-24 x 1-3/8 Grade 8
3	532 12 51-62	Bracket, Upstop	29	532 40 16-30	Washer, Curved, Cylindrical	51	532 17 00-31	Kit, Front Baffle (Includes Key Number 53)
4	532 16 66-49	Mulcher Plug	30	532 40 78-71	Axle Arm Assembly	52	532 40 47-63	Danger Decal
5	532 06 64-26	Wire Tie	31	532 43 63-48	Selector Knob	53	817 60 04-06	Screw, Serrated, TT 1/4-20
6	532 19 19-38	Handle Knob	32	532 40 64-28	Selector Spring	54	532 08 83-48	Washer, Flat
7	532 75 06-34	Screw	33	532 19 60-53	Mulcher Door	55	873 93 06-00	Nut, Hex 3/8-16
8	532 41 48-06	Control Bar	34	532 40 16-29	Spacer	56	532 08 86-52	Hinge Screw 1/4-20 x 1-1/4
9	532 40 84-92	Rear Door Assembly	35	532 41 06-24	Wheel Adjusting Bracket, RH	57	532 05 17-93	Hairpin Cotter
10	532 12 84-15	Pop Rivet	36	532 17 57-35	Hinge Bracket Assembly	58	532 43 45-14	Lower Handle
11	532 15 00-50	Screw, Self-Tapping #10-24 x 5/8	37	532 42 88-67	Screw, Sems, Thread Cutting 5/16-18 x 3/4	59	532 19 15-74	Handle Bolt
12	817 06 04-10	Screw, Hex Hex Head, Sems 1/4-20 x 1/2	38	532 40 30-73	Discharge Deflector	64	- - -	Engine, Briggs & Stratton, Model Number 126M02-1620-F1 (For engine service and replacement parts, call Briggs & Stratton at 1-800-233-3723)
14	532 19 70-76	Back Plate	39	532 19 70-28	Handle Bracket Assembly, LH	65	532 19 74-80	O-Ring
15	532 41 13-34	Side Baffle	40	532 19 70-27	Handle Bracket Assembly, RH	68	532 41 06-23	Wheel Adjusting Bracket, LH
16	532 17 71-33	Discharge Baffle	41	532 15 04-06	Screw, Hex Head, Threaded, Rolled 3/8-16 x 1-1/8	69	532 19 79-91	Clip, Cable
17	532 14 89-41	Rear Baffle	42	532 19 30-00	Spring, Torsion	71	532 42 90-01	Belt Keeper
18	532 13 20-04	Keps Locknut 1/4-20	43	873 80 04-00	Nut, Hex, Nylock	- -	532 40 47-64	Warning Decal (not shown)
19	532 19 47-88	Rope Guide	44	532 43 05-11	Kit, Mower Housing (Includes Key Numbers 14, 15 and 51)	- -	532 19 37-33	Operator's Manual, English
20	532 41 31-60	Rear Skirt	45	532 17 56-50	Rod, Hinge	- -	532 19 37-36	Operator's Manual, French
21	532 40 54-21	Spring, Rear Door, LH	46	532 42 11-76	Blade Adapter / Pulley	- -	532 44 55-58	Repair Parts Manual
24	532 40 54-23	Spring, Rear Door, RH	47	532 40 67-13	Blade, 22"			
25	532 40 91-48	Nut, Hex, Flanged	48	532 85 10-74	Washer, Hardened			
26	532 18 41-93	Bolt, Rear Door						

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm.

IMPORTANT: Use only Original Equipment Manufacturer (O.E.M.) replacement parts. Failure to do so could be hazardous, damage your lawn mower and void your warranty.



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	532 19 46-53	Drive Control Cable	33	532 14 65-27	V-Belt
7	532 43 52-81	Bar, Drive Control	35	532 43 84-85	Kit, Wheel Adjuster, LH (Includes Knob and Bearing)
11	532 43 04-52	Wheel & Tire Assembly, Front	36	532 41 52-26	Gear Case Assembly, Complete
12	812 00 00-58	E-Ring	38	873 80 04-00	Locknut 1/4-20
13	532 40 38-49	Pinion	40	532 13 70-90	Spring
14	532 18 94-03	Dust Cover	41	532 43 84-86	Kit, Wheel Adjuster, RH (Includes Knob and Bearing)
15	532 40 48-45	Pawl, Drive	54	532 41 10-62	Grassbag Assembly
16	532 06 77-25	Washer, Flat 3/8	57	532 41 19-52	Frame, Grassbag
17	532 42 18-36	Bearing, Wheel Adjuster Assembly	80	532 42 11-14	Water Washout Assembly
18	532 43 63-48	Selector Knob	81	532 41 97-35	Fitting, Hose, Water Washout
19	532 15 04-95	Retainer, Spring	82	532 41 55-85	Washer, Lock, Internal Tooth
27	532 17 52-62	Pan Head Tapping Screw #10-24 x 2-3/4	83	532 41 55-86	Locknut, Hex, with O-Ring
28	532 40 33-42	Drive Cover			
29	532 40 91-48	Locknut, Hex			

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm.

IMPORTANT: Use only Original Equipment Manufacturer (O.E.M.) replacement parts. Failure to do so could be hazardous, damage your lawn mower and void your warranty.