







Ref #	Part Number	Qty	S/P/F	Description
3	17600A	1		42" Deck Ass'y.
	813-06119	1	S	42" Deck Ass'y. Comp. (For Service Only)
4	17664	1	S	Belt Guard Deck
6	710-0152	1	S	Hex Bolt 3/8-24 x 1.0" Lg.
7	710-0599	1	/P	Hex Wash. Hd. TT-Tap Scr. 1/4-20 x .5" Lg.
8	710-0258	1	S	Hex Bolt 1/4-20 x .62"
9	710-0888	1	/P	Hex Bolt Special 5/16-24 x 1.0"
10	711-0792	1	S	Hinge Pin
11	712-0123	1	/P/F	Hex Nut 5/16-24 Thd.
13	712-0181	1	S	Hex Top L-Nut 3/8-16 Thd.
14	712-0287	1	S/F	Hex Nut 1/4-20 Thd.
17	734-0973	1	/P	Deck Wheel - 5"
18	736-0105	1	/P	Bell-Wash .40" I.D. x .88" O D.
19	736-0119	1	S/F	L-Wash. 5/16" I.D.
20	736-0217	1	S	L-Wash. 3/8" I.D.- H.D.
22	738-0373	1	S	Shld. Bolt .498" Dia. x 1.53"
23	742-0499A	1	S	High-Lift Blade
25	748-0300	1		Blade Adapter
26	754-0371A	1	S	V-Belt
27	736-0270	1	/P	Bell-Wash. 1/4" I.D.
28	09322	1		Brake Disc
33	710-0157	1	/P	Hex Bolt 5/16-24 x .75" Lg.
35	712-0318	1	/P	Hex Jam Nut 5/8-18 Thd.
37	736-0158	1	S/F	L-Wash. 5/8" I.D.
39	717-0906	1	S	Blade Spindle Ass'y. Comp.
42	756-0556	1		5.5" Dia. Pulley
52	703-1693	1	S	Hinge Mtg. Brkt.
53	732-0602	1	S	Torsion Spring
54	726-0106	1	S	Push Nut
55	731-1032	1	S	Chute Ass'y. Comp. (Incl. Ref. 10, 52, 53, 54, 55)
56	710-0157	1	/P	Hex Bolt 5/16-24 x .75" Lg.
57	17493A	1	S	Deck Hanger Channel
58	736-0242	1	/P	Bell-Wash .345" I.D. x .88"
59	710-0167	1	/P	Carr. Bolt 1/4-20 x .5" Lg.
60	17861A	1	S	Deck Skirt Ext.- Long
61	17961	1	S	Deck Skirt Ext.- Short
62	712-0271	1	/P	Hex Sems Nut 1/4-20 Thd.




Ref #	Part Number	Qty	S/P/F	Description
1	783-0103	1	S	Connecting Rod
2	683-0029	1	S	Pivot Link Ass'y.- L.H.
3	683-0028	1	S	Pivot Link Ass'y.- R.H. (Uses "E"-Ring)
4	17710	1	S	Deck Hanger Link Ass'y.
5	14800A	1	S	Deck Hanger Link Ass'y.
6	14804A	1		Deck Hanger Link Ass'y.
7	748-0331	1	S	Shld. Spacer .318" I.D.
8	736-0264	1	S	Fl-Wash .344" I.D. x .62" O.D.
9	736-0119	1	S/F	L-Wash. 5/16" I.D.
10	712-0267	1	S/F	Hex Nut 5/16-18 Thd.
12	714-0470	1	S	Cotter Pin 1/8" Dia.
13	736-0256	1	S	Fl-Wash .635" I.D. x 1.0" O.D.
14	683-0003	1	S	Height Adj. Stop Lever Ass'y. (Incl. Ref. 15), Optional
15	08540	1	/P	Knob Optional
16	710-0604	1	S	Hex Wash. TT-Tap Scr. 5/16-18 x .75" Lg.
17	748-0176	1		Flange Brg .63" I.D. Optional
18	710-1238	1	/P	Hex Wash. Hd. Scr. 5/16-18 x .875" Lg.
19	710-0118	1	S	Hex Bolt 5/16-18 x .75" Lg.
20	17730	1	S	Index Brkt.
21	783-0042	1	S	Upper Frame - R.H. New Part
23	736-0267	1	S	Fl-Wash .385" I.D. x .87" O.D.
24	736-0160	1	S	Fl-Wash .531" I.D. x .93" O.D.
25	726-0272	1	/P	Clamp
26	738-0526	1		Running Board Rod
27	710-3007	1	/P	Hex Wash. Hd. Tap Scr,
28	14802A	1	S	Link Deck Lift Ass'y.
29	711-0723A	1	S	Adj. Ferrule 3/8-24 Thd
30	17712	1	S	Adj. Deck Lift Link
31	712-3066	1	S	Hex Nut 1/2-20 Thd. (Gr. 5)
32	711-0841	1	S	Lift Link Adjuster
33	17637A	1	S	Lift Shaft Ass'y.
34	725-0803C	1	S	Safety Switch (Deck)
35	714-0145	1	S	Inter. Cotter Pin 3/8" Dia.
36	732-0637	1	S	Extension Spring
37	17636B	1	S	Stabilizer Bracket
38	738-0670	1	S	Shaft 1/2" Dia. x 10.28" Lg.
39	732-0638	1		Extension Spring
40	720-0233	1	S	Grip (Lift Handle)
41	17675	1	S	Deck Lift Handle Ass'y
42	738-0669	1		Shaft 3/8" Dia. x 9 3/4" Lg.
43	747-0598	1		Disengagement Rod
44	17624	1	S	Stabilizer Shaft Ass'y
45	732-0556	1	S	Extension Spring 7.58" Lg
46	783-0043	1	/P	Upper Frame - L H New Part
47	741-0313	1	S	Flange Brg. .632" I.D.
48	17128	1	S	Spring Retainer Brkt
49	716-0104	1	S	"E"-Ring
50	736-0425	1	S	Bell-Wash 3/25" I.D.



Ref #	Part Number	Qty	S/P/F	Description
1	725-1635	1	S	Battery
2	725-1426	1	S	Solenoid
3	725-1625	1		Fuse 7.5 Amps
4	725-0634	1	S	Light Switch
5	725-0925	1	S	Ammeter
6	725-1396	1	S	Ignition Switch
7	725-1657	1	S	Safety Switch (Clutch)
9	629-0202	1		Wire Harness
12	725-1643	1		Safety Switch (Reverse)
13	725-1649	1	S	Socket (Styles 0, 5)
	725-1650	1	S	Socket (Styles 8, 9)
	725-1651	1	S	Socket (Styles 1, 3, 7)
14	725-0963	1	S	Bulb (Headlight)
15	725-1303	1	S	Safety Switch (Seat)
16	725-0980	1		Ground Wire 7.5" Lg.
17	725-1439	1		Safety Switch (Seat)




Ref #	Part Number	Qty	S/P/F	Description
1	651-0005	1		Exhaust Pipe Ass'y.
2	683-0072	1		Heat Shield Ass'y.
3	710-0323	1	/P	Pan Hd. Mach. Scr. 5/16-18 x .75"
4	710-0599	1	/P	Hex Wash. Hd. Scr. 1/4-20 x .5"
5	710-1237	1		Hex Slot Wash. Hd. #10-32 x 5/8" Lg.
6	710-0148	1	/P	Hex Wash. Hd. F-Tap Scr. #8-32 x .38"
7	710-1007	1	/P	Hex L-Wash. TT-Tap Scr. 3/8-16 x 1.5"
8	726-0205	1	/P	Hose Clamp -.49" Dia.
10	726-0197	1		Cable Tie - 4" I.D.
11	736-0247	1	/P	Flat Wash. 3/8" I.D. x 1.25" O.D.
13	737-0199	1	S	Pipe Nipple 3/8-18 NPT x 2" Lg.
14	737-0143	1	S	Cap - Oil Drain
15	750-0965	1		Shld. Spacer .38" I.D. x 1.25" O.D.
16	751-0360A	1	S	Casing Clamp
17	751-0535-15	1	/P	Fuel Line Hose
20	751B221535	1	/P	Casing Clamp
23		1		Engine




Ref #	Part Number	Qty	S/P/F	Description
3	710-0118	1	S	Hex Bolt 5/16-18 x .75" Lg.
5	710-0603	1	/P	Hex Wash. Hd. Scr. 5/16" x .5" Lg.
7	710-0167	1	/P	Carriage Bolt 1/4-20 x .5" Lg.
8	710-0726	1	/P	Hex Wash. Hd. Tap Scr. 5/16 x .75" Lg.
9	17633A	1	S	Support Bracket
10	17300D	1		Dash Support Bracket
11	17324B	1		Rear Fender
12	730-3000	1	S	Reflector (Optional)
13	17286A	1	S	Transmission Cover
14	17308A	1	S	Side Panel - R.H.
	17309A	1	F	Side Panel - L.H. (Not Shown)
	16723	1		Side Panel - R.H. (16 H.P. Tec.)
	17458A	1	S	Side Panel w/Foam - R.H.
	17459A	1	S	Side Panel Ass'y. w/Foam - L.H. (Not Shown)
15	710-0286	1	/P	Truss Mach. Scr. 1/4-20 x .5" Lg.
16	710-0166	1	S	Truss Mach. Scr. 1/4-20 x 1.0" Lg.
17	710-1026	1	/P	Hex Wash. TT-Tap Scr. 1/4-20 x 1.75" Lg.
18	750-0768	1		Spacer .26" I.D. x 1.32"
19	710-0642	1	/P	Hex Rolling Tap Scr. 1/4-20 x .75" Lg.
21	731-0511-18	1	/P	Trim Strip - 18" Lg.
22	736-0329	1	S/F	L-Wash. 1/4" I.D.
23	712-0287	1	S/F	Hex Nut 1/4-20 Thd.
24	726-0201	1		Speed Nut 5/16" Thd.
25	712-0267	1	S/F	Hex Nut 5/16-18 Thd.
?26	736-3078	1	/P	Fl-Wash .344" I.D. x 1" O.D.
27	17410	1	S	Grille Ass'y.
28	731-1044	1	S	Headlight Lens
29	731-0705	1	S	Headlamp Housing
30	725-0963	1	S	Headlamp
31	725-1650	1	S	Twist Lock Lamp Socket
32	736-0242	1	/P	Bell-Wash .345" I.O. x .88"
33	712-0429	1	S	Hex L-Nut 5/16-18 Thd.
34	735-0126	1	S	Rubber Washer
35	783-0190	1		Hood Hinge
36	710-0599	1	/P	Hex Wash. Hd. B-Tap Scr. 1/4-20 x .5" Lg. New Part
37	750-0218	1	S	Spacer .262" I.D. x .31"
39	16903A	1	S	Hood Plate
40	710-1005	1	S	Hex Wash. Hd. Tap Scr. 1/4-20 x .5" Lg.
41	731-1048B	1	S	Dash New Part
42	725-0925	1	S	Ammeter
43	831-0823A	1	/P	Throttle Control Box Ass'y.
44	710-0919	1	/P	Mach. Scr. #10 x .44" Lg.
45	746-0616A	1	/P/F	Choke Control 23" Lg.
	746-0614A	1	/P	Choke Control 38" Lg.
46	746-0501	1	/P/F	Throttle Control Wire 18.5" Lg.
	746-0634	1	/P	Throttle Control Wire 35" Lg.
	746-0638	1	/P	Throttle Control Wire 22" Lg. (16 H.P. Tec.)
47	725-0267	1	S	Ignition Switch
48	725-0201	1	S	Ignition Key
49	731-1491	1	S	Hood - Red New Part
	731-1492	1	S	Hood - Midnight Blue New Part

Ref #	Part Number	Qty	S/P/F	Description
	731-1497	1	S	Hood - Oyster Gray New Part
	731-1531	1		Hood - Charcoal Gray New Part
	731-1532	1		Hood - Orange New Part
	731-1533	1		Hood - Green New Part
50	17199	1	F	Cooling Fan
52	16936	1	F	Muffler Heat Shield - Front
53	710-0323	1	/P/F	Truss Mach. Scr. 5/16-18 x .75" Lg.
54	725-0980	1	F	Ground Wire
56	736-0175	1	S/F	Spr. Wash. 1/4" 1.0.
58	710-0294	1	F	Hex Bolt 1/4-20 x 3/8" Lg.
60	710-0429	1	S/F	Hex B-Tap Scr. 010 x .38" Lg.
61	738-0636	1	S/F	Shoulder Bolt
63	721-0208	1	S/F	Exhaust Gasket
64	683-0042	1	S/F	Muffler Heat Shield - L.H.
65	712-0147	1	/P/F	Speed Nut #10-24 Thd.
69	751-0465	1	S/F	Muffler
71	749-0814	1		Grille Support Tube
?73	736-0607	1	/P	External L-Wash. 5/16" I.D.
76	17782	1		Choke Retainer
77	725-0634	1	S	Light Switch
78	736-3010	1		FI-Wash .406" I.D. x .812" O.D.
79	710-0258	1	S	Hex Bolt 1/4-20 x .62" Lg.
80	783-0013	1		Dash Fastening Tab
81	725-0157	1	/P	Cable Tie
82	777-8568A	1		Chrome Label New Part
83		1		UNKNOWN



Ref #	Part Number	Qty	S/P/F	Description
1	710-0134	2	/P	Carriage Bolt 1/4-20 x .62" Lg.
2	710-0258	1	S	Hex Bolt 1/4-20 x .62" Lg.
3	710-3029	4	/P	Hex Bolt 7/16-20 x 1.25" Lg. (Gr. 5)
4	710-0932	1	/P	Carriage Bolt 1/4-20 x 1" Lg.
5	711-0957	1		Retaining Bolt
6	712-0378	4	/P	Hex Nut 7/16-20 Thd.
7	712-0287	3	S	Hex Nut 1/4-20 Thd.
8	712-0291	1	S	Hex L-Nut 1/4-20 Thd.
9	712-0397	2	S	Wing Nut
10	736-0171	4	S	L-Wash. 7/16" I.D.
11	736-0329	3	S	L-Wash, 1/4" I.D.
12	742-0539	2	S	Mulching Blade 12.5"
13	742-0537	2	S	Mulching Blade 19.38" For model (096)
	742-0538	2	S	Mulching Blade 21.2" For model (097)
14	748-0365	2	S	Blade Adapter
15	783-0024	1	S	Top Mulching Baffle For model (096)
	783-0026	1	S	Top Mulching Baffle For model (097)
16	783-0025	1	S	Side Mulching Baffle For model (096)
	783-0027	1	S	Side Mulching Baffle For model (097)
17	783-0028	1	S	Locking Bracket
18	736-0217	2	S	L-Wash. 3/8" I.D.
19	710-1039	2	/P	Hex Bolt 3/8-24 x 1" Lg.(Gr. 8)




Seat/Frame, Upper/Fuel Tank/Battery


Ref #	Part Number	Qty	S/P/F	Description
2	710-1208	1	/P	Hex Wash. Hd. Tap Scr. 5/16-18 x 3.25" Lg.
3	738-0155	1	S	Shld. Bolt .437" Dia. x .162"
4	738-0145	1	S	Shld. Bolt .50" Dia. x .84"
5	736-0141	1	S	Spr-Wash .445" I.D. x .75
6	783-0039	1	S	Seat Pivot Bracket
7	751-0603	1	S	Fuel Cap
8	751-0553	1		Fuel Tank (12.5 W.P. & Smaller)
	751-0555	1	S	Fuel Tank (13 H.P. & Larger)
9	726-0209	1	/P	Tie Strap
10	751-0535-15	1	/P	Fuel Line
11	726-0205	1	/P	Hose Clamp
13	712-0287	1	S/F	Hex Nut 1/4-20 Thd.
14	736-0329	1	S	L-Wash. 1/4" I.D.
16	732-0735	1	/P	Compression Spring New Part
21	738-0526	1		Running Board Rod
22	710-0227	1	/P	Hex Wash. Hd. AB-Tap Scr. #8 x .50" Lg.
23	726-0139	1	/P	Speed Nut #102
24	783-0041	1	S	Front Pivot Brkt.
25	710-0623	1	/P	Hex Tap Scr. 3/8-16 x .75"
26	710-0726	1	/P	Hex Wash. Hd. AB-Tap Scr. 5/16 x .75" Lg.
28	710-0134	1	/P/F	Carriage Bolt 1/4-20 x .62"
29	17770A	1	S	Running Board (R.H. & L.H.)
30	761-0168A	1	S	Blade Brake Ass'y.
32	731-0909	1	S	Rubber Foot Pad - L.H. Optional Parts
	731-0910	1	S	Rubber Foot Pad - R.H. Optional Parts
	723-0422	1		Abrasive Foot Pad Optional Parts
33	710-0323	1	/P/F	Truss Mach. Scr. 5/16-18 x .75" Lg
34	683-0065	1	S	Lower Frame New Part
35	736-0169	1	S/F	L-Wash. 3/8" I.D.
36	726-0278	1		Insulator Boss Plate
37	736-0264	1	S	FI-Wash .344" I.D. x .625" O.D.
38	710-0118	1	S/F	Hex Bolt 5/16-18 x .75" Lg.
39	783-0042	1	S	Upper Frame - R.H. New Part
41	712-0798	1	/P/F	Hex Nut 3/8-16 Thd.
42	732-0581B	1	S	Extension Spring 5.31" Lg.
43	731-1200	1		Battery Cover
44	725-1635	1	S	12-V Battery
45	783-0043	1	/P	Upper Frame - L.H. New Part
46		1		Shift Cover See "Lawn Tractors Style 0" through "Lawn Tractors Style 9" illustrations and parts lists.
47	725-1643	1		Reverse Safety Switch
48	726-0279	1		Insulator Plate
49	17951	1	S	Seat Pivot Brkt. Support - L.H.
50	17953	1		Hitch Plate
51	712-0267	1	S/F	Hex Nut 5/16-18 Thd.
52	736-0119	1	S/F	L-Wash. 5/16" I.D.
53	17239A	1	S	Seat Lift Brkt.
54	757-0363	1	S	Seat 8-7/8" High
	757-0364	1	S	Seat 8-7/8" High (Yellow)
	757-0360	1	S	Seat 10-5/8" High
	757-0365	1	S	Seat 10-5/8" High (Yellow)
	757-0350	1	S	Seat 14-1/4" High

Seat/Frame, Upper/Fuel Tank/Battery

Ref #	Part Number	Qty	S/P/F	Description
	757-0372	1	S	Seat 14-1/4" High (Yellow)
55	17950	1	S	Seat Pivot Brkt. Support - R.H.
56	738-0296	1	S	Shld. Bolt .437" Dia. x .268"
57	725-1303	1	S	Spring Switch
59	710-0650	1	/P	Hex Wash. TT-Tap Scr. 5/16-18 x 7/8" Lg.
62	726-0320	1	S	Insulator Nut Plate
63	725-1439	1		Safety Switch (Seat)
64	732-0674	1		Battery Tray Clip (Single Cylinder)
65	17952	1	S	Battery Tray
66	710-0351	1	/P	Truss Mach. B-Tap Scr. #10 x .5" Lg.
67	748-0347	1	S	Spring Spacer
68	710-1221	1		Pan Hd. Cutting Scr. 5/16-18 x .75" Lg.
69	710-0118	1	S/F	Hex Bolt 5/16-18 x .75" Lg.



Ref #	Part Number	Qty	S/P/F	Description
1	710-0924	1	/P	Truss Mach. Scr. 1/4-20 x .75" Lg.
2	17469	1	S	7-Speed Selector Plate
3	720-0218	1	/P	Shift Knob
4	16192A	1	/P	Speed Selector Lever Ass'y.
5	736-0192	1	S	Flat Washer .53" I.D. x .93"
6	711-0198	1	S	Ferrule 3/8-24 x .37" Dia.
7	738-0155	1	S	Shoulder Bolt
8	747-0503A	1		Speed Control Link
9	714-0111	1	S/F	Cotter Pin 3/32" Dia. x 1.0"
10	736-0226	1	S	Fl-Wash .469" I.D. x .88"
11	736-0119	1	S/F	L-Wash. 5/16" I.D.
12	712-0267	1	S/F	Hex Nut 5/16-18 Thd.
14	732-0303	1	S	Spring .38" O.D. x 3.18" Lg.
17	736-0140	1	S	Fl-Wash .385" I.D. x .62"
19	736-0329	1	S/F	L-Wash. 1/4" I.D.
20	712-0287	1	S/F	Hex Nut 1/4-20 Thd.




Steering Assembly/Wheels, Front/Axle, Front

Ref #	Part Number	Qty	S/P/F	Description
1	731-0220	1	S	Steering Wheel Cap
	731-1459	1	S	Steering Wheel Cap (Sq.- MTD) New Part
	731-1460	1		Steering Wheel Cap (Square - No Logo) New Part
2	712-0411	1	S	Hex L-Nut 5/16-24 Thd.
3	736-0242	1	/P	Belleville Wash .345" I.D.
4	731-0805	1	S/F	Steering Wheel (3 Spoke)
	731-1406	1	F	Steering Wheel (3 Spoke) New Part
	731-0806A	1	S/F	Steering Wheel (4 Spoke)
5	731-0559	1	S	Steering Bellow - 4.5" (Style 8)
	731-0954	1	S/F	Steering Bellow - 9" (Style 0, 1, 3, 4, 5, 6, 9)
	731-1542	1		Steering Bellow - 3.25" (Style 7)
6	737-0280	1	S	Grease Fitting (Optional)
7	741-0587	1		Flange Bearing .628" I.D. x 1.36 O.D. (Style 8)
9	17198A	1	/P	Retainer Plate
10	738-0141	1	S	Shoulder Bolt .437" Dia. x .35 Lg. 5/16-18 Thd.
11	710-0152	1	S	Hex Bolt 3/8-24 x 1.0" Lg. (Gr. 5)
13	750-0535	1	S	Spacer.380" I.D. x .625" O.D. x .227
14	736-0217	1	S	L-Wash. 3/8" I.D. (H.D.)
15	710-0726	1	/P	Hex Wash. Hd. Self-Tap Scr.
16	711-1001	1	S	Steering Drag Link
17	783-0041	1	S	Front Pivot Brkt.
18	738-0527	1	S	Shoulder Bolt .498" Dia. x 2.04 Lg. 3/8-16 Thd.
19	712-0798	1	/P/F	Hex Nut 3/8-16 Thd.
20	736-0169	1	S/F	L-Wash. 3/8" I.D.
21	712-0411	1	S	Hex L-Nut 5/16-24 Thd.
22	16481A	1	S	Steering Arm Front Axle
23	710-0772	1	/P	Hex Bolt 5/16-24 x 2.00" Lg. (Grade 5)
24	741-0487A	1	S	Hex Flg. Brg .632 I.D.
25	683-0002	1	S	Pivot Bar Ass'y.
26		1		Front Axle Ass'y.- L.H.
	634-0056	1	S	Wheel Ass'y. Comp.
	634-0105	1	S	Wheel Ass'y. Comp.
	734-0864	1	/P	Tire Only
	734-1731	1		Tire Only
	634-0024	1	S	Rim Only
	741-0487A	1	S	Bearing
	734-0255	1	S	Air Valve
	737-0211	1	S	Grease Fitting Optional
	737-0212	1	S	Grease Plug
	17585	1	/P	Front Axle Ass'y. - L.H.
	17584	1	/P	Front Axle Ass'y. - R.H.
	683-0041	1	S	Front Axle Ass'y. - L.H. (46" Deck)
	683-0040	1	/P	Front Axle Ass'y. - R.H. (46" Deck)
27	712-0241	1	/P/F	Hex Nut 3/8-24 Thd.
28	736-0169	1	S/F	L-Wash. 3/8" I.D.
29	723-3018	1	S	Ball Joint 3/8-24 Thd.
30	747-0753	1		Tie Rod (Adjustable)
	747-0861	1	S	Tie Rod (Non-Adjustable)
31	712-0711	1	/P/F	Hex Jam Nut 3/8-24 Thd.
32		1		Front Axle Ass'y.- R.H.
	634-0056	1	S	Wheel Ass'y. Comp.
	634-0105	1	S	Wheel Ass'y. Comp.
	734-0864	1	/P	Tire Only

Ref #	Part Number	Qty	S/P/F	Description
33	734-1731	1		Tire Only
	634-0024	1	S	Rim Only
	741-0487A	1	S	Bearing
	734-0255	1	S	Air Valve
	737-0211	1	S	Grease Fitting Optional
	737-0212	1	S	Grease Plug
	17585	1	/P	Front Axle Ass'y. - L.H.
	17584	1	/P	Front Axle Ass'y. - R.H.
	683-0041	1	S	Front Axle Ass'y. - L.H. (46" Deck)
	683-0040	1	/P	Front Axle Ass'y. - R.H. (46" Deck)
		1		Wheel Ass'y. Comp.
	634-0056	1	S	Wheel Ass'y. Comp.
	634-0105	1	S	Wheel Ass'y. Comp.
	734-0864	1	/P	Tire Only
	734-1731	1		Tire Only
	634-0024	1	S	Rim Only
	741-0487A	1	S	Bearing
	734-0255	1	S	Air Valve
	737-0211	1	S	Grease Fitting Optional
	737-0212	1	S	Grease Plug
	17585	1	/P	Front Axle Ass'y. - L.H.
	17584	1	/P	Front Axle Ass'y. - R.H.
	683-0041	1	S	Front Axle Ass'y. - L.H. (46" Deck)
	683-0040	1	/P	Front Axle Ass'y. - R.H. (46" Deck)
34		1		Front Wheel Rim Only
	634-0056	1	S	Wheel Ass'y. Comp.
	634-0105	1	S	Wheel Ass'y. Comp.
	734-0864	1	/P	Tire Only
	734-1731	1		Tire Only
	634-0024	1	S	Rim Only
	741-0487A	1	S	Bearing
	734-0255	1	S	Air Valve
	737-0211	1	S	Grease Fitting Optional
	737-0212	1	S	Grease Plug
	17585	1	/P	Front Axle Ass'y. - L.H.
	17584	1	/P	Front Axle Ass'y. - R.H.
	683-0041	1	S	Front Axle Ass'y. - L.H. (46" Deck)
	683-0040	1	/P	Front Axle Ass'y. - R.H. (46" Deck)
35		1		Bearing
	634-0056	1	S	Wheel Ass'y. Comp.
	634-0105	1	S	Wheel Ass'y. Comp.
	734-0864	1	/P	Tire Only
	734-1731	1		Tire Only
	634-0024	1	S	Rim Only
	741-0487A	1	S	Bearing
	734-0255	1	S	Air Valve
	737-0211	1	S	Grease Fitting Optional
	737-0212	1	S	Grease Plug
	17585	1	/P	Front Axle Ass'y. - L.H.
	17584	1	/P	Front Axle Ass'y. - R.H.
	683-0041	1	S	Front Axle Ass'y. - L.H. (46" Deck)
	683-0040	1	/P	Front Axle Ass'y. - R.H. (46" Deck)
36		1		Bearing
	634-0056	1	S	Wheel Ass'y. Comp.
	634-0105	1	S	Wheel Ass'y. Comp.
	734-0864	1	/P	Tire Only
	734-1731	1		Tire Only
	634-0024	1	S	Rim Only
	741-0487A	1	S	Bearing
	734-0255	1	S	Air Valve
	737-0211	1	S	Grease Fitting Optional
	737-0212	1	S	Grease Plug
	17585	1	/P	Front Axle Ass'y. - L.H.
	17584	1	/P	Front Axle Ass'y. - R.H.
	683-0041	1	S	Front Axle Ass'y. - L.H. (46" Deck)
	683-0040	1	/P	Front Axle Ass'y. - R.H. (46" Deck)
	736-0285	1	/P	Fl-Wash .635 I.D. x 1.59" O.D.


Steering Assembly/Wheels, Front/Axle, Front

Ref #	Part Number	Qty	S/P/F	Description
37	731-0484A	1	S	Front Wheel Hub Cap
	731-1787	1	S	Spoked Hub Cap (Yellow) Optional
	734-1613	1	S	Spoked Hub Cap (Gray) Optional
	734-1612	1		Spoked Hub Cap (Beige) Optional
38	714-0470	1	S/F	Cotter Pin 1/8" Dia. x 1.25"
39	736-0187	1	/P	Fl-Wash .640" I.D. x 1.24" O.D.
40	726-0214	1	/P	Push Cap 5/8" Dia. Rod
42	712-0446	1	S	Hex Jam Nut 3/8-24 Thd.
43	710-0538	1	/P/F	Hex L-Bolt 5/16-18 x .62"
44	736-0119	1	S/F	L-Wash. 5/16" I.D.
45	736-0343	1	/P	Fl-Wash .33" I.D. x 1.25" O.D.
46	750-0532	1	S	Spacer (Plastic)
47	712-0214	1	S	Hex Cent. L-Nut 3/8-24 Thd.
48	736-0169	1	S/F	L-Wash. 3/8" I.D.
49	712-0158	1	S	Hex Cent. L-Nut 5/16-18 Thd.
50	736-0119	1	S/F	L-Wash. 5/16" I.D.
51	717-0622A	1	S	Steering Gear Segment
52	741-0225	1	S	Hex Flg. Brg .634 I.D.
53	736-0187	1	/P	Fl-Wash. (Hardened)
54	738-0743	1	/P	Steering Shaft
?57	710-0837	1		Oval Hd. Cr.- Sunk Scr. #10 x 5/8" Lg. (Style 8)
58	736-0271	1	S	Wave-Wash .32" I.D. x .62" O.D.
59	736-0187	1	/P	Fl-Wash. (Hardened)
60	723-3018	1	S	Drag Link Ball Joint 3/8-24 Thd.
61	736-0607	1	/P	Ext. L-Wash. 5/16" I.D.
63	727-0425A	1	S	Spring Clip (Used w/Spoked Hub Cap)
64	736-0356	1	S	Bell-Wash .39" I.D. x 1.38" O.D.
65	731-1291	1	S	Pivot Bar End Cap (Optional)
66	710-0459	1	S	Hex Bolt 3/8-24 x 1.5" Lg. (Gr. 5)
69	731-1389	1		Plastic Tube 1.54" Lg.
70	731-0955	1	S	Steering Wheel Insert (Optional)
71		1		UNKNOWN
72	738-0886	1		Upper Steering Shaft (Used w/46" Deck)
73	650-0001	1	S	Lower Steering Shaft (Used w/46" Deck)
74	710-0958	1	/P	Hex Bolt 1/4-20 x 1.25" Lg.
75	712-0324	1	S	Hex L-Nut 1/4-20 Thd.



Ref #	Part Number	Qty	S/P/F	Description
	918-0163B	1	S	Transaxle Complete
1	732-0614	1		Wire Ring
2	716-0231	1	S	"E" - Ring
3	710-1026	1	/P/F	Hex Wash. TT-Tap Scr. 1/4-20 x 1.75" Lg.
4	710-0809	1		Hex Tap Scr. 1/4-20 x 1.25" Lg.
5	719-0314	1	S	Upper Housing
6	712-0200A	1	/P	Hex Jam Nut 1/2-20 Thd.
7	717-1019	1	S	Miter Gear
8	711-0861	1		Input Shaft
10	736-0335	1	S	Thrust Washer 5/8" I.D. x 1.25" O.D.
11	717-0633	1	S	Pinion Input 14T
12	716-0171	1	S	Retaining Ring
13	711-1003	1	S	Drive Shaft - R.H. Brake New Part
14	741-0336	1	S/F	Flange Brg. 5/8" I.D. x 3/4" Lg
15	717-1362	1	S	Bevel Gear 42T Small I.D.
16	717-1363	1	S	Bevel Gear 42T Large I.D.
17	718-0228	1		Clutch Collar
18	717-1020	1	/P	Miter Gear 15T (H.D.)
19	716-0184	1	S	Snap Ring
20	741-0589	1	S	Thrust Bearing
21	710-0862A	1	/P	Pan Head Scr. 1/4-20 x .50" Lg. w/Patch
22	717-0537	1		Axle R.H.
23	741-0340	1	S	Sleeve Bearing 3/4" I.D. x 1.0" Lg.
24	721-0179	1	S	Oil Seal 3/4" I.D.
25	750-0767	1		Axle Spacer
26	736-0445	1	S	FI-Wash .760" I.D. x 1.5" O.D.
27	711-0918	1	/P	Cross Shaft
28	717-1252	1	S	Differential Can Ass'y.
32		1		Washer
	736-0495	1	S	Thrust Wash. 5/8" I.D. x 1" O.D. x .025" Thk.
	736-0336	1	S	FI-Wash. 5/8" I.D. x 1" O.D. x .030" Thk.
	736-0494	1		Thrust Wash. 5/8" I.D. x 1" O.D. x .035" Thk.
	736-0337	1	S	FI-Wash. 5/8" I.D. x 1" O.D. x .040" Thk.
34	719-0313	1	S	Lower Housing
35	718-0150	1		Anti-Rotation Brkt.
37		1		Washer
	736-0349	1	S	FI-Wash. 5/8" I.D. x 1" O.D. x .020" Thk.
	736-0336	1	S	FI-Wash. 5/8" I.D. x 1" O.D. x .030" Thk.
	736-0337	1	S	FI-Wash. 5/8" I.D. x 1" O.D. x .040" Thk.
38	712-0273	1	S	Hex Nut 5/16-24 Thd.
39	736-0371	1	/P	FI-Wash .344" I.D. x .875" O.D.
40	717-0700	1	/P	Actuating Arm
41	761-0198	1	S	Brake Yoke
42	717-0682	1	S	Puck Plate
43	717-0678	1	S	Brake Puck
44	717-0536	1		Axle L.H.
45	761-0202	1		Brake Disc
46	741-0337	1	S	Flange Bearing 5/8" I.D. x 15/16" Lg.
48	611-0011	1	S	Shift Fork Ass'y.
49	741-0862	1	/P	Ball Detent .250" Dia.
50	732-0863	1	S	Spring Detent
52	741-0335	1	S	Needle Brg. 5/8" I.D. x 1/2" Lg.
54	736-0349	1	S	FI-Wash. 5/8" I.D. x 1" O.D. x .020 Thk.

Ref #	Part Number	Qty	S/P/F	Description
55	741-0343	1	S	Actuating Pin 5/16" Dia.
56	710-1206	1	/P	Hex Wash Hd. Self-Tap Scr. 1/4-20 Thd.
57	717-1364	1		Differential Gear 58T
58	736-0349	1	S	Fl-Wash. 5/8" I.D. x 1" O.D. x .020 Thk.
	736-0495	1	S	Thrust Wash. 5/8" I.D. x 1" O.D. x .025" Thk.
60		1		Washer
	736-0492	1	S	Fl-Wash. .76" I.D. x 1.5" O.D. x .010" Thk.
	736-0493	1	S	Fl-Wash. .76" I.D. x 1.5" O.D. x .020" Thk.
	736-0351	1	S	Fl-Wash. .76" I.D. x 1.5" O.D. x .030" Thk.
	736-0445	1	S	Fl-Wash. .76" I.D. x 1.5" O.D. x .060" Thk.
61	736-0519	1	S	Thrust Washer
	737-0148	1		Grease - Shell (15 oz.)



Wheels, Rear/Drive/Frame, Lower/Pedal Assembly

Ref #	Part Number	Qty	S/P/F	Description
2	17840	1	S	Transaxle Mtg. Brkt.
5	736-0119	1	S/F	L-Wash. 5/16" I.D.
8		1		UNKNOWN
10	710-0502A	1	/P	Hex L-Wash. Tap Scr. 3/8-16 x 1.5" Lg. (Twin Cylinder)
	710-1007	1	/P	Hex L-Wash. TT-Tap Scr. 3/8-16 x 1.5" Lg. (O.H.V.)
	710-1035	1	/P	Hex Wash Hd. AB-Tap Scr. 3/8-16 Thd. (B & S Vanguard)
11	683-0065	1	S	Lower Frame Ass'y. New Part
12		1		UNKNOWN
13	712-0287	1	S/F	Hex Nut 1/4-20 Thd.
14	736-0329	1	S/F	L-Wash. 1/4" I.D.
16	17358D	1	S	Belt Guard Brkt. Ass'y.
17	736-0242	1	/P	Bell-Wash .345" I.D. x .88"
18	712-0267	1	S/F	Hex Nut 5/16-18 Thd.
19	711-0986	1	S	Belt Guard Stud 3.6" Lg.
20	714-0114	1	S	Sq. Key 1/4" x 1/4" x 2.00"
21	756-0424	1	S	Engine Pulley (Twin Cylinder)
	756-0488	1	S	Engine Pulley (O.H.V. Engine Only)
22	736-0322	1	/P	Fl-Wash. 7/16" I.D. x 1.25"
23	736-0171	1	S/F	L-Wash. 7/16" I.D.
24	710-0757	1	/P	Hex Bolt 7/16-20 x 1.50" Lg.
25	754-0280	1	S	Variable-Speed Belt
26	710-0118	1	S	Hex Bolt 5/16-18 x .75" Lg.
27	17963	1	/P	Bearing Shaft Bracket Ass'y.
28	741-0591	1	S	Flanged Nyliner Brg. 5/8" I.D. x .88" Lg.
29	712-0241	1	/P/F	Hex Nut 3/8-24 Thd.
30	17643	1	S	Idler Bracket (Used w/20" Wheels w/o 46" Deck)
	17694	1	S	Idler Bracket (Used w/18" Wheels or 46" Deck)
31	736-0169	1	S/F	L-Wash. 3/8" I.D."
32	712-0241	1	/P/F	Hex Nut 3/8-24 Thd.
33	17629A	1	S	Transaxle Support Brkt.
34	732-0556	1	S	Ext. Spring .94" O.O. x 7.58"
35	714-0149B	1	S	inter. Cotter Pin
36	750-0802	1		Spacer .63" I.D.
39	712-0138	1	S	Hex Nut 1/4-28 Thd.
40	710-0776	1	S	Hex AB-Tap Scr. 1/4" x .62" Lg.
41	711-0747	1	S	Belt Guard Pin
42	736-0222	1	S	Ext. L-Wash. 1/4" I.D.
43	710-0599	1	/P	Hex Wash. Hd. S-Tap Scr. 1/4-20 x .50" Lg.
44	17715B	1		Clutch/Brake Pedal Ass'y. New Part
45	736-0264	1	S	Fl-Wash .344" I.D. x .62"
47	17686A	1	/P	Brake Rod Ass'y.
48	735-0196	1	S	Foot Pad
51	17705	1	/P	Shift Lever Ass'y.
53	732-0264	1	S	Ext. Spring .38" O.D. x 2.5"
54	732-0413	1	S	Ext. Spring .59" O.D. x 7.08" (Used w/20" Wheels w/o 46" Deck)

Wheels, Rear/Drive/Frame, Lower/Pedal Assembly

Ref #	Part Number	Qty	S/P/F	Description
	732-0642	1	S	Ext. Spring 7.33" Lg. (Used w/18" Wheels or 46" Deck)
55	710-1068	1	S	Hex Bolt 5/16-18 x 3.5" Lg. (Used w/18" Wheels or 46" Deck)
	710-0189	1	/P/F	Hex Bolt 5/16-18 x 3" Lg. (Used w/20" Wheels w/o 46" Deck)
56		1		Wheel Ass'y. Comp.
	734-0817	1	/P	Wheel Ass'y. Comp. 18" x 9.50"
	734-0448	1	/P	Tire Only
	634-0070	1	/P	Rim Only
	734-0592	1		Wheel Ass'y. Comp. 18" x 6.50"
	734-0294	1	/P	Tire Only
	634-0069	1	S	Rim Only
	734-1675	1		Wheel Ass'y. Comp. 20" x 8.0"
	734-1596	1		Tire Only
	634-0070	1	/P	Rim Only
	634-0104	1		Wheel Ass'y. Comp. 20" x 8.0"
	734-1730	1		Tire Only
	634-0070	1	/P	Rim Only
		1		Tire Only
	734-0817	1	/P	Wheel Ass'y. Comp. 18" x 9.50"
	734-0448	1	/P	Tire Only
	634-0070	1	/P	Rim Only
	734-0592	1		Wheel Ass'y. Comp. 18" x 6.50"
	734-0294	1	/P	Tire Only
	634-0069	1	S	Rim Only
	734-1675	1		Wheel Ass'y. Comp. 20" x 8.0"
	734-1596	1		Tire Only
	634-0070	1	/P	Rim Only
	634-0104	1		Wheel Ass'y. Comp. 20" x 8.0"
	734-1730	1		Tire Only
	634-0070	1	/P	Rim Only
57		1		Wheel Rim Only
	734-0817	1	/P	Wheel Ass'y. Comp. 18" x 9.50"
	734-0448	1	/P	Tire Only
	634-0070	1	/P	Rim Only
	734-0592	1		Wheel Ass'y. Comp. 18" x 6.50"
	734-0294	1	/P	Tire Only
	634-0069	1	S	Rim Only
	734-1675	1		Wheel Ass'y. Comp. 20" x 8.0"
	734-1596	1		Tire Only
	634-0070	1	/P	Rim Only
	634-0104	1		Wheel Ass'y. Comp. 20" x 8.0"
	734-1730	1		Tire Only
	634-0070	1	/P	Rim Only
58	734-0255	1	S	Air Valve (Service Only)
59	710-0627	1	/P/F	Hex Bolt 5/16-24 x .75" Lg.
61	732-0722	1	S	Brake Return Spring Anchor
63	736-0275	1	S	Fl-Wash .34" I.D. x .68" O.D.
64	710-0428	1	F	Hex Bolt 1/4-28 x 1.25" Lg.
65	732-0568	1	S	Ext. Spring

Wheels, Rear/Drive/Frame, Lower/Pedal Assembly

Ref #	Part Number	Qty	S/P/F	Description
66	732-0384	1	S	Ext. Spring .62" O.D x 6.12"
67	16554A	1	S	Variable Speed Torque Brkt. Ass'y.
68	741-0419	1		Flanged Bearing
69	714-0111	1	S/F	Cotter Pin 3/32" Dia.
70	748-0234	1	/P	Shoulder Spacer .27" Lg.
71	747-0530A	1	/P	Speed Control Link
72	741-0405	1	S	Truss Bearing .56 Dia. x 1.25"
73	720-0232	1	S	Shift Knob
74	756-0437	1	S	FI-Idler Pulley 3.25" x .75"
75	656-0005	1		"V" Pulley (Used w/18" Wheels or 46" Deck)
	656-0004	1		"V" Pulley (Used w/20" Wheels w/o 46" Deck)
76	736-0427	1	S	Bell-Wash. 56" I.D. x 1.125"
77	712-3035	1	/P	Hex Jam Nut 5/16-18 Thd.
78	710-0539	1	/P	Hex Bolt 3/8-24 x 1.75" Lg.
79	754-0370	1	S	Variable Speed Belt
80	716-0114	1	S	Snap Ring .56" Dia,
81	736-0355	1	/P	FI-Wash
82	717-0800A	1	S	Variable Speed Pulley Ass'y. 5" O.D.
84	16354B	1	S	Variable Speed Brkt. Ass'y.
85	732-0525	1		Comp. Spring - Clip
86	17668	1	S	Axle Support Brkt.- R.H.
	17669	1	S	Axle Support Brkt.- L.H. (Not Shown)
88	725-1426	1	S	Solenoid
89	17630	1	S	Shift Lever Bracket
90	736-0414	1	S	Teflon Washer 565" I.D.
92	711-1000	1	S	Belt Keeper 3" Lg.
93	725-1657	1	S	Safety Switch (Clutch) New Part
94	738-0755	1	S	Shld. Bolt 3/8-24 x 3.12" Lg.
96	748-0334	1	S	Transaxle Spacer (Used w/18" Wheels)
97	736-0105	1	/P	Bell-Wash .38" I.D. x .88"
98	738-0569	1	S	Shaft .56" Dia. x 3.875" Lg.
99	736-0331	1	/P	Bell-Wash .39" 1.0. x 1.12"
100	736-0256	1	S	FI-Wash .64" I.D. x .94"
101	714-0470	1	S	Cotter Pin 1/8" Dia. x 1.25"
102	710-0604	1	S	Hex Wash. Hd. Scr. 5/16-18 x .62" Lg.
103	734-1615	1	S	Hub Cap (Gray) Optional
	734-1614	1	S	Hub Cap (Beige) Optional
	734-1788	1	S	Hub Cap (Yellow) Optional
107	17860	1	S	Pedal Bracket
109	711-0198	1	S	Ferrule
111	710-0195	1	S	Hex Bolt 1/4-28 x .50" Lg.
112	736-0270	1	/P	Bell-Wash .265" I.D. x .75"
113	17707	1		Shift Lever Link Ass'y.
115	736-0140	1	S	FI-Wash .385" I.D. x .62"
116	741-0404	(2 Req'd.	S	Needle Brgs.
117	727-0425A	1	S	Spring Clip (Used w/Ref. No. 103)
119	710-0427	1	S	Hex Bolt 3/8-16 x 1.25" Lg.
120	756-0217	1	S	FI-Idler w/Flanges 2.75" O.D.
121	736-0280	1		FI-Wash .39" I.D. x 1.12" O.D.
122	712-0798	1	/P	Hex Nut 3/8-16 Thd.
128	710-0650	1	/P	Hex Wash. TT-Tap Scr. 5/16-18 x .75" Lg.
129	710-0726	1	/P	Hex Wash. AB-Tap Scr. 5/16-18 x .75" Lg.