






## Axle Assembly

| Ref # | Part Number | Qty  | Description                   |
|-------|-------------|------|-------------------------------|
| 10    | 738-1011    | 2    | SCR:SHLDR:.500 X 2.230:3/8-16 |
| 9     | 737-3007    | 0.04 | GRES:ALVANIA EP 2             |
| 8     | 736-0285    | 2    | WASH:FL: .635 X 1.589 X .060  |
| 7     | 736-0162    | 4    | WASHER:FL .64ID X 1.00OD X .1 |
| 6     | 726-0341    | 2    | CAP:PUSH:3/4                  |
| 5     | 719-0525B   | 1    | AXLE:PIVOT:BAR CAST .750 DIA  |
| 4     | 714-0162    | 2    | PIN:COT:5/32:1.25             |
| 3     | 712-0431    | 2    | NUT:FLGLK:3/8-16:GRF:TOP LK   |
| 2     | 638-0024    | 1    | AXLE ASM:RH .750 DIA          |
| 1     | 638-0023    | 1    | AXLE ASM:LH .750 DIA          |




| Ref # | Part Number | Qty | Description                  |
|-------|-------------|-----|------------------------------|
| 6     | 783-0933    | 1   | BRKT:SW:BAG FULL             |
| 5     | 712-0691    | 2   | NUT:HEXLK:M6-1:NYLON DIN 985 |
| 4     | 712-0636    | 2   | NUT:HEX:M4:DIN 985           |
| 3     | 710-1690    | 2   | SCR:M6-1:16.00 LG DIN 933    |
| 2     | 710-1397    | 2   | SCR:M4-.5:35.00 LG DIN 7985  |
| 1     | 629-1089A   | 1   | HARN ASM:500:BAG FULL        |




## Bagger Assembly

| Ref # | Part Number | Qty | Description                    |
|-------|-------------|-----|--------------------------------|
| 37    | 783-1392    | 1   | BRKT:LATCH:MT:SW BAG 250L/300L |
| 36    | 783-1391    | 1   | BRKT:MT:LATCH BAG 250L/300L    |
| 35    | 783-1358A   | 1   | PLT:END:RR DIS:500 SERIES      |
| 34    | 783-04180   | 1   | BRKT:HOOK:BAG 300L             |
| 33    | 783-04179   | 1   | CVR:BAG:HT:300L                |
| 32    | 749-1412    | 1   | TUBE:FRM:FRT:BAG 250 L/300 L   |
| 31    | 749-04010   | 2   | TUBE:SUPT:CROSS GRSBG 250/300  |
| 30    | 738-1183    | 2   | SCR:SHLDR:9.5MMX5MM:M6-1X24 LG |
| 29    | 736-0463    | 2   | WASH:FLAT .25 X.630 X.0515     |
| 28    | 732-0264    | 2   | EXTENSION SPRING               |
| 27    | 731-2835A   | 1   | EXTRS:SEAL:BAG 250L/300L       |
| 26    | 731-04174   | 2   | HNDL:BAG:W/SCR 400/500 S       |
| 25    | 731-04048   | 2   | CAP:TUBE:SUPT 300L/250L BAG    |
| 24    | 726-3046    | 2   | CLIP:RTCHT:.250 DIA            |
| 23    | 725-3167    | 1   | SW:MT:SNAP NO                  |
| 22    | 720-0204    | 1   | GRIP: 1.0 ID X 4.7 LG          |
| 21    | 714-0145    | 4   | PIN:CLICK:.092 X 1.64 LG       |
| 20    | 714-0104    | 5   | PIN:COT:.072 DIA. X 1.13 LG    |
| 19    | 712-3004A   | 2   | NUT:FLGLK:5/16-18:GR5:SD LK    |
| 18    | 712-0692    | 2   | NUT:HEXLK:M8-1.25:NYLON DIN985 |
| 17    | 712-0691    | 12  | NUT:HEXLK:M6-1:NYLON DIN 985   |
| 16    | 712-0642    | 5   | NUT:FLGLK:M5-0.8               |
| 15    | 712-0271    | 4   | NUT:HEX:1/4-20:SEMS            |
| 14    | 711-0701    | 5   | PIN:CLV:.25X.50                |
| 13    | 711-04138   | 4   | PIN:CLV:.25 DIA X 1.25 LG      |
| 12    | 710-1765    | 4   | SCR:TORX:M6-1 X 15.00          |
| 11    | 710-1690    | 4   | SCR:M6-1:16.00 LG DIN 933      |
| 10    | 710-1612    | 5   | BOLT:CRG:5MM X 30.0 LG         |
| 9     | 710-1399    | 2   | HHCS:M6-1X25:DIN 933 8.8       |
| 8     | 710-1376    | 2   | HHCS:M8-1.25:16.00:GR8.8:STD   |
| 7     | 710-0260A   | 2   | BOLT:CRG:5/16-18:.62:GR1       |
| 6     | 664-0110    | 1   | GRSBAG ASM:RR DIS:300L 500S    |
| 5     | 649-04008   | 1   | FRM ASM:TOP:GRSBG 300L         |
| 4     | 649-0138A   | 1   | TUBE ASM:LVR:BAG 250L/300L     |
| 3     | 649-0132    | 1   | FRM ASM:PIVOT:300L BAG         |
| 2     | 647-0063    | 1   | LATCH ASM:BAG 250L/300L        |
| 1     | 629-1101A   | 1   | HARN ASM:500:BAG PRESENT       |




| Ref # | Part Number | Qty | Description                           |
|-------|-------------|-----|---------------------------------------|
| 4     | 750-04016   | 1   | HOSE:DRAIN                            |
| 3     | 736-0648    | 2   | WASH:LOCK:B6 DIN 127                  |
| 2     |             |     | PACK:ACID: 1 LITER (Purchase locally) |
| 1     | 725-2057    | 1   | BAT:U1:245 CCA DRY VENTED TOP         |




## Carburetor TVT691-600405B

| Ref # | Part Number | Qty | Description                                 |
|-------|-------------|-----|---------------------------------------------|
|       | TC-640221   |     | Carburetor (Incl 184 of Engine Parts Lists) |
| 1     | TC-640216   |     | Throttle Shaft & Lever Assembly             |
| 5     | TC-640037   |     | Dust Seal                                   |
| 6     | TC-640038   |     | Throttle Shutter                            |
| 7     | TC-650506   |     | Throttle & Choke Shutter Screws             |
| 10    | TC-640217   |     | Choke Shaft & Lever Assembly                |
| 11    | TC-632785   |     | Choke Return Spring                         |
| 14    | TC-64077    |     | Choke Shutter                               |
| 17    | TC-651025   |     | Throttle Crack Screw/Idle Speed Screw       |
| 18    | TC-630766   |     | Tension Spring                              |
| 25    | TC-640220   |     | Float Bowl Assembly                         |
| 25A   | TC-730649   |     | Float Bowl Repair Kit                       |
| 27    | TC-632544   |     | Float Shaft                                 |
| 28    | TC-632543   |     | Float                                       |
| 29    | TC-640047   |     | Float Bowl to Body Gasket                   |
| 30    | TC-632709   |     | Inlet Needle & Seat                         |
| 32    | TC-640041   |     | Bowl Drain Screw                            |
| 33    | TC-27110A   |     | Bowl Drain Washer                           |
| 36    | TC-640067   |     | Main Nozzle Tube                            |
| 37    | TC-632547   |     | O-Ring                                      |
| 38    | TC-632545   |     | Spring, Main Nozzle Tube                    |
| 38A   | TC-36918    |     | Spring                                      |
| 39    | TC-640218A  |     | Float Bowl Retainer                         |
| 40    | TC-640219   |     | Main Fuel Jet                               |
| 47    | TC-630748   |     | Welch Plug, Idle Mixing Well                |




| Ref # | Part Number | Qty | Description                                 |
|-------|-------------|-----|---------------------------------------------|
|       | TC-640221   |     | Carburetor (Incl 184 of Engine Parts Lists) |
| 1     | TC-640216   |     | Throttle Shaft & Lever Assembly             |
| 5     | TC-640037   |     | Dust Seal                                   |
| 6     | TC-640038   |     | Throttle Shutter                            |
| 7     | TC-650506   |     | Throttle & Choke Shutter Screws             |
| 10    | TC-640217   |     | Choke Shaft & Lever Assembly                |
| 11    | TC-632785   |     | Choke Return Spring                         |
| 14    | TC-64077    |     | Choke Shutter                               |
| 17    | TC-651025   |     | Throttle Crack Screw/Idle Speed Screw       |
| 18    | TC-630766   |     | Tension Spring                              |
| 25    | TC-640220   |     | Float Bowl Assembly                         |
| 25A   | TC-730649   |     | Float Bowl Repair Kit                       |
| 27    | TC-632544   |     | Float Shaft                                 |
| 28    | TC-632543   |     | Float                                       |
| 29    | TC-640047   |     | Float Bowl to Body Gasket                   |
| 30    | TC-632709   |     | Inlet Needle & Seat                         |
| 32    | TC-640041   |     | Bowl Drain Screw                            |
| 33    | TC-27110A   |     | Bowl Drain Washer                           |
| 36    | TC-640067   |     | Main Nozzle Tube                            |
| 37    | TC-632547   |     | O-Ring                                      |
| 38    | TC-632545   |     | Spring, Main Nozzle Tube                    |
| 38A   | TC-36918    |     | Spring                                      |
| 39    | TC-640218A  |     | Float Bowl Retainer                         |
| 40    | TC-640219   |     | Main Fuel Jet                               |
| 47    | TC-630748   |     | Welch Plug, Idle Mixing Well                |



| Ref # | Part Number | Qty | Description                     |
|-------|-------------|-----|---------------------------------|
| 6     | 783-04000A  | 1   | BRKT:STOP                       |
| 5     | 736-0322    | 1   | WASH:FL:.450 IDX 1.250 ODX .164 |
| 4     | 736-0171    | 1   | WASH:LOCK: 7/16 : REGULAR DUTY  |
| 3     | 717-1788A   | 1   | CLU:HYDRO:BRC                   |
| 2     | 710-1260A   | 2   | SCR:LD:5/16-18:0.750:HXINDWSH   |
| 1     | 710-04002   | 1   | HHCS:7/16-20:4.50:GR5:STD       |


Dash



Dash


| Ref # | Part Number | Qty | Description                    |
|-------|-------------|-----|--------------------------------|
| 15    | 749-1087C   | 1   | TUBE:DASH:SUPT                 |
| 14    | 747-1155    | 1   | ROD:LVR:BRAKE/CRUISE PIVOT     |
| 13    | 736-3078    | 5   | FL-WASH .344 X 1.00 X .063 HDN |
| 12    | 736-0142    | 1   | WASH:FLAT:.281 X .50 X .063    |
| 11    | 731-1857    | 1   | KNOB:CONT                      |
| 10    | 731-04214   | 1   | LVR:DASH:CRUISE                |
| 9     | 731-04213   | 1   | LVR:DASH:BRAKE                 |
| 8     | 726-04029   | 6   | CLIP:RTCHT:.300 DIA            |
| 7     | 712-0142    | 1   | NUT:8-32:HEX MACH SCR:         |
| 6     | 710-3217    | 1   | SCR:MACH:#8-32:0.375:TRUSPHI   |
| 5     | 710-1017    | 2   | SCR:AB:1/4-14:0.625:TRUSTRXI   |
| 4     | 710-0895    | 1   | SCR:HL:1/4-15:0.750:HXINDWSH   |
| 3     | 710-0650    | 4   | SCR:TT:5/16-18:0.875:HXINDWSH  |
| 2     | 710-0604A   | 5   | SCR:TT:5/16-18:0.625:HXINDWSH  |
| 1     | 631-04035   | 1   | DASH ASM:4 STYLE:CARGO NET     |

## Deck Assembly



## Deck Assembly


| Ref # | Part Number | Qty | Description                      |
|-------|-------------|-----|----------------------------------|
| 47    | 783-04255   | 1   | BRKT:DECK:SPR 500 SERIES         |
| 46    | 783-04240   | 1   | BRKT:SUPT:IDLR:DECK              |
| 45    | 756-04050   | 1   | PUL:IDLR:6.0 DIA.                |
| 44    | 756-04049   | 1   | PUL:IDLR:4.0 DIA.                |
| 43    | 754-0631    | 1   | BELT:V TYP:5 L X 106 LG KEVL     |
| 42    | 750-04195   | 1   | SPCR:16X8X27 DIN 2391            |
| 41    | 750-04182   | 1   | SPCR:14MM OD X 7MM ID            |
| 40    | 747-04116   | 2   | ROD:HNDL:DECK REL .375 DIA       |
| 39    | 742-04025A  | 1   | BLADE:LH:21.35 LG:STAR BAG       |
| 38    | 742-04024A  | 1   | BLADE:RH:21.35 LG:STAR BAG       |
| 37    | 741-0591    | 4   | BRG:FLG:.630 ID X .693 OD X .875 |
| 36    | 738-0476    | 3   | SCR:SHLDR:.625 X 3.50:7/16-14    |
| 35    | 738-0373    | 2   | SHLD-SCR .498 DIA X 1.53 LNG     |
| 34    | 737-04003   | 2   | NOZ:DECK:WATER                   |
| 33    | 736-0760    | 2   | WASH:LOCK:SCHNORR 17X23.8X1.95   |
| 32    | 736-04097   | 2   | WASH:FLAT:.469 X 1.125 X .125    |
| 31    | 736-0300    | 6   | WASH:FLAT:.406 X .875 X .059     |
| 30    | 736-0119    | 1   | WASH:LOCK:5/16:REGULAR DUTY      |
| 29    | 736-0105    | 2   | WASH:BELL:.375 X .870 X .063     |
| 28    | 735-0271    | 2   | BMPR: .62 DIA X .3               |
| 27    | 734-0973    | 2   | DECK WHEEL 5.0 X 1.38            |
| 26    | 732-04099   | 2   | SPR:EXT:1.25 DIA X 8.224 LG      |
| 25    | 732-0306    | 2   | SPR:CMPRS:.406X.531X1.75 LG      |
| 24    | 731-2539A   | 1   | CHUTE:DIS:RR:105CM DECK          |
| 23    | 731-2538    | 2   | CVR:DECK:BELT:92cm/105cm         |
| 22    | 721-0417    | 2   | SEAL:O-RG:16mm OD X 11mm ID      |
| 21    | 717-1553B   | 1   | ADJ:DECK:GEAR                    |
| 20    | 714-0470    | 2   | PIN:COT:1/8 X 1.25               |
| 19    | 712-0692    | 3   | NUT:HEXLK:M8-1.25:NYLON DIN985   |
| 18    | 712-0641    | 2   | NUT:HEX:M16-1.5 DIN 936          |
| 17    | 712-0431    | 2   | NUT:FLGLK:3/8-16:GRF:TOP LK      |
| 16    | 712-0417A   | 2   | NUT:HEX FLG:5/8-18               |
| 15    | 712-0290    | 2   | NUT:HEXLK:7/16-14:GRA:CTRLK      |
| 14    | 712-0181    | 2   | NUT:JAM:3/8-16:TOP LOCK          |
| 13    | 710-1719    | 1   | BOLT:CRG:M8 X 1.25 X 50 LG       |
| 12    | 710-1681    | 2   | HHCS:M8-1.25:20.00:GR8.8:STD     |
| 11    | 710-1260A   | 8   | SCR:LD:5/16-18:0.750:HXINDWSH    |
| 10    | 710-0778    | 1   | SCR:TT:1/4-20:1.500:HXINDWSH     |
| 9     | 710-0607    | 4   | SCR:TT:5/16-18:0.500:HXINDWSH    |
| 8     | 710-0528    | 1   | HHCS:5/16-18:1.25:GR5:STD        |
| 7     | 710-0347    | 2   | HHCS:3/8-16:1.75:GR5:STD         |
| 6     | 683-0596    | 1   | BRKT ASM:DECK:HNGR ADJ 92/105    |
| 5     | 683-04061   | 1   | BRKT ASM:IDLR:V-PUL              |
| 4     | 683-04059   | 1   | DECK ASM:RR DIS:105 CM           |
| 3     | 683-04058   | 1   | BRKT ASM:IDLR:DECK 500 S         |
| 2     | 618-0624    | 1   | SPDL ASM:PUL:6.3 DIA             |
| 1     | 618-0609    | 1   | SPDL ASM:PUL:6.418 DIA X .5625   |



## Deck Engagement

| Ref # | Part Number | Qty | Description                   |
|-------|-------------|-----|-------------------------------|
| 14    | 783-1497    | 1   | BRKT:ENGAG:STOP               |
| 13    | 747-1112D   | 1   | HNDL:DECK:ENGAGE              |
| 12    | 741-0708    | 1   | BRG:FLG:HEX SPLIT .500 ID     |
| 11    | 736-0314    | 1   | WASH:THRST: .375x.70x.030     |
| 10    | 736-0108    | 1   | WASH:FLAT: .510 X .750 X .033 |
| 9     | 732-1165    | 1   | SPR:EXTN: .50 DIA X 5.0 LG    |
| 8     | 732-04000   | 1   | SPR:EXTN: .75 OD X 10.6 LG    |
| 7     | 731-2111A   | 1   | KNOB:PTO                      |
| 6     | 726-0201    | 2   | NUT:SPD: .3125 ID             |
| 5     | 716-0104    | 1   | E-RING FOR .500 DIA SHAFT     |
| 4     | 714-0111    | 1   | PIN:COT:3/32:1.0              |
| 3     | 712-3004A   | 2   | NUT:FLGLK:5/16-18:GR5:SD LK   |
| 2     | 710-0276    | 2   | SCR:CARR:SPL:5/16-18:1.00     |
| 1     | 647-0066    | 1   | LVR ASM:ENGAGE 500            |

Drive




Drive

| Ref # | Part Number | Qty | Description                    |
|-------|-------------|-----|--------------------------------|
| 63    | 783-1372    | 1   | BRKT:HITCH:500                 |
| 62    | 783-1371    | 1   | BRKT:MT:HYDRO                  |
| 61    | 783-0786    | 1   | BRKT:ACTR:SW EURO              |
| 60    | 756-3054    | 1   | FLAT IDLER WITH FLANGES 2.75   |
| 59    | 756-1052    | 1   | PUL:TRANS:4.50 DIA.            |
| 58    | 756-0236    | 1   | V-IDLER 6.06 OD-NH#VH-39-AB    |
| 57    | 754-0125A   | 1   | BELT:V TYP:1/2 X 105 LG POLY   |
| 56    | 750-1329    | 1   | SPCR:.275 ID X .50 OD X 2.28   |
| 55    | 750-0802    | 1   | SPCR:.640 ID X .76 OD X 2.63   |
| 54    | 749-04013   | 1   | TUBE:SQ:30MM X 30MM X 216MM LG |
| 53    | 747-1315    | 1   | ROD:HYDRO:BYPASS 500 LWB       |
| 52    | 747-1302B   | 1   | ROD:BRAKE:HYDRO 500 LONG       |
| 51    | 747-1301    | 1   | ROD:CONT:HYDRO 500 LG          |
| 50    | 741-0998    | 1   | BRG:BALL:.75ID X 40MM OD X12MM |
| 49    | 738-0372B   | 1   | SPCR:SHLDR:1.00 X .38 X .38    |
| 48    | 736-0773    | 1   | WASH:FLAT:16 X 21 X 1 DIN 988  |
| 47    | 736-0755    | 1   | WASH:LOCK:SCHNORR 10.5X16X1.6  |
| 46    | 736-0751    | 1   | WASH:LOCK:SCHNORR 13 X 18 X1.7 |
| 45    | 736-0708    | 2   | WASH:SCHNORR:8MM               |
| 44    | 736-0707    | 1   | WASH:FLAT:15 ID X 28 OD DIN125 |
| 43    | 736-0685    | 1   | WASH:FLAT:6.4 IDX18 OD DIN9021 |
| 42    | 736-0300    | 1   | WASH:FLAT:.406 X .875 X .059   |
| 41    | 736-0275    | 2   | WASH:FLAT:.344 X .688 X .065   |
| 40    | 736-0258    | 4   | WASH:FLAT:.385 X 1.0 X .135    |
| 39    | 732-0891A   | 1   | SPR:CMPRS:9.6 MM OD X 21.5 LG  |
| 38    | 732-0716    | 1   | SPR:EXT:.59 OD X 4.00 LG       |
| 37    | 732-0429A   | 1   | SPR:EXTN:.50 DIA X 3.97 LG     |
| 36    | 732-0308    | 1   | SPR:EXTN:.50 DIA X 6.37 LG     |
| 35    | 731-2542A   | 1   | CVR:HYDRO                      |
| 34    | 731-1449A   | 1   | FAN:BLADE:10                   |
| 33    | 727-0626    | 1   | CYL: DAMPER                    |
| 32    | 726-0457    | 1   | CLIP:M8-32 DIN 71752           |
| 31    | 726-0320    | 1   | PLATE: INSULATOR NUT           |
| 30    | 725-1773    | 1   | SW:SPR:SHORT                   |
| 29    | 719-0534    | 1   | SUPT:CSTG                      |
| 28    | 714-0147    | 1   | PIN:COT:.125 X 1.75 INTERNAL   |
| 27    | 714-0111    | 1   | PIN:COT:3/32:1.0               |
| 26    | 714-0104    | 1   | PIN:COT:.072 DIA. X 1.13 LG    |
| 25    | 712-3027    | 1   | NUT:1/4-20:HEXFLG:LOK:GRF      |
| 24    | 712-3017    | 1   | NUT:HEX:3/8-16:GR8             |
| 23    | 712-0714    | 8   | NUT:FLGLK:M8-1.25 DIN 6926     |
| 22    | 712-0691    | 1   | NUT:HEXLK:M6-1:NYLON DIN 985   |
| 21    | 712-0690    | 3   | NUT:HEX:M8-1.25 DIN 934        |
| 20    | 712-0637    | 3   | NUT:M10 X 1.25                 |
| 19    | 712-0431    | 2   | NUT:FLGLK:3/8-16:GRF:TOP LK    |
| 18    | 712-0333    | 1   | NUT:HEX:1/2-20:GR2             |
| 17    | 711-1407    | 1   | FRL:M8-32 X 18 DIA DIN 71752   |
| 16    | 711-0747    | 1   | PIN:GDE:.250 DIA X 1.68 LG     |
| 15    | 711-0679A   | 1   | PIN:CLEVIS:3/8 DIA X 2.015     |
| 14    | 710-3144    | 1   | HHCS:3/8-16:2.00:GR5:STD       |
| 13    | 710-1895    | 2   | SCR:CARR:M8-1.25:75 LG DIN 603 |
| 12    | 710-1771    | 1   | BOLT:M10 X 70MM LG             |
| 11    | 710-1766    | 1   | HHCS:M6-1:70.00:DIN 931        |
| 10    | 710-1683    | 2   | HHCS:M8-1.25:30.00 LG DIN 933  |
| 9     | 710-1682    | 3   | HHCS:M8-1.25:25.00 LG DIN 933  |
| 8     | 710-1681    | 1   | HHCS:M8-1.25:20.00:GR8.8:STD   |


| Ref # | Part Number | Qty | Description                   |
|-------|-------------|-----|-------------------------------|
| 7     | 710-1189    | 3   | SCR:C:#12-24:0.625:HXINDWSH   |
| 6     | 710-0607    | 2   | SCR:TT:5/16-18:0.500:HXINDWSH |
| 5     | 710-0604A   | 3   | SCR:TT:5/16-18:0.625:HXINDWSH |
| 4     | 710-0599    | 1   | SCR:TT:1/4-20:0.500:HXINDWSH  |
| 3     | 710-0227    | 2   | SCR:AB:#8-18:0.500:HXINDWSH   |
| 2     | 683-0604A   | 1   | BRKT ASM:IDLR:DBL             |
| 1     | 618-0389A   | 1   | TRANS ASM:HYDRO               |

Electrical




## Electrical

| Ref # | Part Number | Qty | Description                    |
|-------|-------------|-----|--------------------------------|
| 15    | 736-0222    | 2   | EXTERN L-WASH 1/4              |
| 14    | 725-2013    | 1   | SW:INTLK:NO/NO SNAP MT         |
| 13    | 725-1758    | 1   | IND:MONITOR:W/AMMETER          |
| 12    | 725-1745    | 1   | KEY:DELTA PLASTIC              |
| 11    | 725-1744    | 1   | KEY:SW:DELTA                   |
| 10    | 725-1741    | 1   | SW:KEY:4 POS DELTA             |
| 9     | 725-1657A   | 1   | SW:INTLK:NO/NC SNAP MT         |
| 8     | 725-1649    | 2   | SOC:LAM:NYLON 1/4 TURN         |
| 7     | 725-1426    | 1   | SOL:12V:100 AMP                |
| 6     | 725-0963    | 2   | MINIATURE LAMP 12V SOCKET TYPE |
| 5     | 725-04038   | 1   | SW:DELTA:NO/NC/NC SNAP MT      |
| 4     | 712-0271    | 2   | NUT:HEX:1/4-20:SEMS            |
| 3     | 710-0599    | 2   | SCR:TT:1/4-20:0.500:HXINDWSH   |
| 2     | 629-0469B   | 1   | HARN ASM:UNIVERSAL:HEADLIGHT   |
| 1     | 629-04021   | 1   | HARN ASM:500:MANPTO W/MON      |




| Ref # | Part Number | Qty | Description                    |
|-------|-------------|-----|--------------------------------|
| 24    | 783-0625C   | 1   | SHLD:HEAT:SINGLE               |
| 23    | 783-0615B   | 1   | SHLD:HEAT:MFLR                 |
| 22    | 751-3142    | 1   | CAP:DRAIN:OIL                  |
| 21    | 751-3141    | 12  | HOSE:EXTEN:OIL                 |
| 20    | 751-3140    | 1   | DRAIN:OIL                      |
| 19    | 751-0814    | 1   | PIPE:EXH:RH TECUMSEH TWIN      |
| 18    | 751-0813    | 1   | PIPE:EXH:LH TECUMSEH TWIN      |
| 17    | 751-0616    | 1   | MFLR:DUAL INLET                |
| 16    | 751-0564    | 1   | DFL:MFLR:                      |
| 15    | 751-0535    | 14  | HOSE:FUEL LINE                 |
| 14    | 737-0169    | 80  | OIL:10W30                      |
| 13    | 736-0300    | 1   | WASH:FLAT:.406 X .875 X .059   |
| 12    | 736-0119    | 4   | WASH:LOCK:5/16:REGULAR DUTY    |
| 11    | 726-0205    | 2   | CLAMP:HOSE:.490 DIA.           |
| 10    | 725-0157    | 2   | CBL:TIE:3/16 X .05 X 7.4       |
| 9     | 721-0460    | 2   | GSKT:EXH:INTEK TWIN            |
| 8     | 721-0331    | .02 | SEALANT:PIPE:PST 567 LOCTITE   |
| 7     | 712-3017    | 1   | NUT:HEX:3/8-16:GR8             |
| 6     | 712-0271    | 1   | NUT:HEX:1/4-20:SEMS            |
| 5     | 710-1315    | 4   | SCR:TT:3/8-16:1.250:HXINDWSH:S |
| 4     | 710-1314A   | 4   | SCR:SOC HD:5/16-18:.750        |
| 3     | 710-0726    | 4   | SCR:AB:5/16-12:0.750:HXINDWSH  |
| 2     | 710-0599    | 4   | SCR:TT:1/4-20:0.500:HXINDWSH   |
| 1     | 710-0227    | 4   | SCR:AB:#8-18:0.500:HXINDWSH    |



| Ref # | Part Number | Qty | Description                                       |
|-------|-------------|-----|---------------------------------------------------|
| 1     |             |     | UNKNOWN                                           |
| 2     | TC-27652    |     | Dowel Pin                                         |
| 11    | TC-36302    |     | Check Valve                                       |
| 11A   | TC-36303    |     | Breather Plate                                    |
| 11B   | TC-650990   |     | Screw, 10-32 x 7/16"                              |
| 14    | TC-37363    |     | Washer                                            |
| 15    | TC-37364    |     | Governor Rod                                      |
| 15B   | TC-650738   |     | Screw, 1/4-20 x 5/8"                              |
| 16    | TC-37413    |     | Governor Lever                                    |
| 16A   | TC-37414    |     | Governor Spring Bracket                           |
| 17C   | TC-37429    |     | Breather Tube Clamp                               |
| 30    | TC-37371    |     | Crankshaft                                        |
| 35    | TC-651069   |     | Screw, Carriage 1/4-20 x 1-1/2"                   |
| 37    | TC-650456   |     | Lock Nut, 1/4-20                                  |
| 38    | TC-37365    |     | Retaining Ring                                    |
| 40    | TC-40040    |     | Piston, Pin & Ring Set (Std.)                     |
| 40    | TC-40041    |     | Piston, Pin & Ring Set (.010" OS)                 |
| 41    | ~N/A        |     | Piston & Pin Ass'y. (Std.), (.010" OS) (Incl. 43) |
| 42    | TC-40013    |     | Ring Set (Std.)                                   |
| 42    | TC-40014    |     | Ring Set (.010"OS)                                |
| 43    | TC-27888    |     | Piston Pin Retaining Ring                         |
| 45    | TC-37372    |     | Connecting Rod Ass'y (Incl. 46)                   |
| 46    | TC-651063   |     | Connecting Rod Bolt                               |
| 48    | TC-37373    |     | Valve Lifter                                      |
| 50    | TC-37374    |     | Camshaft (MCR)                                    |
| 52    | TC-37305    |     | Oil Pump Ass'y.                                   |
| 52A   | TC-37382    |     | Oil Pump Shaft                                    |
| 52B   | TC-36333    |     | "O" Ring                                          |
| 52C   | TC-36334    |     | Oil Pump Cover (Incl. 52B)                        |
| 52D   | TC-650888   |     | Screw, T-30 1/4-20 x 43/64"                       |
| 52E   | TC-37383    |     | Oil Pump Gear                                     |
| 52F   | TC-37384    |     | Oil Pump Gear Retaining Ring                      |
| 60A   | TC-65105    |     | Screw, 1/4-20 x 1/2"                              |
| 63    |             |     | UNKNOWN                                           |
| 69    | TC-37377    |     | Mounting Flange Gasket                            |
| 70    | TC-37378    |     | Mounting Flange (Incl. 72, 72A, 75, 80, 381-387)  |
| 72A   | TC-28483    |     | Oil Drain Plug 3/8-18                             |
| 75    | TC-36301    |     | Oil Seal (1 in Ref 1, 1 in Ref 70)                |
| 75A   | TC-37369    |     | Oil Seal (Governor Shaft)                         |
| 80    | TC-37379    |     | Governor Shaft                                    |
| 81    | TC-37381    |     | Washer (Governor Shaft)                           |
| 82    | TC-37380    |     | Governor Gear Ass'y.                              |
| 84    | TC-29193    |     | Retaining Ring                                    |
| 86    | TC-651064   |     | Screw, 5/16-18 x 1-15/32"                         |
| 89    | TC-650592   |     | Flywheel Key                                      |
| 90    | TC-611243   |     | Flywheel (Incl. 91 & 91A)                         |
| 91    | TC-611241   |     | Flywheel Fan                                      |
| 91A   | TC-611242   |     | Flywheel Retainer                                 |
| 92    | TC-650666   |     | Flywheel Lock Washer                              |
| 93    | TC-650594   |     | Flywheel Nut                                      |
| 100   | TC-37395    |     | Solid State Ignition (Incl. 101)                  |
| 101   | TC-610118   |     | Spark Plug Cover                                  |
| 102   | TC-651024   |     | Solid State Mounting Stud                         |
| 103   | TC-651007   |     | Screw, T-15 10-24 x 15/16"                        |
| 119   | TC-37388    |     | Cylinder Head Gasket Kit (P)                      |
| 120   | TC-37387    |     | Cylinder Head, Opp. Breather Side                 |

| Ref # | Part Number | Qty | Description                                 |
|-------|-------------|-----|---------------------------------------------|
| 120A  | TC-37389    |     | Cylinder Head, Breather Side                |
| 125   | TC-36934    |     | Exhaust Valve (Std.)                        |
| 126   | TC-36935    |     | Intake Valve (Std)                          |
| 127   | TC-650691   |     | Flat Washer                                 |
| 128   | TC-650690   |     | Belleville Washer                           |
| 130   | TC-650697A  |     | Screw, 5/16-18 x 2-1/2"(Head Mount)         |
| 135   | TC-34645    |     | Spark Plug (RN4C)                           |
| 150   | TC-33507    |     | Valve Spring                                |
| 151   | TC-33508    |     | Valve Keeper Retainer & Cap Set             |
| 151A  | ~N/A        |     | Valve Seal                                  |
| 153   | TC-37390    |     | Push Rod Guide                              |
| 154   | TC-650945   |     | Rocker Arm Stud                             |
| 155   | TC-35950    |     | Rocker Arm                                  |
| 158   | TC-37391    |     | Push Rod                                    |
| 159   | TC-35952    |     | Rocker Arm Cover Gasket Kit (P)             |
| 160   | TC-35953A   |     | Rocker Arm Cover, Opp. Breather Side        |
| 160A  | TC-37392    |     | Rocker Arm Cover, Breather Side             |
| 161   | TC-30063    |     | Screw, T-30 1/4-20 x 1/2"                   |
| 161A  | TC-651034   |     | Stud, Valve Cover Mounting                  |
| 162   | TC-650947   |     | Rocker Arm Jam Nut, 5/16-24                 |
| 163   | TC-650890   |     | Internal Lock Washer, 5/16"                 |
| 169   | TC-37367    |     | Valve Cover Gasket Kit (P)                  |
| 171   | TC-37366    |     | Breather Element                            |
| 172   | TC-37368    |     | Valve Cover                                 |
| 173   | TC-37393    |     | Breather Tube                               |
| 212   | TC-37370    |     | Bushing                                     |
| 253   | TC-37376    |     | Compression Release Weight                  |
| 253A  | TC-37424    |     | Compression Release Pin                     |
| 254   | TC-37375    |     | Compression Release Spring                  |
| 260   | TC-37398    |     | Blower Housing (Red)                        |
| 261   | TC-650737   |     | Screw, 1/4-20 x 1/2"                        |
| 265   | TC-37627    |     | Cylinder Head Cover, Opp. Breather          |
| 265A  | TC-37628    |     | Cylinder Head Cover, Breather Side          |
| 270A  | TC-35829A   |     | Exhaust Port Liner                          |
| 286   | TC-37394    |     | Flywheel Screen                             |
| 287   | TC-651066   |     | Screw, T-20 8-18 x 1-15/32"                 |
| 290   | TC-30962    |     | Fuel Line (16.75")                          |
| 291   | ~N/A        |     | Fuel Line 291B N/A, 291C N/A                |
| 291A  | TC-29774    |     | Fuel Line (8-1/4")                          |
| 291B  |             |     | UNKNOWN                                     |
| 291C  |             |     | UNKNOWN                                     |
| 292   | TC-26460    |     | Fuel Line Clamp                             |
| 292A  | TC-37399    |     | Fuel Line Retainer                          |
| 293   | TC-35787    |     | Pulse Pump                                  |
| 293A  | TC-650931   |     | Screw, 8-32 x 1-1/2"                        |
| 294   | TC-35791    |     | Pulse Pump Repair Kit                       |
| 295A  | TC-37422    |     | Fuel Fitting                                |
| 296   | TC-34279B   |     | Fuel Filter (Incl. 292)                     |
| 303   | TC-32958    |     | Pulse Pump/Fuel Fitting                     |
| 305   | TC-36349    |     | Oil Fill Tube                               |
| 306   | TC-37401    |     | O-Ring (Oil Fill, Bottom) Kit (P)           |
| 307   | TC-35499    |     | O-Ring (Oil Fill, Top)                      |
| 309   | TC-650974   |     | Screw, 1/4-20 x 5/64"                       |
| 310   | TC-37421    |     | Dipstick                                    |
| 315   | TC-611181   |     | Alternator Coil (3/5 Split) (Incl. 321-323) |
| 321   | TC-611161   |     | Diode                                       |


| Ref # | Part Number | Qty | Description                                 |
|-------|-------------|-----|---------------------------------------------|
| 322   | TC-611142   |     | Connector Body                              |
| 323   | TC-611118   |     | Terminal                                    |
| 325   | TC-36342    |     | Wire Clip                                   |
| 342   | TC-651031   |     | Screw, 1/4-20 x 9/16"(Ref. 240 & 265)       |
| 346   | TC-36413    |     | Fuel Pump Bracket                           |
| 361   | TC-651065   |     | Screw, 5/16-18 x 2-3/8"                     |
| 370A  | TC-35274    |     | Lubrication Decal                           |
| 381   | TC-650767   |     | Screw, 8-32 x 27/64"                        |
| 382   | TC-36931    |     | Oil Strainer Screen                         |
| 385   | TC-570673   |     | Ball                                        |
| 386   | TC-36329    |     | Pressure Release Spring                     |
| 387   | TC-37652    |     | Cotter Pin                                  |
| 395   | TC-37284    |     | Electric Starter Motor (12 Volt)            |
| 400   | TC-37423    |     | Gasket Set (Incl. Items Marked PK in Notes) |
| 420   |             |     | UNKNOWN                                     |
| 428   | TC-37362    |     | Spacer                                      |
| 475   | TC-36563    |     | Oil Filter                                  |
| 476   | TC-36929    |     | Oil Filter Adaptor (Incl. 479)              |
| 477   | TC-650378   |     | Screw, T-30 5/16-18 x 1 3/32"               |
| 479   | TC-36930    |     | Oil Filter Adaptor Gasket Kit (P)           |
| 483   | TC-37629    |     | Cylinder Wrap Spacer                        |




| Ref # | Part Number | Qty | Description                                      |
|-------|-------------|-----|--------------------------------------------------|
| 1     |             |     | UNKNOWN                                          |
| 2     | TC-27652    |     | Dowel Pin                                        |
| 11    | TC-36302    |     | Check Valve                                      |
| 11A   | TC-36303    |     | Breather Plate                                   |
| 11B   | TC-650902   |     | Screw, 10-32 x 7/16"                             |
| 14    | TC-37363    |     | Washer                                           |
| 15    | TC-37364    |     | Governor Rod                                     |
| 15B   | TC-650738   |     | Screw, 1/4-20 x 5/8"                             |
| 16    | TC-37413    |     | Governor Lever                                   |
| 16A   | TC-37414    |     | Governor Spring Bracket                          |
| 17C   | TC-37429    |     | Breather Tube Clamp                              |
| 30    | TC-37371    |     | Crankshaft                                       |
| 35    | TC-651069   |     | Screw, Carriage 1/4-20 x 1-1/2"                  |
| 37    | TC-650456   |     | Lock Nut, 1/4-20                                 |
| 38    | TC-37365    |     | Retaining Ring                                   |
| 40    | TC-40040    |     | Piston, Pin & Ring Set (Std.)                    |
| 40    | TC-40041    |     | Piston, Pin & Ring Set (.010"OS)                 |
| 41    | ~N/A        |     | Piston & Pin Ass'y. (Std.), (.010"OS) (Incl. 43) |
| 42    | TC-40013    |     | Ring Set (Std.)                                  |
| 42    | TC-40014    |     | Ring Set (.010"OS)                               |
| 43    | TC-27888    |     | Piston Pin Retaining Ring                        |
| 45    | TC-37372    |     | Connecting Rod Ass'y. (Incl. 46)                 |
| 46    | TC-651063   |     | Connecting Rod Bolt                              |
| 48    | TC-37373    |     | Valve Lifter                                     |
| 50    | TC-37374    |     | Camshaft (MCR)                                   |
| 52    | TC-37305    |     | Oil Pump Ass'y.                                  |
| 52A   | TC-37382    |     | Oil Pump Shaft                                   |
| 52B   | TC-36333    |     | "O" Ring                                         |
| 52C   | TC-36334    |     | Oil Pump Cover (Incl. 52B)                       |
| 52D   | TC-650888   |     | Screw, T-30 1/4-20 x 43/64"                      |
| 52E   | TC-37383    |     | Oil Pump Gear                                    |
| 52F   | TC-37384    |     | Oil Pump Gear Retaining Ring                     |
| 60A   | TC-650773   |     | Screw, 1/4-20 x 1/2"                             |
| 69    | TC-37377    |     | Mounting Flange Gasket                           |
| 70    | TC-37378    |     | Mounting Flange (Incl. 72, 72A, 75, 80, 381-387) |
| 72A   | ~N/A        |     | Oil Drain Plug 3/8-18                            |
| 75    | TC-36301    |     | Oil Seal (1 in Ref 1, 1 in Ref 70)               |
| 75A   | TC-37369    |     | Oil Seal (Governor Shaft)                        |
| 80    | TC-37379    |     | Governor Shaft                                   |
| 81    | TC-37381    |     | Washer (Governor Shaft)                          |
| 82    | TC-37380    |     | Governor Gear Ass'y.                             |
| 83    | TC-35322    |     | Governor Spool                                   |
| 84    | TC-29193    |     | Retaining Ring                                   |
| 86    | TC-651064   |     | Screw, 5/16-18 x 1-15/32"                        |
| 90    | TC-611243   |     | Flywheel (Incl. 91 & 91A)                        |
| 91    | TC-611241   |     | Flywheel Fan                                     |
| 91A   | TC-611242   |     | Flywheel Retainer                                |
| 92    | TC-651082   |     | Belleville Washer                                |
| 93    | TC-650594   |     | Flywheel Nut                                     |
| 100   | TC-37395    |     | Solid State Ignition (Incl. 101)                 |
| 101   | TC-610118   |     | Spark Plug Cover                                 |
| 102   | TC-651024   |     | Solid State Mounting Stud                        |
| 103   | TC-651007   |     | Screw, T-15 10-24 x 15/16"                       |
| 119   | TC-37388    |     | Cylinder Head Gasket Kit (P)                     |
| 120   | TC-37387    |     | Cylinder Head, Opp. Breather Side                |
| 120A  | TC-37389    |     | Cylinder Head, Breather Side                     |

| Ref # | Part Number | Qty | Description                                 |
|-------|-------------|-----|---------------------------------------------|
| 125   | TC-36934    |     | Exhaust Valve (Std.)                        |
| 126   | TC-36935    |     | Intake Valve (Std)                          |
| 127   | TC-650691   |     | Flat Washer                                 |
| 128   | TC-650690   |     | Belleville Washer                           |
| 130   | TC-650697A  |     | Screw, 5/16-18 x 2-1/2" (Head Mount)        |
| 135   | TC-34645    |     | Spark Plug (RN4C)                           |
| 150   | TC-33507    |     | Valve Spring                                |
| 151   | TC-33508    |     | Valve Keeper Retainer & Cap Set             |
| 151A  | TC-35862    |     | Valve Seal                                  |
| 153   | TC-37390    |     | Push Rod Guide                              |
| 154   | TC-650945   |     | Rocker Arm Stud                             |
| 155   | TC-35950    |     | Rocker Arm                                  |
| 158   | TC-37391    |     | Push Rod                                    |
| 159   | TC-35952    |     | Rocker Arm Cover Gasket Kit (P)             |
| 160   | TC-35953A   |     | Rocker Arm Cover, Opp. Breather Side        |
| 160A  | TC-37392    |     | Rocker Arm Cover, Breather Side             |
| 161   | TC-30063    |     | Screw, T-30 1/4-20 x 1/2"                   |
| 161A  | TC-651034   |     | Stud, Valve Cover Mounting                  |
| 162   | TC-650947   |     | Rocker Arm Jam Nut, 5/16-24                 |
| 163   | TC-650890   |     | Internal Lock Washer, 5/16"                 |
| 169   | TC-37367    |     | Valve Cover Gasket Kit (P)                  |
| 171   | TC-37366    |     | Breather Element                            |
| 172   | TC-37368    |     | Valve Cover                                 |
| 173   | TC-37393    |     | Breather Tube                               |
| 212   | TC-37370    |     | Bushing                                     |
| 253   | TC-37376    |     | Compression Release Weight                  |
| 253A  | TC-37424    |     | Compression Release Pin                     |
| 254   | TC-37375    |     | Compression Release Spring                  |
| 260   | TC-37398    |     | Blower Housing (Red)                        |
| 261   | TC-650737   |     | Screw, 1/4-20 x 1/2"                        |
| 265A  | TC-37628    |     | Cylinder Head Cover, Breather Side          |
| 270A  | TC-35829A   |     | Exhaust Port Liner                          |
| 285   |             |     | UNKNOWN                                     |
| 286   | TC-37394    |     | Flywheel Screen                             |
| 287   | TC-651066   |     | Screw, T-20 8-18 x 1-15/32"                 |
| 290   | TC-30962    |     | Fuel Line (16.75")                          |
| 291   | ~N/A        |     | Fuel Line (1.56")                           |
| 291A  | ~N/A        |     | Fuel Line (8-1/4")                          |
| 291B  |             |     | UNKNOWN                                     |
| 291C  | TC-34357    |     | Fuel Line (6.75")                           |
| 292   | TC-26460    |     | Fuel Line Clamp                             |
| 292A  | TC-37399    |     | Fuel Line Retainer                          |
| 293   | TC-35787    |     | Pulse Pump                                  |
| 293A  | TC-650931   |     | Screw, 8-32 x 1-1/2"                        |
| 294   |             |     | UNKNOWN                                     |
| 295A  | TC-37422    |     | Fuel Fitting                                |
| 296   | TC-37768    |     | Fuel Filter (Incl. 292)                     |
| 303   | TC-32958    |     | Pulse Pump/Fuel Fitting                     |
| 305   | TC-36349    |     | Oil Fill Tube                               |
| 306   | TC-37401    |     | O-Ring (Oil Fill, Bottom) Kit (P)           |
| 307   | TC-35499    |     | O-Ring (Oil Fill, Top)                      |
| 309   | TC-650974   |     | Screw, 1/4-20 x 5/64"                       |
| 310   | TC-37421    |     | Dipstick                                    |
| 315   | TC-611280   |     | Alternator Coil (3/5 Split) (Incl. 321-323) |
| 321   | TC-611161   |     | Diode                                       |
| 322   | TC-611281   |     | Connector Body                              |

| Ref # | Part Number | Qty | Description                                 |
|-------|-------------|-----|---------------------------------------------|
| 323   | TC-611282   |     | Terminal                                    |
| 325   | TC-36342    |     | Wire Clip                                   |
| 342   | TC-651031   |     | Screw, 1/4-20 x 9/16"(Ref. 240 & 265)       |
| 346   | TC-36413    |     | Fuel Pump Bracket                           |
| 361   | TC-651065   |     | Screw, 5/16-18 x 2-3/8"                     |
| 370A  | TC-35274    |     | Lubrication Decal                           |
| 381   | TC-650767   |     | Screw, 8-32 x 27/64"                        |
| 382   | TC-36931    |     | Oil Strainer Screen                         |
| 385   | TC-570673   |     | Ball                                        |
| 386   | TC-36329    |     | Pressure Release Spring                     |
| 387   | TC-37652    |     | Cotter Pin                                  |
| 395   | TC-37284    |     | Electric Starter Motor (12 Volt)            |
| 400   | TC-37423    |     | Gasket Set (Incl. Items Marked PK in Notes) |
| 420   |             |     | UNKNOWN                                     |
| 428   | TC-37362    |     | Spacer                                      |
| 475   | TC-36563    |     | Oil Filter                                  |
| 476   | TC-36929    |     | Oil Filter Adaptor (Incl. 479)              |
| 477   | TC-650378   |     | Screw, T-30 5/16-18 x 1 3/32"               |
| 479   | TC-36930    |     | Oil Filter Adaptor Gasket Kit (P)           |
| 483   |             |     | UNKNOWN                                     |




| Ref # | Part Number | Qty | Description                               |
|-------|-------------|-----|-------------------------------------------|
| 16D   | TC-37415    |     | Governor Spring, Hi-speed                 |
| 16E   | TC-37417    |     | Governor Idle Spring                      |
| 16F   | TC-37418    |     | Bell Crank Lever                          |
| 19    | TC-37416    |     | Throttle Spring                           |
| 173A  | TC-37410    |     | Breather Tube Grommet                     |
| 173B  | TC-37409    |     | Breather Tube Fitting                     |
| 177   | TC-651067   |     | Carburetor Mounting Stud                  |
| 184   | TC-36352    |     | Carburetor to Intake Pipe Gasket Kit (P)  |
| 185   | TC-37396    |     | Intake Pipe (Incl. 387A)                  |
| 186   | TC-37404    |     | Governor Link                             |
| 186A  | TC-37405    |     | Choke Link                                |
| 200   | TC-37400    |     | Control Bracket                           |
| 207   | TC-37406    |     | Throttle Link                             |
| 210   | TC-27793    |     | Conduit Clip                              |
| 211   | TC-28942    |     | Screw, 10-32 x 3/8"                       |
| 217   | TC-37419    |     | Control Lever                             |
| 218   | TC-651070   |     | Screw, 10-32 x 1-1/4"                     |
| 223   | TC-650971   |     | Screw, T-30 5/16-18 x 7/8"                |
| 224   | TC-33515A   |     | Intake Pipe Gasket (Pipe to Head) Kit (P) |
| 234   | TC-650928   |     | Lock Nut, 1/4-20                          |
| 238   | TC-650902   |     | Screw, 10-32 x 7/16"                      |
| 239   | TC-36358    |     | Air Cleaner Gasket Kit (P)                |
| 240   | TC-37691    |     | Air Cleaner Body Ass'y. (Incl. 239)       |
| 245   | TC-37360    |     | Air Cleaner Filter (Paper)                |
| 245B  | TC-37361    |     | Air Cleaner Pre-Filter (Poly)             |
| 246   | TC-37407    |     | Connector Bushing Link                    |
| 250   | TC-37690    |     | Air Cleaner Cover                         |
| 251   | TC-37689    |     | Wing Nut, 1/4-20 x 1-19/32"               |
| 255   | TC-37647    |     | Control Cover                             |
| 330   | TC-37402    |     | Fuel Solenoid Wire Assembly (R & G)       |
| 330A  | TC-37403    |     | Fuel Solenoid Wire Assembly (Black)       |
| 330B  | TC-37642    |     | Wire Harness                              |
| 347   | TC-650898A  |     | Screw, 10-32 x 27/32"                     |
| 380   | TC-640221   |     | Carburetor (Incl. 184 & 428)              |
| 380A  | TC-730649   |     | Carburetor Repair Kit                     |
| 383   | TC-37411    |     | Carburetor Baffle                         |
| 384   | TC-30200    |     | Screw, 10-24 x 9/16" Self Tap             |
| 387A  | TC-37397    |     | Roll Pin                                  |
| 406   | TC-611221   |     | Fuel Shut-Off Solenoid                    |




| Ref # | Part Number | Qty | Description                               |
|-------|-------------|-----|-------------------------------------------|
| 16D   | TC-37415    |     | Governor Spring, Hi-speed                 |
| 16E   | TC-37417    |     | Governor Idle Spring                      |
| 16F   | TC-37418    |     | Bell Crank Lever                          |
| 19    | TC-37416    |     | Throttle Spring                           |
| 173A  | TC-37410    |     | Breather Tube Grommet                     |
| 173B  | TC-37409    |     | Breather Tube Fitting                     |
| 177   | TC-651067   |     | Carburetor Mounting Stud                  |
| 184   | TC-36352    |     | Carburetor to Intake Pipe Gasket Kit (P)  |
| 185   | TC-37396    |     | Intake Pipe (Incl. 387A)                  |
| 186   | TC-37404    |     | Governor Link                             |
| 186A  | TC-37405    |     | Choke Link                                |
| 200   | TC-37400    |     | Control Bracket                           |
| 207   | TC-37406    |     | Throttle Link                             |
| 210   | TC-27793    |     | Conduit Clip                              |
| 211   | TC-28942    |     | Screw, 10-32 x 3/8"                       |
| 217   | TC-37419    |     | Control Lever                             |
| 218   | TC-651070   |     | Screw, 10-32 x 1-1/4"                     |
| 223   | TC-650971   |     | Screw, T-30 5/16-18 x 7/8"                |
| 224   | TC-33515A   |     | Intake Pipe Gasket (Pipe to Head) Kit (P) |
| 234   | TC-650928   |     | Lock Nut, 1/4-20                          |
| 238   | TC-650902   |     | Screw, 10-32 x 7/16"                      |
| 239   | TC-36358    |     | Air Cleaner Gasket Kit (P)                |
| 240   | TC-37691    |     | Air Cleaner Body Ass'y. (Incl. 239)       |
| 245   | TC-37360    |     | Air Cleaner Filter (Paper)                |
| 245B  | TC-37361    |     | Air Cleaner Pre-Filter (Poly)             |
| 246   | TC-37407    |     | Connector Bushing Link                    |
| 250   | TC-37690    |     | Air Cleaner Cover                         |
| 251   | TC-37689    |     | Wing Nut, 1/4-20 x 1-19/32"               |
| 255   | TC-37420    |     | Control Cover                             |
| 330   | TC-37402    |     | Fuel Solenoid Wire Assembly (R & G)       |
| 330A  | TC-37403    |     | Fuel Solenoid Wire Assembly (Black)       |
| 330B  |             |     | UNKNOWN                                   |
| 347   | TC-650898A  |     | Screw, 10-32 x 27/32"                     |
| 380   | TC-640221   |     | Carburetor (Incl. 184 & 428)              |
| 380A  | TC-730649   |     | Carburetor Repair Kit                     |
| 383   | TC-37411    |     | Carburetor Baffle                         |
| 384   | TC-30200    |     | Screw, 10-24 x 9/16" Self Tap             |
| 387A  | TC-37397    |     | Roll Pin                                  |
| 406   | TC-611221   |     | Fuel Shut-Off Solenoid                    |

Fender



Fender


| Ref # | Part Number | Qty | Description                    |
|-------|-------------|-----|--------------------------------|
| 19    | 783-1500    | 1   | BRKT:SEAT:MOUNT:RH             |
| 18    | 783-1496    | 1   | BRKT:SEAT:MOUNT:LH             |
| 17    | 783-1404A   | 1   | BRKT:LIFT:ADJ                  |
| 16    | 783-1399    | 1   | FDR:500 RD W/TOOLBOX           |
| 15    | 747-1307    | 1   | ROD:PIVOT:TOOLBOX              |
| 14    | 736-3078    | 2   | FL-WASH .344 X 1.00 X .063 HDN |
| 13    | 732-3150A   | 1   | SPR:TORSN:.23 ID               |
| 12    | 731-2561    | 1   | CVR:TOOLBOX                    |
| 11    | 731-2549    | 1   | CVR:W/CUP HOLDER               |
| 10    | 731-2547    | 1   | BOX:TOOL                       |
| 9     | 731-2546A   | 1   | CVR:LIFT LEVER                 |
| 8     | 731-0511    | 1.5 | STRIP:TRIM                     |
| 7     | 726-0111    | 1   | PUSH CAP: .19 ROD              |
| 6     | 725-2015    | 1   | ELEC:POWER OUTLET              |
| 5     | 712-3004A   | 4   | NUT:FLGLK:5/16-18:GR5:SD LK    |
| 4     | 710-1394    | 1   | SCR:M6:16:WN1451               |
| 3     | 710-0604A   | 10  | SCR:TT:5/16-18:0.625:HXINDWSH  |
| 2     | 710-0260A   | 4   | BOLT:CRG:5/16-18:.62:GR1       |
| 1     | 629-1102A   | 1   | HARN ASM:500:POWER OUTLET      |





## Foot Pads

| Ref # | Part Number | Qty | Description         |
|-------|-------------|-----|---------------------|
| 3     | 735-0693    | 1   | PAD:FOOT:LH         |
| 2     | 735-0656    | 1   | PAD:FOOT:RH         |
| 1     | 726-3046    | 12  | CLIP:RTCHT:.250 DIA |

Frame




| Ref # | Part Number | Qty | Description                     |
|-------|-------------|-----|---------------------------------|
| 32    | 783-1410    | 1   | PLT:TOP                         |
| 31    | 783-1387A   | 1   | BRKT:ROD:SHF                    |
| 30    | 783-1370B   | 1   | FRM:RR:LH HYDRO 500             |
| 29    | 783-1318A   | 1   | FRM:RR:RH 500                   |
| 28    | 783-0728    | 1   | BRKT:PIVOT:BAR                  |
| 27    | 783-0727A   | 1   | BRKT:PIVOT:SUPT LH              |
| 26    | 783-0726B   | 1   | BRKT:PIVOT:SUPT RH              |
| 25    | 783-0349    | 1   | TRAY:BATT:400                   |
| 24    | 738-0143    | 2   | SHLD SCR: 3/8-16                |
| 23    | 738-0140    | 4   | SCR:SHLD:.435 X .178-5/16 X .56 |
| 22    | 737-3007    | 1   | GRES:ALVANIA EP 2               |
| 21    | 736-0331    | 2   | WASH:BELL:.390 X 1.13 X .062    |
| 20    | 736-0329    | 2   | WASH:LOCK:1/4:REGULAR DUTY      |
| 19    | 736-0222    | 1   | EXTERN L-WASH 1/4               |
| 18    | 732-04035   | 2   | SPR:COMPRS:1.28 OD X 3.125      |
| 17    | 726-0233    | 2   | NUT:PUSH:.25 ID X .50 OD        |
| 16    | 723-0444    | 1   | STRAP:BAT:400                   |
| 15    | 712-3006    | 2   | NUT:HEX:1/4-20:GR5              |
| 14    | 712-3004A   | 4   | NUT:FLGLK:5/16-18:GR5:SD LK     |
| 13    | 712-0692    | 6   | NUT:HEXLK:M8-1.25:NYLON DIN985  |
| 12    | 712-0691    | 3   | NUT:HEXLK:M6-1:NYLON DIN 985    |
| 11    | 712-0431    | 2   | NUT:FLGLK:3/8-16:GRF:TOP LK     |
| 10    | 710-1691    | 3   | SCR:M6-1:12.00 LG DIN 933       |
| 9     | 710-1681    | 6   | HHCS:M8-1.25:20.00:GR8.8:STD    |
| 8     | 710-1260A   | 6   | SCR:LD:5/16-18:0.750:HXINDWSH   |
| 7     | 710-0604A   | 4   | SCR:TT:5/16-18:0.625:HXINDWSH   |
| 6     | 710-0599    | 1   | SCR:TT:1/4-20:0.500:HXINDWSH    |
| 5     | 710-0224    | 2   | SCR:AB:#10-16:0.500:HXINDWSH    |
| 4     | 710-0148    | 2   | SCR:F:#8-32:0.375:HXINDWSH      |
| 3     | 710-0134    | 2   | SCR:CRG:1/4-20:.62:GR2          |
| 2     | 683-0586    | 1   | FRM ASM:LWR                     |
| 1     | 17962       | 1   | PLT:SW                          |



## Front Wheels


| Ref # | Part Number   | Qty | Description                        |
|-------|---------------|-----|------------------------------------|
| 1     | 634-0115      | 2   | WHL:COMPL:15.0 X 6.0:W/BB          |
|       | 634-0051-0662 | 2   | RIM COMPL., GREY (NOT ILLUSTRATED) |
|       | 741-0569      | 4   | BALL BEARING (NOT ILLUSTRATED)     |
|       | 734-1731      | 2   | TIRE (NOT ILLUSTRATED)             |
|       | 734-0255      | 2   | VALVE (NOT ILLUSTRATED)            |
| 6     | 737-0280      | 2   | GREASE NIPPLE (NOT ILLUSTRATED)    |
| 7     | 731-2290A     | 2   | CAP HUB (NOT ILLUSTRATED)          |




## Fuel Tank

| Ref # | Part Number | Qty | Description                   |
|-------|-------------|-----|-------------------------------|
| 3     | 751-0818    | 1   | TANK:FUEL:2 GAL               |
| 2     | 751-0603    | 1   | CAP:FUEL                      |
| 1     | 710-0604A   | 4   | SCR:TT:5/16-18:0.625:HXINDWSH |

Hood Assembly




BELLOW AND HARDWARE ARE SHOWN FOR REFERENCE ONLY




## Hood Assembly

| Ref # | Part Number | Qty | Description                    |
|-------|-------------|-----|--------------------------------|
|       | 731-2234A   | 1   | BELLOW:INTK:2.6 LG Referenced  |
|       | 746-1085A   | 1   | CONT:CHOKE:37.5 LG Not Shown   |
|       | 746-1086    | 1   | CBL:THROT:39.0 LG Not Shown    |
| 24    | 783-1000A   | 4   | BRKT:SUPT:GRILLE               |
| 23    | 783-0980    | 1   | BRKT:STAB:6 STYLE              |
| 22    | 777X40219   | 1   | RDR:LENS RFLCTR:NEW 6 STY      |
| 21    | 750-0807    | 2   | SPCR:.385X.625X.700            |
| 20    | 736-0701    | 4   | WASH:FLAT:8.4 IDX24 OD DIN9021 |
| 19    | 736-0685    | 2   | WASH:FLAT:6.4 IDX18 OD DIN9021 |
| 18    | 736-0342    | 2   | WASH:FL:.283X.75X.030          |
| 17    | 731-2328A   | 1   | PNL:SD:RH 4/6 STY GRAY CUTOUT  |
| 16    | 731-2327A   | 1   | PNL:SD:LH 4/6 STY GRAY CUTOUT  |
| 15    | 731-2286    | 1   | LENS:6 STYLE                   |
| 14    | 731-2284    | 1   | PLEN:6 STYLE                   |
| 13    | 731-2283    | 1   | HOOD:6 STYLE                   |
| 12    | 731-2272    | 1   | SHLD:HEAT                      |
| 11    | 726-0201    | 2   | NUT:SPD:.3125 ID               |
| 10    | 725-0157    | 1   | CBL:TIE:3/16 X .05 X 7.4       |
| 9     | 712-0692    | 2   | NUT:HEXLK:M8-1.25:NYLON DIN985 |
| 8     | 712-0633    | 7   | NUT:HEXLK:M6-1 DIN 980         |
| 7     | 712-0292    | 2   | NUT:TINN CLIP:1/4-20           |
| 6     | 710-1704    | 10  | SCR:TORX:M6 X 20 WN 1452       |
| 5     | 710-1703    | 2   | HHCS:M8-1.25:45.00 LG DIN 933  |
| 4     | 710-1389    | 7   | SCR:M6-1:16.00 LG DIN 7985     |
| 3     | 710-0924    | 2   | SCR:MACH:1/4-20:0.750:PANPHI   |
| 2     | 710-0642    | 2   | SCR:TT:1/4-20:0.750:HXINDWSH   |
| 1     | 683-0305    | 1   | BRKT ASM:HOOD 6-STYLE          |




| Ref # | Part Number | Qty | Description                  |
|-------|-------------|-----|------------------------------|
| 2     | 736-0430    | 2   | WASH:FLAT:.350 X 1.59 X .062 |
| 1     | 731-2290A   | 4   | CAP:HUB                      |



## Lift Assembly



| Ref # | Part Number | Qty | Description                    |
|-------|-------------|-----|--------------------------------|
| 33    | 783-1328    | 2   | ARM:LIFT                       |
| 32    | 783-0891B   | 1   | BRKT:DECK:UP STOP              |
| 31    | 783-0720A   | 1   | BRKT:ADJ:FRT DECK ROD          |
| 30    | 756-1154    | 2   | PUL:RLR                        |
| 29    | 747-1280    | 1   | LIFT:ARM                       |
| 28    | 747-1130B   | 1   | ROD:DECK:FRT ADJ .5" DIA       |
| 27    | 746-1139    | 2   | CBL:LIFT:14.06 LG              |
| 26    | 741-0715    | 2   | BRG:FLG:SNAP .500 ID           |
| 25    | 741-0225    | 2   | BRG:HEX FLNG                   |
| 24    | 738-0507B   | 2   | SCR:SHLDER:.500 DIA X .434     |
| 23    | 738-0143    | 2   | SHLD SCR: 3/8-16               |
| 22    | 738-0138A   | 2   | SCR:HEX CAP:5/16-18 X .620 GR2 |
| 21    | 736-3084    | 4   | WASH:FLAT:.510 X 1.120 X .060  |
| 20    | 736-3068    | 2   | WASH:FLAT:1/2X.875X.060        |
| 19    | 736-0921    | 2   | WASH:LOCK: 1/2 : REGULAR DUTY  |
| 18    | 736-0414    | 4   | WASH:FLAT:.570X1.120X.062:TEFL |
| 17    | 736-0275    | 5   | WASH:FLAT:.344 X .688 X .065   |
| 16    | 736-0187    | 2   | WASH:FL .64 ID X 1.24 X .06    |
| 15    | 736-0119    | 1   | WASH:LOCK:5/16:REGULAR DUTY    |
| 14    | 732-0971    | 1   | SPR:EXTN:1.010 OD X 6.500 LG   |
| 13    | 732-04004   | 1   | SPR:LIFT 500                   |
| 12    | 720-0311    | 1   | GRIP:HNDL:1/2                  |
| 11    | 714-0162    | 2   | PIN:COT:5/32:1.25              |
| 10    | 714-0111    | 5   | PIN:COT:3/32:1.0               |
| 9     | 714-0104    | 2   | PIN:COT:.072 DIA. X 1.13 LG    |
| 8     | 712-3083    | 2   | NUT:HXLK:1/2-13:GR8:NYLON      |
| 7     | 712-3010    | 1   | NUT:HEX:5/16-18:GR5            |
| 6     | 712-3004A   | 4   | NUT:FLGLK:5/16-18:GR5:SD LK    |
| 5     | 712-0431    | 4   | NUT:FLGLK:3/8-16:GRF:TOP LK    |
| 4     | 712-0206    | 2   | NUT:HEX:1/2-13:GR5             |
| 3     | 710-3180    | 1   | HHCS:5/16-18:1.75:GR5:STD      |
| 2     | 710-0650    | 1   | SCR:TT:5/16-18:0.875:HXINDWSH  |
| 1     | 683-0587    | 1   | SHF ASM:LIFT                   |

Pedal Assembly




## Pedal Assembly

| Ref # | Part Number | Qty | Description                   |
|-------|-------------|-----|-------------------------------|
| 31    | 783-1335B   | 1   | BRKT:SUPT:STRG:500            |
| 30    | 783-0773A   | 1   | PED:BRAKE                     |
| 29    | 783-0663C   | 1   | BRKT:LKOUT:HYDRO              |
| 28    | 748-0415B   | 1   | SPCR:.385 ID X .635 OD X 1.54 |
| 27    | 748-0413    | 1   | LATCH:CRUS                    |
| 26    | 747-04096   | 1   | ROD:CONT:CRUISE:8&9 STL       |
| 25    | 747-04093   | 1   | ROD:CONT:BRAKE LOCK           |
| 24    | 741-3065B   | 4   | BRG:HEX FLG:.628 ID:SPLIT     |
| 23    | 738-0507B   | 1   | SCR:SHLDER:.500 DIA X .434    |
| 22    | 738-0155    | 1   | SHLD SCR .437 DIA X .162      |
| 21    | 736-3008    | 1   | WASH:FL:.344 X .750 X .120    |
| 20    | 736-3004    | 1   | WASH:FL:.406IDX.875ODX.105    |
| 19    | 736-0133    | 1   | WASH:FLAT:.411 X 1.25 X 1.00  |
| 18    | 735-3049    | 1   | PAD:BRAKE:CONTROL             |
| 17    | 735-0662    | 1   | PAD:CONT                      |
| 16    | 732-0963    | 1   | SPR:EXTN:.50 DIA X 6.37 LG    |
| 15    | 732-0955    | 1   | SPR:EXTN:.50 OD X 1.41 LG     |
| 14    | 732-0335    | 1   | SPR:COMPRS:.405 X 1.17        |
| 13    | 714-0111    | 2   | PIN:COT:3/32:1.0              |
| 12    | 714-0104    | 6   | PIN:COT:.072 DIA. X 1.13 LG   |
| 11    | 712-3004A   | 2   | NUT:FLGLK:5/16-18:GR5:SD LK   |
| 10    | 712-0431    | 3   | NUT:FLGLK:3/8-16:GRF:TOP LK   |
| 9     | 711-1363    | 1   | PIN:3/8-16:3/8 X 2.43 LG      |
| 8     | 710-3011    | 1   | HHCS:3/8-16:2.25:GR5:STD      |
| 7     | 710-1611B   | 1   | SCR:TT:5/16-18:0.750:PANTRXI  |
| 6     | 710-1260A   | 2   | SCR:LD:5/16-18:0.750:HXINDWSH |
| 5     | 710-0650    | 1   | SCR:TT:5/16-18:0.875:HXINDWSH |
| 4     | 710-0604A   | 4   | SCR:TT:5/16-18:0.625:HXINDWSH |
| 3     | 683-0267C   | 1   | PED ASM:CONT:HYDRO            |
| 2     | 647-0062A   | 1   | CONT ASM:HYDRO:500 LONG       |
| 1     | 647-0057A   | 1   | CONT ASM:BRAKE:500            |




## Rear Wheels


| Ref # | Part Number   | Qty  | Description                     |
|-------|---------------|------|---------------------------------|
|       | 736-0430      | 2    | FL. WASHER (NOT ILLUSTRATED)    |
|       | 731-2290A     | 2    | HUB CAP (NOT ILLUSTRATED)       |
|       | 734-0255      | 2    | VALUE (NOT ILLUSTRATED)         |
|       | 934-0070-0662 | 2    | RIM, GREY (NOT ILLUSTRATED)     |
|       | 734-0448      | 2    | TIRE 18 X 9.5 (NOT ILLUSTRATED) |
| 4     | 736-0242      | 2    | WASH:BELVL:.340 ID X.872 OD     |
| 3     | 734-0817      | 2    | ASM:WHL COMP. 18 X 9.5          |
| 2     | 710-0627      | 2    | HHCS:5/16-24:.750:GR5:LOCK      |
| 1     | 737-0288      | .032 | GRES:NEVER SEEZ                 |




| Ref # | Part Number | Qty | Description            |
|-------|-------------|-----|------------------------|
| 1     | 757-04014   | 1   | SEAT:2400:MED BACK WOP |



| Ref # | Part Number | Qty | Description                                     |
|-------|-------------|-----|-------------------------------------------------|
|       | TC-37284    |     | Electric Starter (12 Volt)                      |
| 1     | TC-33841    |     | Dust Cover                                      |
| 2     | TC-33842    |     | Retainer Ring                                   |
| 3     | TC-33843    |     | Spring Retainer                                 |
| 4     | TC-33854    |     | Anti-drift Spring                               |
| 5A    | TC-36853    |     | Gear & Nut (Incl. 2)                            |
| 8     | TC-36854    |     | Drive End Cap Assembly                          |
| 9     | TC-36855    |     | Armature                                        |
| 14    | TC-35897    |     | Thrust Washer                                   |
| 15    | TC-36856    |     | Case Bolt                                       |
| 16    | TC-37356    |     | End Cap & Brush Card Ass'y (Incl. 14, 17, & 18) |
| 17    | TC-650168   |     | Washer                                          |
| 18    | TC-650864   |     | Nut                                             |
|       | TC-822500   |     | Replacement Engine for TVT691-600405B only      |
|       |             |     | Shortblock (not shown)                          |




| Ref # | Part Number | Qty | Description                                     |
|-------|-------------|-----|-------------------------------------------------|
|       | TC-37284    |     | Electric Starter (12 Volt)                      |
| 1     | TC-33841    |     | Dust Cover                                      |
| 2     | TC-33842    |     | Retainer Ring                                   |
| 3     | TC-33843    |     | Spring Retainer                                 |
| 4     | TC-33854    |     | Anti-drift Spring                               |
| 5A    | TC-36853    |     | Gear & Nut (Incl. 2)                            |
| 8     | TC-36854    |     | Drive End Cap Assembly                          |
| 9     | TC-36855    |     | Armature                                        |
| 14    | TC-35897    |     | Thrust Washer                                   |
| 15    | TC-36856    |     | Case Bolt                                       |
| 16    | TC-37356    |     | End Cap & Brush Card Ass'y (Incl. 14, 17, & 18) |
| 17    | TC-650168   |     | Washer                                          |
| 18    | TC-650864   |     | Nut                                             |
|       |             |     | Replacement Engine                              |
|       |             |     | Shortblock (not shown)                          |



## Steering

| Ref # | Part Number | Qty | Description                    |
|-------|-------------|-----|--------------------------------|
| 23    | 783-1335A   | 1   | BRKT:SUPT:STRG:500             |
| 22    | 741-0656    | 1   | BRG:HEX FLNG 5/8               |
| 21    | 741-0475    | 2   | PLASTIC BUSHING .380 ID        |
| 20    | 738-1001A   | 1   | SHF:STRG:.625 OD x 24.25 LG    |
| 19    | 738-0372B   | 2   | SPCR:SHLDR:1.00 X .38 X .38    |
| 18    | 737-3007    | 1   | GRES:ALVANIA EP 2              |
| 17    | 736-3084    | 1   | WASH:FLAT:.510 X 1.120 X .060  |
| 16    | 736-3004    | 1   | WASH:FL:.406IDX.875ODX.105     |
| 15    | 736-0770    | 1   | WASH:FLAT:13 X 19 X .3 DIN 988 |
| 14    | 736-0242    | 1   | WASH:BELL:.340 X.872 X.060     |
| 13    | 736-0169    | 2   | WASH:LOCK:3/8:REGULAR DUTY     |
| 12    | 723-0448A   | 2   | B/JNT:7/16-20:LOCK             |
| 11    | 717-1554    | 1   | GEAR:PNION:STRG                |
| 10    | 717-1550E   | 1   | GEAR:STRG:11/90 RATIO          |
| 9     | 712-3004A   | 2   | NUT:FLGLK:5/16-18:GR5:SD LK    |
| 8     | 712-0459    | 1   | NUT:FLGLK:7/16-20:GRB:LOCK     |
| 7     | 712-0431    | 2   | NUT:FLGLK:3/8-16:GRF:TOP LK    |
| 6     | 712-0241    | 2   | NUT:HEX:3/8-24:GR5             |
| 5     | 712-0240    | 2   | NUT:JAM:7/16-20:GR2            |
| 4     | 711-1776A   | 1   | LINK:DRAG:RH                   |
| 3     | 711-1775A   | 1   | LINK:DRAG:LH                   |
| 2     | 710-0643    | 1   | HHCS:5/16-18:1.00:GR5:LOCK     |
| 1     | 710-0514    | 2   | HHCS:3/8-16:1.00:GR5:STD       |



| Ref # | Part Number | Qty | Description                    |
|-------|-------------|-----|--------------------------------|
| 2     | 731-2625    | 1   | WHL:STRG:CAP                   |
| 1     | 731-2624    | 1   | WHL:STRG:SOFT GRIP THREE SPOKE |