


Models 665 and 675




Models 665 and 675

REF. NO.	PART NO.	DESCRIPTION	REF. NO.	PART NO.	DESCRIPTION
1	783-0250	Hood	27	725-0925	Ammeter **
2	738-0952A	Shld. Bolt .375" Dia. x .125" Lg.	32	710-0924	Pan Hd. Scr. 1/4-20 x .75" Lg.
3	726-0201	Speed Nut	34	17870A	Fender
4	736-3078	Fl-Wash. .34" I.D. x 1" O.D.	35	17871B	Fender w/Cutout
6	712-3006	Hex Sems Nut 1/4-20 Thd.*	38	710-0726	Hex Wash. Hd. AB-Tap Scr.5/16 x .75"
8	731-1099A	Headlight Lens w/o Logo	39	17954B	Shift Cover w/Cutout
	731-1767	Headlight Lens w/Logo	40	17286B	Shift Cover
9	712-3027	Flange L-Nut 1/4-20 Thd.	41	831-0823A	Throttle Box Ass'y.
10	731-1097E	Grille	42	710-0779A	Truss Mach. AB-Tap Scr.#10 x .5" Lg.
11	736-0119	L-Wash. 5/16" I.D.	43	746-0776	Throttle Control Wire 18.5" Lg.
12	712-3010	Hex Nut 5/16-18 Thd. (Gr.5)		746-0634	Throttle Control Wire 35" Lg.
13	725-0963	Lamp		746-0638	Throttle Control Wire 22" Lg.
14	725-1649	Socket	44	777-9206	Grille Reflector Label
15	710-0703	Carriage Bolt 1/4-20 x .75" Lg.	45	710-0603	Hex Wash. Hd. B-Tap Scr.5/16-18
16	710-0599	Hex Wash. Hd. TT-Tap Scr.1/4-20 x .5"	46	17782	Choke Retainer
17	736-0173	Fl-Wash. .281" I.D. x .73" O.D.	47	710-0642	Hex TT-Tap Scr. 1/4-20 x .75"Lg.
19	712-0185	Speed Nut 1/4-20 Thd.	48	736-0270	Bell-Wash. 1/4" I.D.
20	710-3008	Hex Bolt 5/16-18 x .75" Lg.	49	783-0150A	Side Panel-R.H.
21	17632A	Gas Tank Support Brkt.	50	783-0151	Side Panel-L.H.
22	731-1096B	Dash w/Ammeter Hole	72	710-0286	Truss Mach. Scr. 1/4-20 x .5" Lg.
	731-1337A	Dash w/o Ammeter Hole	73	736-0342	Fl-Wash. .283" I.D. x .75" O.D.
23	725-0267	Ignition Switch	74	732-0835	Hood Latch **
24	725-0201	Ignition Key	75	710-0473	Truss Mach. Scr. 10-24 x .5" Lg. **
25	746-0616A	Choke Control 23" Lg.	76	712-0272	Hex Sems Nut 10-24 Thd. **
	746-0614A	Choke Control 38" Lg.	—	629-0308	Headlight Harness (Not Shown)
	746-3021	Choke Control 29" Lg.			
	746-0720	Choke Control 20" Lg.			
26	725-0634	Light Switch **			

** Optional

Models 660 thru 679




Models 660 thru 679

REF NO.	PART NO.	DESCRIPTION	REF NO.	PART NO.	DESCRIPTION
1	731-0220	Steering Wheel Cap	30	747-0753	Tie Rod (Adjustable)
	731-1459A	Steering Wheel Cap (Sq.—MTD)		747-0861	Tie Rod (Non-Adjustable)
	731-1460	Steering Wheel Cap (Sq.—No logo)	31	712-0711	Hex Jam Nut 3/8-24 Thd.*
2	710-0643	Hex Bolt 5/16-18 x 1" Lg.	32	**	Front Axle Ass'y.—R.H.
3	736-0242	Belleville Wash. .345" I.D.	33	**	Wheel Ass'y. Comp.
4	731-1693	Steering Wheel (3 Spoke)†	34	**	Front Wheel Rim Only
	731-1687	Steering Wheel (3 Spoke)††	35	**	Bearing
	631-0027	Steering Wheel (4 Spoke)	36	736-0285	Fl-Wash. .635 I.D. x 1.59" O.D.
5	731-0559A	Steering Bellow—4.5" (Style A)	37	731-0484A	Front Wheel Hub Cap
	731-0954	Steering Bellow—9" (Style 0, 1, 3, 4, 5, 6, 8, 9)		731-1787A	Spoked Hub Cap (Yellow—Opt.)
	731-1542	Steering Bellow—3.25" (Style 7)		734-1613A	Spoked Hub Cap (Gray—Opt.)
6	712-0240	Hex Jam Nut 7/16-20 Thd.		734-1612A	Spoked Hub Cap (Beige—Opt.)
7	741-0587	Flange Bearing .628" I.D. x 1.36 O.D.	38	714-0470	Cotter Pin 1/8" Dia. x 1.25"
8	723-0448	Ball Joint 7/16-20 Thd.	39	736-0162	Fl-Wash. .640" I.D. x 1.24" O.D.
9	17198A	Retainer Plate	40	726-0214	Push Cap 5/8" Dia. Rod
10	738-0141	Shoulder Bolt .437 x .35 Lg. 5/16-18	42	712-0262	Hex Jam Nut 3/8-24 Thd.
11	710-0152	Hex Bolt 3/8-24 x 1.0" Lg. (Gr. 5)	43	710-1309	Hex Patch Bolt 5/16-18 x .62"
13	750-0535	Spacer .380" I.D. x .625" O.D.x	46	748-0389	Cap
14	736-0217	L-Wash. 3/8" I.D. (H.D.)	47	712-0214	Hex Cent. L-Nut 3/8-24 Thd.
15	710-0726	Hex Wash. Hd. Self-Tap Scr.	48	736-0169	L-Wash. 3/8" I.D.*
16	711-1107	Steering Drag Link	49	712-0158	Hex Cent. L-Nut 5/16-18 Thd.
17	783-0041B	Front Pivot Brkt.	50	736-0119	L-Wash. 5/16" I.D.*
18	738-0527	Shoulder Bolt	51	717-0622A	Steering Gear Segment
19	712-0431	Flanged L- Nut 3/8-16 Thd.*	52	741-0656	Hex Flg. Brg. .634 I.D.
21	712-0411	Hex L-Nut 5/16-24 Thd.	53	736-0187	Fl-Wash. (Hardened)
22	16481A	Steering Arm Front Axle	54	738-0919	Steering Shaft
23	710-0593	Hex Bolt 5/16-24 x 2.25" Lg.	57	710-0837	Oval Hd. Cr.—Sunk Scr. (Style A)
24	741-0659	Hex Flg. Brg. .632 I.D.	58	736-3081	Wave-Wash. .32" I.D. x .60" O.D.
25	683-0128A	Pivot Bar Ass'y. (Steel)	59	736-0187	Fl-Wash. (Hardened)
	719-0342A	Pivot Bar Ass'y. (Cast Iron)	60	723-0448	Drag Link Ball Joint 7/16-20 Thd.
	**	Grease Fitting (Cast Iron)	63	727-0425A	Spring Clip (Used w/Spoked Hub Cap)
26	**	Front Axle Ass'y.—L.H.	64	736-0356	Bell-Wash. .39" I.D. x 1.38" O.D.
27	712-0241	Hex Nut 3/8-24 Thd.*	65	731-1291A	Pivot Bar End Cap (Optional)
28	736-0169	L-Wash. 3/8" I.D.*	66	710-0459	Hex Bolt 3/8-24 x 1.5" Lg. (Gr. 5)
29	723-3018	Ball Joint 3/8-24 Thd.	69	731-1649	Axle Cap
			70	731-0955	Steering Wheel Insert (Optional)

† Uses Round Steering Wheel Cap

†† Uses Square Steering Wheel Cap



**FRONT WHEEL CHART

Description	15" x 6" (Round Shoulder)	15" x 6" (Square Shoulder)
Wheel Ass'y. Comp.	634-0056A	634-0105A
Tire Only	734-0864	734-1731
Rim Only	634-0024	634-0024
Bearing	741-0487A	741-0487A
Air Valve	734-0255	734-0255
Grease Plug	737-0212A	737-0212A
Front Axle Ass'y.—L.H.	683-0127	683-0127
Front Axle Ass'y.—R.H.	683-0126	683-0126
Front Axle Ass'y.—L.H. (46" Deck)	683-0124	683-0124
Front Axle Ass'y.—R.H. (46" Deck)	683-0125	683-0125


Round Shoulder	Square Shoulder

V-BELTS are specially designed to engage and disengage safely. A substitute (non OEM) V-belt can be dangerous by not disengaging completely.

Models 660 thru 679

Ref. No.	Part No.	Description	Ref. No.	Part No.	Description												
2	17840	Transaxle Mtg. Brkt.	71	747-0530A	Speed Control Link												
5	736-0119	L-Wash. 5/16" I.D.*	72	741-0405	Truss Bearing .56 Dia. x 1.25"												
10	710-1315	Hex TT-Tap Scr. 3/8-16 x1.5" Lg.	73	720-0232	Shift Knob												
11	783-0310C	Lower Frame Ass'y.	74	756-0643	FI-Idler Pulley 3.12" Dia.												
13	712-3006	Hex Nut 1/4-20 Thd. (Gr. 5)	75	656-0005	"V" Pulley (Used w/46" Deck)												
14	736-0329	L-Wash. 1/4" I.D.*		656-0004	"V" Pulley (Used w/20"Wheels w/o 46" Deck)												
17	736-0242	Bell-Wash. .345" I.D. x .88"	76	736-0427	Bell-Wash. .56" I.D. x 1.125"												
18	712-3010	Hex Nut 5/16-18 Thd. (Gr. 5)	77	712-3035	Hex Jam Nut 5/16-18 Thd.												
19	711-1044	Belt Guard Stud 4.75" Lg.	78	710-0539	Hex Bolt 3/8-24 x 1.75" Lg.												
21	756-0982	Engine Pulley	79	754-0370	Variable Speed Belt												
22	736-0322	FI-Wash. 7/16" I.D. x 1.25"	80	716-0114	Snap Ring .56" Dia.												
23	736-0171	L-Wash. 7/16" I.D.*	81	736-0355	FI-Wash.												
24	710-0757	Hex Bolt 7/16-20 x 1.50" Lg.	82	717-0800A	Variable Speed Pulley Ass'y.												
25	754-0280A	Variable-Speed Belt	84	16354B	Variable Speed Brkt. Ass'y.												
26	710-3008	Hex Bolt 5/16-18 x .75" Lg.	85	732-0525	Comp. Spring—Clip												
27	17963	Bearing Shaft Bracket Ass'y.	86	17668	Axle Support Brkt.—R.H.												
28	741-0495	Flanged Nyliner Brg. 5/8"I.D. x .88" Lg.		17669	Axle Support Brkt.—L.H. (Not Shown)												
29	712-0241	Hex Nut 3/8-24 Thd.*	88	725-1426	Solenoid												
30	17643	Idler Bracket (Used w/20"Wheels w/o 46" Deck)	89	17630	Shift Lever Bracket												
	17694	Idler Bracket (Used w/46" Deck)	90	736-0414	Teflon Washer .565" I.D.												
31	736-0169	L-Wash. 3/8" I.D.*	91	750-0956	Spacer 1" I.D. x 1.25" Lg.												
32	712-0241	Hex Nut 3/8-24 Thd.*	92	711-1000	Belt Keeper 3" Lg.												
33	17629A	Transaxle Support Brkt.	93	725-1657A	Safety Switch (Clutch)												
34	732-0556	Ext. Spring .94" O.D. x 7.58"	94	738-0755	Shld. Bolt 3/8-24 x 3.12" Lg.												
35	714-0149B	Inter. Cotter Pin	97	736-0105	Bell-Wash. .38" I.D. x .88"												
36	750-0802	Spacer .63" I.D.	98	738-0569	Shaft .56" Dia. x 3.875" Lg.												
39	712-0138	Hex Nut 1/4-28 Thd.	99	736-0331	Bell-Wash. .39" I.D. x 1.12"												
40	710-0776	Hex AB-Tap Scr. 1/4" x .62" Lg.	100	736-0256	FI-Wash. .64" I.D. x .94"												
42	736-0222	Ext. L-Wash. 1/4" I.D.	101	714-0470	Cotter Pin 1/8" Dia. x 1.25"												
43	710-0599	Hex Wash. S-Tap Scr.1/4-20 x .50" Lg.	102	710-0604A	Hex Wash. Hd. Scr. 5/16-18 x .62"												
44	683-0123	Clutch/Brake Pedal Ass'y.	103	734-1615A	Hub Cap (Gray—Optional)												
45	736-0140	FI-Wash. .344" I.D. x .62"		734-1614A	Hub Cap (Beige—Optional)												
47	747-0755A	Brake Rod Ass'y.		734-1788A	Hub Cap (Yellow—Optional)												
48	735-0196	Foot Pad	107	17860	Pedal Bracket												
51	17705	Shift Lever Ass'y.	109	711-0198	Ferrule												
54	732-0413	Ext. Spring .59" O.D. x 7.08" (Used w/ 20" Wheels w/o 46"Deck)	111	710-0195	Hex Bolt 1/4-28 x .50" Lg.												
	732-0642	Ext. Spring 7.33" Lg. (Used w/46" Deck)	112	736-0270	Bell-Wash. .265" I.D. x .75"												
55	710-1068	Hex Bolt 5/16-18 x 3.5" Lg. (Used w/46" Deck)	113	17707	Shift Lever Link Ass'y.												
	710-0189	Hex Bolt 5/16-18 x 3" Lg.* (Used w/20" Wheels w/o 46" Deck)	115	736-0140	FI-Wash. .385" I.D. x .62"												
56	**	Wheel Ass'y. Comp.	116	741-0404	Needle Brgs. (2 Req'd.)												
	**	Tire Only	117	727-0425A	Spring Clip (Used w/Ref. No. 103)												
57	**	Wheel Rim Only	128	710-1238	Hex Wash. TT-Tap Scr. 5/16-18x .75"												
58	734-0255	Air Valve (Service Only)	129	710-0726	Hex Wash. AB-Tap Scr. 5/16-18x .75"												
59	710-0627	Hex Bolt 5/16-24 x .75" Lg.*	130	712-0265	Hex Sems Nut 5/16-18 Thd.												
63	736-0275	FI-Wash. .34" I.D. x .68" O.D.	131	732-0750A	Spring Switch												
64	710-0428	Hex Bolt 1/4-28 x 1.25" Lg.*	**REAR WHEEL CHART														
65	732-0568	Ext. Spring	<table><tr><th>Description</th><th>20" x 8.0" (Round Shoulder)</th><th>20" x 8.0" (Square Shoulder)</th></tr><tr><td>Wheel Ass'y. Comp.</td><td>734-1675</td><td>634-0104</td></tr><tr><td>Tire Only</td><td>734-1596</td><td>734-1730</td></tr><tr><td>Rim Only</td><td>634-0070</td><td>634-0070</td></tr></table>			Description	20" x 8.0" (Round Shoulder)	20" x 8.0" (Square Shoulder)	Wheel Ass'y. Comp.	734-1675	634-0104	Tire Only	734-1596	734-1730	Rim Only	634-0070	634-0070
Description	20" x 8.0" (Round Shoulder)	20" x 8.0" (Square Shoulder)															
Wheel Ass'y. Comp.	734-1675	634-0104															
Tire Only	734-1596	734-1730															
Rim Only	634-0070	634-0070															
66	732-0384	Ext. Spring .62" O.D. x 6.12"															
67	16554A	Variable Speed Torque Brkt. Ass'y.															
68	741-0419	Flanged Bearing															
69	714-0111	Cotter Pin 3/32" Dia.*															
70	748-0234	Shoulder Spacer .27" Lg.															

Models 660 thru 679



Single Speed Transaxle—R.H.
Model 618-0163B

Models 660 thru 679

REF. NO.	PART NO.	DESCRIPTION	REF. NO.	PART NO.	DESCRIPTION
1	732-0614	Wire Ring	39	736-0371	Fl-Wash. .344" I.D. x .875" O.D.
2	716-0231	"E"—Ring	40	717-0700	Actuating Arm
4	710-1325	Hex Tap Scr. 1/4-20 x 1.625 Lg.	41	761-0198	Brake Yoke
5	719-0367	Upper Housing	42	717-0682	Puck Plate
8	711-1109	Input Shaft	43	717-0678	Brake Puck
10	736-0335	Thrust Washer 5/8" I.D. x 1.25" O.D.	45	761-0202	Brake Disc
11	717-1464	Pinion Input 14T	46	741-0337	Flange Bearing 5/8" I.D. x 15/16" Lg.
12	716-0108	Retaining Ring	48	611-0011	Shift Fork Ass'y.
13	711-1003	Drive Shaft—R.H. Brake	49	741-0862	Ball Detent .250" Dia.
14	741-0336	Flange Brg. 5/8" I.D. x 3/4" Lg.*	50	732-0863	Spring Detent
15	717-1362	Bevel Gear 42T Small I.D.	52	741-0335	Needle Brg. 5/8" I.D. x 1/2" Lg.
16	717-1363	Bevel Gear 42T Large I.D.	54	736-0349	Fl-Wash. 5/8" I.D. x 1" O.D. x .020 Thk.
17	718-0228	Clutch Collar	55	741-0343	Actuating Pin 5/16" Dia.
21	710-0862A	Pan Head Scr. 1/4-20 x .50" Lg.	56	710-1206	Hex Wash Hd. Self-Tap Scr. 1/4-20
23	741-0340	Sleeve Bearing 3/4" I.D. x 1.0" Lg.	58	736-0349	Fl-Wash. 5/8" I.D. x 1" O.D. x .020 Thk.
24	721-0338	Oil Seal 3/4" I.D.		736-0495	Thrust Wash. 5/8" I.D. x 1" O.D. x .025"
26	736-0445	Fl-Wash. .760" I.D. x 1.5" O.D.	60	**	Washer (See Below)
32	**	Washer (See Below)	61	736-0519	Thrust Washer
34	719-0313B	Lower Housing	62	618-0162	Differential Ass'y.
35	718-0150	Anti-Rotation Brkt.	63	732-0742	R.H.—Brake Spring
37	**	Washer (See Below)	—	737-0148	Grease—Shell (15 oz.)
38	712-0273	Hex Nut 5/16-24 Thd.			

*For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

** Ref. No. 32

736-0495 Thrust Wash. 5/8" I.D. x 1" O.D. x .025" Thk.
 736-0336 Fl-Wash. 5/8" I.D. x 1" O.D. x .030" Thk.
 736-0494 Thrust Wash. 5/8" I.D. x 1" O.D. x .035" Thk.
 736-0337 Fl-Wash. 5/8" I.D. x 1" O.D. x .040" Thk.


**Ref. No. 37

736-0349 Fl-Wash. 5/8" I.D. x 1" O.D. x .020" Thk.
 736-0336 Fl-Wash. 5/8" I.D. x 1" O.D. x .030" Thk.
 736-0337 Fl-Wash. 5/8" I.D. x 1" O.D. x .040" Thk.

**Ref. No. 60

736-0492 Fl-Wash. .76" I.D. x 1.5" O.D. x .010" Thk.
 736-0493 Fl-Wash. .76" I.D. x 1.5" O.D. x .020" Thk.
 736-0351 Fl-Wash. .76" I.D. x 1.5" O.D. x .030" Thk.
 736-0445 Fl-Wash. .76" I.D. x 1.5" O.D. x .060" Thk.

Models 660 thru 679




Models 660 thru 679

REF. NO.	PART NO.	DESCRIPTION	REF. NO.	PART NO.	DESCRIPTION
2	710-1208	Hex Tap Scr. 5/16-18 x 3.25"	54	757-0363A	Seat 8-7/8" High
6	783-0039A	Seat Pivot Bracket		757-0364A	Seat 8-7/8" High (Yellow)
7	751-0603	Fuel Cap		757-0360A	Seat 10-5/8" High
8	751-0555	Fuel Tank (1.5 Gal)		757-0365	Seat 10-5/8" High (Yellow)
	751-0657	Fuel Tank (3 Gal.)		757-0348A	Seat 14-1/4" High
9	726-0209	Tie Strap		757-0372	Seat 14-1/4" High (Yellow)
10	751-0535-15	Fuel Line		757-0350	Seat 14-1/4" High w/ Drain holes
11	726-0205	Hose Clamp	55	17950A	Seat Pivot Brkt. Support—R.H.
13	712-0287	Hex Nut 1/4-20 Thd.*	56	738-0296	Shld. Bolt .437" Dia. x .268"
14	736-0329	L-Wash. 1/4" I.D.	57	725-1303	Spring Switch (Seat—Outer)
16	732-0735	Compression Spring	59	710-0650	Hex TT-Tap Scr. 5/16-18 x 7/8"
21	738-0526	Running Board Rod	62	726-0320	Insulatop Nut Plate
22	710-0227	Hex AB-Tap Scr. #8 x .50" Lg.	63	725-1439	Safety Switch (Seat—Inner)
23	726-0139	Speed Nut #10Z	65	783-0345	Battery Tray
24	783-0041A	Front Pivot Brkt.	66	710-0351	Truss Mach. B-Tap Scr.#10 x .5" Lg.
25	710-0870	Hex Tap Scr. 3/8-16 x .62" Lg.	67	748-0347	Spring Spacer
26	710-0726	Hex Wash. Hd. AB-Tap Scr.5/16 x .75"	68	710-0323	Truss Mach. Scr. 5/16-18 x .75"
28	710-0134	Carriage Bolt 1/4-20 x .62"	69	710-3008	Hex Bolt 5/16-18 x .75" Lg.*
29	17770D	Running Board (R.H. & L.H.)	70	731-0405	Snap Bushing
30	761-0168B	Blade Brake Ass'y.	71	723-3064	Battery Retainer Strap
32	731-0909	Rubber Foot Pad—L.H.**	72	712-3010	Hex Nut 5/16-18 Thd.
	731-0910	Rubber Foot Pad—R.H.**	73	712-0265	Hex Sems Nut 5/16-18 Thd.
	723-0422	Abrasive Foot Pad**	74	712-0271	Hex Sems Nut 1/4-20 Thd.
34	783-0310C	Lower Frame	75	738-1007	Shoulder Screw 3/8-16 x .5**
36	726-0278	Insulator Boss Plate	76	710-1268	Hex Wash. Hd. B-Tap Scr.**
37	736-0264	FI-Wash. .344" I.D. x .625" O.D.	77	712-3027	Hex Flanged L-Nut 1/4-20 Thd. **
38	710-3008	Hex Bolt 5/16-18 x .75" Lg.*	78	720-0309A	Seat Adjustable Grip **
39	783-0042B	Upper Frame—R.H.	79	731-1989	Spacer **
42	732-0581B	Extension Spring 5.31" Lg.	80	732-0499	Compression Spring 1.5" Lg. **
44	725-1707D	12-V Battery	81	736-0175	Spring Wash. .265" I.D. **
45	783-0043	Upper Frame—L.H.	82	736-0204	FI-Wash. .344" I.D. x .62" O.D. **
46	—	Shift Cover (Refer to Style Page)	84	738-0137A	Shld. Bolt .34" x 1/4 -20 Thd. **
47	725-1643	Reverse Safety Switch	85	783-0607A	Seat Pivot Bracket **
48	726-0279	Insulator Plate	86	783-0609	Seat Lever **
49	17951A	Seat Pivot Brkt. Support—L.H.	87	783-0753	Seat Selector **
50	783-0355A	Hitch Plate	88	783-0611	Seat Stop **
51	712-0267	Hex Nut 5/16-18 Thd.*	89	747-1216	Stop Rod
52	736-0119	L-Wash. 5/16" I.D.*	90	712-3017	Hex Nut 3/8-16
53	17239A	Seat Lift Brkt.	91	736-0169	Lock Washer

** Optional


Models 660 thru 679




REF. NO.	PART NO.	DESCRIPTION	REF. NO.	PART NO.	DESCRIPTION
1	783-0103	Connecting Rod	27	710-3007	Hex Wash. Hd. Tap Scr.
2	683-0029A	Pivot Link Ass'y.—L.H.	28	14802A	Link Deck Lift Ass'y.
3	683-0028A	Pivot Link Ass'y.—R.H.	29	711-0723A	Adj. Ferrule 3/8-24 Thd.
4	17710	Deck Hanger Link Ass'y.	30	17712	Adj. Deck Lift Link
5	14800A	Deck Hanger Link Ass'y.	31	712-3066	Hex Nut 1/2-20 Thd. (Gr. 5)
6	14804A	Deck Hanger Link Ass'y.	32	711-0841	Lift Link Adjuster
7	748-0331	Shld. Spacer .318" I.D.	33	17637A	Lift Shaft Ass'y.
8	736-0231	Fl-Wash. .344" I.D. x 1.125" O.D.	34	725-1657A	Safety Switch (Deck)
9	736-0119	L-Wash. 5/16" I.D.*	35	714-0145	Inter. Cotter Pin 3/8" Dia.
10	712-3004A	Flange Lock Nut 5/16-18 Thd. (Gr. 5)	36	732-0637	Extension Spring
12	714-0470	Cotter Pin 1/8" Dia.	37	17636C	Stabilizer Bracket
13	736-0256	Fl-Wash. .635" I.D. x 1.0" O.D.	38	738-0670A	Shaft 1/2" Dia. x 10.28" Lg.
14	683-0003	Hgt Adj. Stop Lever Ass'y. (Incl. #15)†	39	732-0638	Extension Spring
15	08540	Knob†	40	720-0233	Grip (Lift Handle)
16	710-0604A	Hex Wash. TT-Tap Scr. 5/16-18 x .75"	41	97675A	Deck Lift Handle Ass'y.
17	748-0176	Flange Brg. .63" I.D.†	42	738-0669	Shaft 3/8" Dia. x 9.34" Lg.
18	710-1238	Hex Wash. Hd. Scr. 5/16-18 x .875" Lg.	43	747-0598	Disengagement Rod
19	710-3008	Hex Bolt 5/16-18 x .75" Lg.	44	97624	Stabilizer Shaft Ass'y.
20	17730	Index Brkt.	45	732-0556	Extension Spring 7.58" Lg.
21	783-0042B	Upper Frame—R.H.	46	783-0043	Upper Frame—L.H.
23	736-0267	Fl-Wash. .385" I.D. x .87" O.D.	47	741-0313	Flange Brg. .632" I.D.
24	736-0160	Fl-Wash. .531" I.D. x .93" O.D.	48	17128A	Spring Retainer Brkt.
25	726-0272	Clamp	49	716-0104	"E"-Ring
26	738-0526	Running Board Rod	50	736-0425	Bell-Wash. .325" I.D.

† Optional

Models 660 thru 679




REF NO.	PART NO.	DESCRIPTION
1	710-0924	Truss Mach. Scr. 1/4-20 x .75" Lg.
2	16194A	7-Speed Selector Plate
3	720-0218	Shift Knob
4	16192A	Speed Selector Lever Ass'y.
5	736-0192	Flat Washer .53" I.D. x .93"
6	711-0198	Ferrule 3/8-24 x .37" Dia.
7	738-0155	Shoulder Bolt
8	747-0503A	Speed Control Link
9	714-0111	Cotter Pin 3/32" Dia. x 1.0"
10	736-0226	Fl-Wash. .469" I.D. x .88"
11	736-0119	L-Wash. 5/16" I.D.*
12	712-3010	Hex Nut 5/16-18 Thd. (Gr. 5)
14	732-0303	Spring .38" O.D. x 3.18" Lg.
17	736-0300	Fl-Wash. .385" I.D. x 7/8"
19	736-0329	L-Wash. 1/4" I.D.*
20	712-3006	Hex Nut 1/4-20 Thd. (Gr. 5)



REF. NO.	PART NO.	DESCRIPTION
1	732-0645	Compression Spring
2	712-0267	Hex Nut 5/16-18 Thd.*
3	736-0119	L-Wash. 5/16" I.D.*
4	17956	Shift Lever Support
5	711-0198	Ferrule 3/8-24 Thd.
6	747-0787	Speed Control Rod
7	750-0662	Spacer 1.56" Lg.
8	736-0253	Bell-Wash. .505" I.D. x 1"
9	736-0300	Fl-Wash. .385" I.D. x .87"
10	17888A	Speed Selector Lever
11	720-0232	Shift Knob
12	750-0913	Spacer 1.46" Lg.
13	736-0159	Fl-Wash. .345" I.D. x .88"
14	710-3056	Hex Bolt 5/16-18 x 3.25" Lg.
15	714-0111	Cotter Pin 3/32" Dia. x 1"
16	736-0226	Fl-Wash. .469" I.D. x .88"
17	736-0418A	Fl-Wash. .34" I.D. x 2.25"
18	726-0201	Speed Nut 5/16-18 Thd.

Deck "G"



REF. NO.	PART NO.	DESCRIPTION	REF. NO.	PART NO.	DESCRIPTION
2	710-1260A	Hex Wash. TT-Tap Scr. 5/16-18 x .75"	33	710-0157	Hex Bolt 5/16-24 x .75" Lg.
3	683-0141A	42" Deck Ass'y. **	35	712-0417A	Hex Flange Nut 5/8-18 Thd.†
	753-0698	42" Deck Ass'y. Comp.(For Service) **	37	736-0158	L-Wash. 5/8" I.D.*
4	783-0149	Belt Guard Deck	39	618-0142	Blade Spindle Ass'y. (Incl. Ref. 28, 35, 42)
7	712-3006	Hex L-Nut 1/4-20 Thd.††	42	756-0980	5.75" Dia. Pulley†
8	710-0751	Hex Bolt 1/4-20 x .62"	52	703-1693	Hinge Mtg. Brkt.
10	711-0792	Hinge Pin	53	732-0602	Torsion Spring
13	712-0181	Hex Top L-Nut 3/8-16 Thd.	54	726-0106	Push Nut
14	712-3006	Hex Nut 1/4-20 Thd. (Gr. 5)	55	731-1032	Chute Ass'y. (Incl. Ref.10, 52, 53, 54, 55)
17	734-0973	Deck Wheel—5"	56	710-0597	Hex Bolt 1/4-20 x 1" Lg.††
18	736-0105	Bell-Wash. .40" I.D. x .88" O.D.	57	712-3087	Wing Nut 1/4-20 Thd.††
22	738-0373	Shld. Bolt .498" Dia. x 1.53"	58	731-1643A	Mulching Plug ††
23	742-0616	3 in 1 Blade	59	16606	Retainer Hook Brkt.
26	754-0371A	V-Belt	60	712-3027	Hex Flange Nut 1/4-20 Thd.
27	736-0270	Bell-Wash. 1/4" I.D.	61	710-0751	Hex Bolt 1/4-20 x .62" Lg.
28	783-0342	Brake Disc	62	736-0173	Flat Washer .28 ID x .74 OD

** Must be ordered with 4 digit color code


†† Optional

IMPORTANT: For a proper working machine, use Factory Approved Parts.

V-BELTS are specially designed to engage and disengage safely. A substitute (non OEM) V-belt can be dangerous by not disengaging completely.

SINGLE CYLINDER BRIGGS & STRATTON


660 THRU 679



Ref. No.	Part No.	Description	Ref. No.	Part No.	Description
1	629-0207	Harness Adapter (Mag.)	6	725-0963	Bulb (Headlight)
2	629-0302B	Wire Harness w/Light Switch and Amp	7	725-1426	Solenoid
	629-0301D	Wire Harness w/o Light Switch and Amp	8	725-1643	Safety Switch (Reverse)
3	725-0267	Ignition Switch	9	725-1657A	Safety Switch
4	725-0634	Light Switch (Optional)	11	726-3046	Ratchet
5	725-0925	Ammeter (Optional)			

OVER HEAD VALVE


660 THRU 679



Ref. No.	Part No.	Description	Ref. No.	Part No.	Description
2	629-0305D	Wire Harness w/Light Switch and Amp	7	725-1426	Solenoid
	629-0304B	Wire Harness w/o Light Switch and Amp	8	725-1643	Safety Switch (Reverse)
3	725-0634	Light Switch (Optional)	9	725-1657A	Safety Switch
4	725-0925	Ammeter (Optional)	11	726-3046	Ratchet
5	725-0963	Bulb (Headlight)			
6	725-1396	Ignition Switch			


TWIN CYLINDER BRIGGS & STRATTON

660 THRU 679




Ref. No.	Part No.	Description	Ref. No.	Part No.	Description
2	629-0208	Harness Adapter	8	725-1426	Solenoid
3	629-0302D	Wire Harness w/Light Switch & Amp	9	725-1643	Safety Switch (Reverse)
	629-0301D	Wire Harness w/o Light Switch & Amp	10	725-1657A	Safety Switch
4	725-0267	Ignition Switch	11	629-0125	Harness Adapter (Alt.)
5	725-0634	Light Switch	13	726-3046	Ratchet
6	725-0925	Ammeter			
7	725-0963	Bulb			

TECUMSEH



Ref. No.	Part No.	Description	Ref. No.	Part No.	Description
1	629-0302D	Wire Harness w/Light Switch & Amp	6	725-1426	Solenoid
	629-0301D	Wire Harness w/o Light Switch & Amp	7	725-1643	Safety Switch (Reverse)
2	725-0267	Ignition Switch	8	725-1657A	Safety Switch
3	725-0634	Light Switch (Optional)	10	726-3046	Ratchet
4	725-0925	Ammeter (Optional)			
5	725-0963	Bulb (Headlight)			


SINGLE CYLINDER



660 THRU 679

Ref. No.	Part No.	Description
1	783-0615	Muffler Bracket
2	751-0618	Exhaust Pipe
3	751-0617	Muffler
4	751-0564	Muffler Deflector
5	736-0119	L-Wash. 5/16" I.D.*
6	726-0272	Clamp
7	721-0208	Exhaust Gasket
8	710-1314	Socket Hd. Bolt 5/16-18 x .62" Lg.
9	710-0604	Hex Wash Hd. TT-Tap Scr. 5/16-18 x .62" Lg.
10	710-0599	Hex Wash. TT-Tap Scr. 1/4-20 x .5" Lg.
11	710-0148	Hex Slot Scr. #8-32 x .38" Lg.

TECUMSEH




660 THRU 679

Ref. No.	Part No.	Description
1	710-0148	Hex Bolt #8-32 x .38" Lg.
2	710-0599	Hex Wash. Hd. TT-Scr. 1/4-20 x .5" Lg.
3	710-0604	Hex Wash. Hd. TT-Scr. 5/16-18 x .62"
4	710-1314	Socket Hd. Bolt 5/16-18 x .62" Lg.
5	710-1315	Hex Wash. Hd. TT-Scr. 3/8-16 x 1.25"
6	712-0271	Hex Sems Nut 1/4-20 Thd.
8	721-0348	Exhaust Gasket
9	726-0205	Hose Clamp
10	726-0272	Clamp
11	736-0119	L-Wash. 5/16" I.D.*
13	737-0286	Pipe 3/8 NPT x 3.8" Lg. (16/17 HP)
	737-0199	Pipe 3/8 NPT x 2" Lg. (12/13 HP)
14	751-0535-12	Fuel Line
15	751-0564	Muffler Deflector
16	751-0572	Hex Pipe Plug (16/17 HP)
	737-0143	Oil Drain Cap (12/13 HP)
17	751-0617	Muffler
18	751-0620	Exhaust Pipe (16/17 HP)
	751-0622	Exhaust Pipe (12/13 HP)
19	783-0378A	Heat Shield (16/17 HP)
20	783-0615	Muffler Bracket

OVER HEAD VALVE


660 THRU 679



Ref. No.	Part No.	Description
1	710-0148	Hex Tap Scr. #8-32 x .38" Lg.
2	710-0599	Hex TT-Tap Scr. 1/4-20 x .5" Lg.
3	710-0604	Hex TT-Tap Scr. 5/16-18 x .62"
4	710-1237	Hex Wash. Scr. #10-32 x .62"
5	710-1314	Socket Head Scr. 5/16-18 x .62"
6	710-1315	Hex TT-Tap Scr. 3/8-16 x 1.25"
7	712-0271	Hex Sems Scr. 1/4-20 Thd.
8	721-0208	Gasket
9	726-0205	Hose Clamp
10	726-0272	Clamp
11	731-1682A	Oil Drain Sleeve
12	736-0119	Lock Washer 5/16" I.D.
14	751B213146	Casing Clamp
15	751-0535-12	Fuel Line 12" Lg.
16	751-0564	Muffler Deflector
17	751-0617	Muffler
18	751-0619	Exhaust Pipe
19	783-0615	Muffler Brkt.

TWIN CYLINDER


660 THRU 679




Ref. No.	Part No.	Description
1	710-0148	Hex Tap Scr. #8-32 x .38" Lg.
2	710-0599	Hex Wash. TT-Tap Scr. 1/4-20 x .5" Lg.
3	710-0604	Hex Wash. TT-Tap Scr. 5/16-18 x .62" Lg.
4	710-0779A	Truss Mach. Scr. #10 x .5" Lg.
5	710-1315	Hex Hd. Tap Scr. 3/8-16 x 1.25" Lg.
6	710-3015	Hex Bolt 1/4-20 x .75" Lg.
7	712-0271	Hex Sems Nut 1/4-20 Thd.
9	721-0346	Exhaust Gasket
10	726-0205	Hose Clamp
11	726-0272	Clamp
12	736-0329	L-Wash. 1/4" I.D.*
13	736-3067	FI-Wash. .188" I.D. x .438" O.D.
14	737-0143	Oil Drain Cap
15	737-0164	Pipe Nipple 3/8 x 18 NPT.
17	751-0535-26	Fuel Line 26" Lg.
18	751-0564	Deflector: Muffler
19	751-0616	Muffler
20	751-0623	Exhaust Pipe—L.H.
21	751-0624	Exhaust Pipe—R.H.
22	783-0357A	Heat Shield
23	783-0615	Muffler Bracket

660 THRU 679

KOHLER




Ref. No.	Part No.	Description
1	710-0148	Hex Tap Scr. #8-32 x .38" Lg.
2	710-0599	Hex Wash. TT-Tap Scr. 1/4-20 x5" Lg.
3	710-0604	Hex Wash. TT-Tap Scr. 5/16-18 x .62"
4	710-3206A	Hex Bolt M8 x 1.25
5	712-3086	Hex Flange Nut M8 Thd.
7	721-0375	Exhaust Gasket
8	726-0205	Hose Clamp
9	726-0272	Clamp
10	736-0607	External L-Wash. 5/16" I.D.
12	751-0535-12	Fuel Line 12" Lg.
13	751-0564	Muffler Deflector
14	751-0617	Muffler
15	751-0621	Exhaust Pipe
16	751-3140	Oil Drain
17	751-3141	Oil Drain Hose
18	783-0615	Muffler Bracket.



660 THRU 679


Ref. No.	Part No.	Description	Ref. No.	Part No.	Description
1	726-3046	Ratchet	6	725-0634	Light Switch
2	725-1657A	Safety Switch	7	725-0267	Ignition Switch
3	725-1426	Solenoid	8	629-0303B	Wire Harness
4	725-0963	Bulb (Headlight)	9	629-0209	Wire Harness Adapter
5	725-0925	Ammeter	10	629-0132	Wire Harness (Monitor)

Intek Twin



Ref. No.	Part No.	Description
1	710-0148	Hex Tap Scr. #8-32 x .38" Lg.
2	710-0599	Hex Wash. TT-Tap Scr. 1/4-20 x5" Lg.
3	710-0604	Hex Wash. TT-Tap Scr. 5/16-18 x .62"
4	710-1314	Socket Head Scr. 5/16-18 x .62"
5	710-1315	Hex TT-Tap Scr. 3/8-16 x 1.25"
7	721-0460	Exhaust Gasket
8	726-0205	Hose Clamp
9	726-0272	Clamp
10	736-0119	L-Wash. 5/16" I.D.
12	751-0535-12	Fuel Line 12" Lg.
13	751-0564	Muffler Deflector
14	751-0616	Muffler
15	751-0650	Exhaust Pipe-R.H.
16	751-0651	Exhaust Pipe-L.H.
17	751-3140	Oil Drain
18	751-3141	Oil Drain Hose
19	783-0615	Muffler Bracket
20	783-0625	Heat Shield

Intek Twin



Ref. No.	Part No.	Description	Ref. No.	Part No.	Description
1	726-3046	Ratchet	6	725-0925	Ammeter
2	725-1657A	Safety Switch	7	725-0634	Light Switch
3	725-1426	Solenoid	8	629-0305B	Wire Harness w/Lt./Amp
4	725-1396	Ignition Switch		629-0306B	Wire Harness w/Lt./Amp/Mon.
5	725-0963	Bulb (Headlight)			