



SECTION 14: MODEL P805K PARTS LIST



REF. NO.	PART NUMBER	DESCRIPTION
1	734-04147	Turf Tire, 23 x 10.5 x 12
2	634-04238	Rim, 12.0 x 7.0
3	712-3050	Lug Nut, 7/16-14
4	634-0202A	Wheel Assembly, 23 x 10.5 x 12
5	634-04082	Rim Assembly, 8.0 X 5.38 (Includes Bearings and Valve)
6	731-2290A	Hub Cap
7	734-04148	Tire:16.0 x 7.5 x 8.0
8	634-04088A	Wheel Assembly, 16 x 7.5 x 8.0
—	734-0255	Valve, Tubeless


Model P805K



Model P805K

REF. NO.	PART NUMBER	DESCRIPTION
1	710-0514	Hex Cap Screw, 3/8-16, 1.00, Gr5, Std
2	711-1408	Link, Drag, RH
3	711-1409A	Link, Drag, LH
4	710-1260	Self-tapping Screw, 5/16-18 x .75
5	712-0240	Nut, Jam, 7/16-20, Gr2
6	712-0214	Nut, Hex, 3/8-24, Gr5
7	712-04065	Nut, Nylon Lock, 3/8-16
8	712-0459	Nut, Flange Lock, 7/16-20
9	712-3004A	Nut, Flange Lock, 5/16-18
10	717-1550E	Gear, Steering, 11/90 Ratio
11	717-1554	Gear, Pinion, Steering
12	723-0448A	Ball Joint, 7/16-20
13	710-04095	Hex Cap Screw, 3/8-16, 1.00
14	736-3004	Washer, Flat, .406 x .875 x .105
15	736-3084	Washer, Flat, .510 x 1.120 x .060
16	731-04039	Cover, Steering Wheel
17	738-04154	Spacer, Shoulder, 1.00 x .38 x .38
18	738-04075	Shaft, Steering, .625 OD x 25.00 Lg
19	741-0475	Bushing, Plastic, .380 ID
20	741-0656A	Bearing, Hex Flange, 5/8
21	638-04003	Axle Ass'y, LH .750 Dia
22	638-04004	Axle Ass'y, RH .750 Dia
23	726-0341	Push Cap, .75
24	714-04039	Pin, Cot, 5/32, 1.25
25	719-04105	Axle, Pivot, Cast .750 Dia
26	736-0866	Washer, Flat, .755 x 1.92 x .060
27	738-1011A	Screw, Shoulder, .500 x 2.230, 3/8-16
28	631-04008	Wheel, Steering, Three Spoke


Model P805K



Model P805K

REF. NO.	PART NUMBER	DESCRIPTION
1	17962	Plate, Switch
2	683-04173	Frame Assembly, Lower
3	683-04219	Bumper Assembly
4	710-0224	Screw, Hex Washer, 10-16 x .5
5	710-0726	Screw, Self-tapping, 5/16-18, 0.75
6	710-1260A	Screw, Self-tapping, 5/16-12, 0.75
7	710-1652	Screw, Hex Washer, 1/4-20 x 0.625
8	711-0332	Pin, Clevis, .50 Dia x .78 Lg
9	712-04065	Nut, Nylon Lock, 3/8-16
10	710-0607	Screw, Hex Wash. Tapp, 5/16-18 x .5
11	714-04023	Pin, Internal Cotter
12	725-04039	Switch, Interlock
13	732-04035	Spring, Compression, 1.28 OD x 3.125
14	736-0222	Washer, Lock, Ext 1/4
16	738-04058	Shoulder Spacer
17	738-0143	Shoulder Screw, 3/8-16
18	710-3005	Hex Screw 3/8-16 x 1.25
19	783-0726E	Bracket, Pivot, Support RH
20	783-0727D	Bracket, Pivot, Support LH
21	783-0728	Bracket, Pivot, Bar
22	783-04811	Frame, Upper
23	783-04329A	Bracket, Frame, Seat
24	712-04064	Nut, Nylon Lock, 1/4-20
25	710-0599	Screw, Self-tapping, 1/4-20, 0.500
26	725-1426A	Solenoid, 12V, 100 Amp
27	736-0222	Washer, External Lock, 1/4
28	710-0642	Screw, Hex. 1/4-20 x .75
29	725-1750A	Battery, 235 CCA
30	712-0324	Nut, Sems, 1/4-20
31	710-0703	Screw, Carriage, 1/4-20, .75,
32	747-04121A	Hold-down Rod, Battery
33	783-0349	Tray, Battery
34	783-0693	Axle Bracket
35	731-05598	Bumper Cap


Model P805K



Model P805K


REF. NO.	PART NUMBER	DESCRIPTION
1	710-0227	Screw, #8-18, 0.500
2	710-0451	Bolt, Carriage, 5/16-18, .750 Gr1
3	710-0599	Screw, /4-20, 0.500
4	710-0604A	Screw, 5/16-18, 0.625
5	710-0788	Screw, 1/4-20, 1.000
6	710-0895	Screw, 1/4-15, 0.750
7	710-0932	Screw, Carriage, 1/4-20, 1.00, Gr1
8	712-0271	Nut, Sems, 1/4-20
9	712-04063	Nut, Flange Lock, 5/16-18, GrF, Nylon
10	725-1713	Switch, Spring
11	726-0320	Plate, Insulator Nut
12	731-1990	Cover, Lift Lever
13	731-1993A	Cover, w/ Cup Holder
14	731-2480A	Cover, Shift
15	731-2618	Fender Flare, RH
16	731-2619	Fender Flare, Fender, LH
17	736-0607	Washer, Lock, 5/16 Ext. Tooth
18	736-3078	Washer, Flat, .344 x 1.0 x .063
19	783-04331A	Fender, 2-Speed
20	783-0677B	Lift Bracket, Adjustment
21	783-1489B	Seat Bracket
22	720-04061	Knob, 3/8-16, .875
23	732-1184	Spring, Extension, .80 Dia x 4.6 Lg.
24	738-0296	Shoulder Screw .437 x .286 Lg
25	738-04012A	Shoulder Screw, .625 x .145, 3/8-16
26	783-04081A	Pivot Bracket, Seat
27	783-0209D	Bracket, Seat Lift
28	757-04003	Seat, High Back
29	726-3046	Clip, Ratchet, .250 Dia
30	735-0656	RH Foot Pad
31	735-0657	LH Foot Pad
32	710-0227	Screw, #8-18 x .50
33	726-0279	Plate, Insulator
34	725-1303	Spring Switch, Outer
35	725-1439	Spring Switch, Inner
36	726-0278	Plate, Insulator Boss

Model P805K




REF. NO.	PART NUMBER	DESCRIPTION
1	683-04118	Shaft Assembly, Lift
2	711-0332	Pin, Clevis, .50 Dia x .78 Lg
3	783-0720A	Bracket, Deck
4	712-04065	Nut, Nylon Lock, 3/8-16
5	712-04063	Nut, Nylon Lock, 5/16-18, Gr5
6	712-3083	Nut, Hex Lock, 1/2-13, Gr8, Nylon
7	714-0104	Pin, Cotter, .072 Dia. x 1.13 Lg
8	714-0111	Pin, Cotter, 3/32, 1.0
9	714-04023	Pin, Click, .092 x 1.64 Lg
10	716-0106A	E-ring, .625 Dia. Shaft
11	720-0311	Grip, Handle
12	732-0874	Spring, Torsion
18	738-0138A	Screw, Hex Cap, 5/16-18x.620 Gr2
19	738-0143	Shoulder Screw, 3/8-16
20	741-0225	Bearing, Hex Flange
22	746-0968	Cable, Lift, 16.16 Lg
23	747-04155	Handle, Lift
24	747-1324	Rod, Deck .5" Dia.
25	756-1154	Pulley, Roller
26	783-0678A	Arm, Lift
27	712-0206	Nut, Hex, 1/2-13

Model P805K



REF. NO.	PART NUMBER	DESCRIPTION
1	710-0227	Screw, #8-18, 0.500
2	710-0599	Screw, Hex, 1/4-20, 0.500
3	710-0654A	Screw, Sems, 3/8-16, .75
4	710-0726	Screw, Hex, 5/16-12 x .75
5	712-3005	Hex Flange Nut, 3/8-16
6	783-0615D	Bracket, Muffler
7	725-0157	Cable, Tie, 3/16 x .05 x 7.4
8	726-0205	Clamp, Hose
9	736-0300	Lock Washer,.406 x.875 x.059
10	751-3142	Cap, Oil Drain
11	751-0564A	Deflector, Muffler
12	751-0644B	Pipe, Exhaust, LH
13	751-0645A	Pipe, Exhaust, RH
14	751-0805A	Muffler, Dual Inlet
15	751-10349	Fuel Hose, Low Permeation
16	751-3140	Drain, Oil
17	751-3141	Extension Hose, Oil Drain


Model P805K



Model P805K

REF. NO.	PART NUMBER	DESCRIPTION
1	710-0599	Screw, 1/4-20, 0.500
2	710-0642	Screw, 1/4-20, 0.750
3	710-0726	Screw, 5/16-12, 0.750
4	710-0895	Screw, 1/4-15, 0.750
5	710-1017	Screw, 1/4-14, 0.625
6	710-1611B	Screw, 5/16-18, 0.750
7	710-3217	Screw, Machine, #8-32, 0.375
8	712-0142	Nut, Hex, #8-32, Gra
9	731-04215	Dash Lever, Cruise
10	731-04217	Dash Lever, Brake
11	731-05005B	Panel, Dash
12	731-1857	Knob, Control
18	736-0270	Washer, Bell, .265 x .75 x .062
19	747-1196	Rod
20	783-04285D	Plate Support, Dash, RH
22	783-04323D	Plate Support, Dash, LH
23	710-0751	Screw, 1/4-20, .620, Gr5
24	710-1652	Screw, 1/4-20x.625
25	712-04064	Nut, Flange Lock, 1/4-20, GrF, Nylon
26	731-04949	Lens, Grill
27	731-05522	Louvered Cover, Hood
28	736-0176	Wash, Flat, .265 x .938 x .120
29	731-05165	Plenum, Hood
30	751-0603	Cap, Fuel
31	751-0658E	Fuel Tank, 3 Gal.
32	746-1086	Throttle Control, 39"
33	746-1085A	Choke Control, 37.5"
34	725-1752	Switch, PTO
35	725-04036B	Indicator Monitor w/ Reminder
36	725-04227A	Ignition Switch Module
37	725-1745	Key, Plastic Cover
38	725-0963	Lamp, 12V
39	725-1649	Lamp Socket
—	629-04083	Headlamp Harness
—	629-04336	Wiring Harness, Tractor


Model P805K



Model P805K

REF. NO.	PART NUMBER	DESCRIPTION	REF. NO.	PART NUMBER	DESCRIPTION
1	618-0376A	Transmission Assembly, 2-Speed	43	647-0032A	Control Assembly, Speed
2	618-04015	Pulley Assembly, Variable Speed	44	683-0266	Pedal Assembly, Control
3	647-04023	Rod Assembly, Shift, 2-Speed	45	710-1260A	Screw, 5/16-18, 0.750
4	710-0176	Screw, 5/16-18, 2.75, Gr5	46	710-1611B	Screw, 5/16-18, 0.750
5	710-0347	Screw, 3/8-16, 1.75, Gr5	47	711-04159B	Pin, 3/8-16 x 2.68
6	710-0642	Screw, 1/4-20, 0.750	48	712-3004A	Nut, Flange Lock, 5/16-18, Gr5
7	710-0650	Screw, 5/16-18, 0.875	49	714-0104	Pin, Cotter, .072 Dia. x 1.13
8	710-0726	Screw, 5/16-12, 0.750	50	714-0111	Pin, Cotter, 3/32, 1.0
9	710-0805	Screw, 5/16-18, 1.50, Gr5	51	732-0335	Spring, Compression, .405 x 1.17
10	710-0809	Screw, 1/4-20, 1.250	52	732-0955	Spring, Extension, .50 OD x 1.41
11	710-1007	Screw, Sems, 3/8-16, 1.500	53	735-0662	Pad, Drive Control
12	710-3011	Screw, 3/8-16, 2.25, Gr5	54	735-3049	Pad, Brake
18	712-0241	Nut, Hex, 3/8-24, Gr5	55	736-0119	Washer, Lock, 5/16, Regular Duty
19	712-04063	Nut, Flange Lock, 5/16-18, GrF, Nylon	56	736-0187	Washer, Flat, .64 x 1.24 x .06
20	712-04065	Nut, Flange Lock, 3/8-16, GrF, Nylon	57	736-0262	Washer, Flat, .385 x .870 x .092
22	712-0431	Nut, Flange Lock, 3/8-16, GrF,	58	736-3008	Washer, Flat, .344 x .750 x .120
23	712-0702	Nut, Flange, 7/16-20, Gr2	59	738-0155	Shoulder Screw .437 Dia x .162
24	714-0507	Pin, Cotter, 3/32 x .750	60	738-0380	Screw, Shoulder, .50 x .27, 3/8-16
25	718-0771A	Hub, Pulley, 1/2 Spline	61	741-0225	Bearing, Hex Flange
26	720-04028	Knob, Shift	62	741-3065B	Bearing, Hex Flange, .628 ID, Split
27	723-3018	Ball, Joint	63	747-04093	Control Rod, Brake Lock
28	732-0478	Extension, Spring 6.12	64	747-04096	Control Rod, Cruise
29	732-0716C	Spring, Extension, .59 OD x 4.00	65	747-04521	Pedal, Brake
30	732-0963	Spring, Extension, .50 Dia x 6.37	66	748-04039B	Latch, Cruise
31	736-0105	Washer, Bell, .375 x .870 x .063	67	783-04612	Bracket, Steering Support
32	736-0169	Washer, Lock, 3/8, Regular Duty	68	783-0732A	Bracket, Lockout
33	736-0642	Washer, Flat, .44x.75x.06, Ht Spcl	69	618-04200	Pulley Bracket
34	736-3010	Washer, Flat, .407x.812x.135, Ht	70	710-0627	Screw, 5/16-24, .75
35	738-0322	Screw, Shoulder, .625 Dia x .217	71	710-3015	Screw, 1/4-20, .75
36	738-0372B	Spacer, Shoulder, 1.00 x .38 x .38	72	712-3027	Nut, Flange Lock, 1/4-20
37	747-04136	Brake Rod	73	718-04012	Bearing Cup
38	747-1127	Adjustment Rod, Idlr, 3/8	74	736-0362	Washer, Flat, .330 x 1.25 x .06
39	747-1185A	Rod, Belt Guard	75	741-0600	Ball Bearing
40	750-0566A	Spacer, .260 x .372 x 1.030	76	710-0859	Screw, 3/8-16, 2.5
41	754-0467	Belt, V-Type	77	748-0415B	Spacer, .385 x .635 x 1.54
42	647-0031B	Control Assembly, Brake			


Model P805K



Model P805K

REF. NO.	PART NO.	DESCRIPTION
1	618-0225	Reverse Collar Assembly
2	618-0226	Hi-Lo Collar Assembly
3	618-04156	Shift Fork Assembly
4	710-0642	Self-tapping Screw, 1/4-20 x .75
5	718-04053	Shift Cover
6	736-0227	Flat Washer
7	710-3119	Lock bolt 3/8-16 x 0.75
8	741-0681	Ball Bearing
9	618-04317	Wheel Hub Assembly
10	618-04142	Differential Axle Assembly
11	719-04082	Upper Housing
12	741-0476	Flanged Bearing
13	661-0012	Brake Assembly
14	741-04085	Flanged Bearing
15	710-0788	Screw 1/4-20 x 1.0
16	711-1051A	Drive Shaft
17	711-1216	Output Shaft
19	713-0446	9-tooth Sprocket
20	713-0447	16-tooth Sprocket
21	713-0448	22-link Chain, .625
22	716-0131	External Snap Ring
23	717-0678	Brake Pad
24	717-1438A	41-tooth Bevel Gear
25	717-1439A	20-tooth Spur Gear
26	717-1440	10-tooth Spur Gear
27	717-04109	27-tooth Spur Gear
28	717-04110	37-tooth Spur Gear
30	718-0504	Shifter Insert
31	718-0505	Shifter Cover
33	719-04083	Lower Housing
34	718-0540	Lockout Plate
35	736-0337	Flat Washer, 5/8 x 1.0
36	736-3046A	Flat Washer, 1.01 x 1.86 x .060
37	711-1235	Input Shaft
38	747-1140	Shift Lever
40	761-0215	Disc Brake
41	716-0114	Retaining Ring, .56
42	717-1463A	13-tooth Bevel Gear
43	736-0335	Flat Washer
44	736-0336	Flat Washer, 5/8 x 1.0 x .030*
	736-0337	Flat Washer, 5/8 x 1.0 x .040*
	736-0349	Falt Washer,5/8 x 1.0 x .020*
46	741-0335	Needle Bearing
47	741-0696	Needle Bearing
48	716-0231	E-ring, .75


Model P805K



Model P805K

REF. NO.	PART NO.	DESCRIPTION	REF. NO.	PART NO.	DESCRIPTION
1	12650	Bracket, Adjustment, Height	35	715-0108	Pin, Sprg, 1/4 Dia x 1.00
2	16606	Bracket, Hook, Retainer	36	715-0246	Pin, Spring, 3/16 x 1.25
3	618-0671	Spindle Assembly, Pulley, 5.39 Dia.	37	717-04074	Adjustment, Deck, Gear
4	683-0254B	Bracket Assembly, Deck, Hanger LH	38	731-0335	Roller, Deck
5	683-0459	Idler Assembly, 54"	39	731-3005	Front Roller
6	721-04041	Hose Coupler	40	631-04070	Deflector Assembly, Chute
7	710-04095	Hex Screw, 3/8-16, 1.00	41	732-0306	Spring, Compression, .406 x .531 x 1.75
8	710-0216	Hex Screw, 3/8-16, .75	42	732-0459	Spring, Extension, .94 Dia x 6.74
9	703-3279	Stop Assembly, Chute	43	783-04690	Skirt, Deck
10	703-2093	Baffle	44	750-0933	Spacer, .385 x .88 x .64
11	703-2392	Bracket	45	734-04155	Deck Wheel, 5" Dia.
12	712-0641	Hex Nut, M-16 x 1.5	46	737-04003C	Water Port
13	710-0528	Hex Screw, 5/16-18, 1.25, Gr5,	47	736-0119	Washer, Lock, 5/16, Regular Duty
14	710-0602	Screw, Self-tapping, 5/16-18, 1.000	48	736-0134	Flat Washer, .812 ID x 1.38 OD x .1
15	710-0607	Screw, Self-tapping, 5/16-18, 0.50	49	736-0171	Washer, Lock, 7/16, Regular Duty
16	710-0751	Hex Screw, 1/4-20, .620, Gr5,	50	736-0760	Lock Washer, 17 x 23.8 x 1.95
17	710-1644	Screw, Carriage, 3/8-16, Gr5, 5.00	51	736-0921	Washer, Lock, 1/2, Regular Duty
18	710-3011	Hex Screw, 3/8-16, 2.25, Gr5,	52	783-04013A	Pulley Stabilizer Bracket
19	710-3073	Hex Screw, 5/16-18, 2.25, Gr5,	53	750-04597	Spacer, .380 x .90 x 1.313
20	710-3168	Bolt, Carriage, 3/8-16 x 1.0	54	736-3072	Washer, Flat .38 ID x .93 OD x .110
21	710-3178	Short Neck Carriage Bolt 3/8-16 x .75	55	738-0295	Shoulder Screw, .750 x .47.12
22	711-0332	Pin, Clevis, .50 Dia x .78	56	738-1229	Shoulder Screw, 5/8 Dia x 2.50
23	711-1737	Pin, Roller, .5" Dia x 10.06 .	57	738-3056	Shoulder Screw, 1/2 Dia x 2.50
24	711-1762	Pin, Hinge, Dia .375 x 14.06	58	742-0677	Blade, 18.50"
25	712-0417A	Nut, Hex Flange, 5/8-18	59	747-1116	Deck Release Handle Rod, .375 Dia
26	712-04065	Nut, Flange Lock, 3/8-16	60	750-0151	Spacer .550 ID x .755 OD x 1.1
27	712-04063	Nut, Flange Lock, 5/16-18, Gr5	61	750-0212	Spacer, .82 ID x 1.00 OD x .53
28	712-3010	Nut, Hex, 5/16-18, Gr5	62	683-04113A	Deck Shell Assembly, 54"
29	712-3019	Nut, Hex, 7/16-14, Gr2	63	754-0642	Belt, V-Type, B Section
30	712-3022	Nut, Hex Lock, 1/2-13	64	756-04129	Pulley, Idler, 4.25 Dia.
31	712-3027	Lock Nut, 1/4-20, Hex Flange	65	783-1470A	Cover, Spindle RH
32	714-0145	Pin, Click, .092 x 1.64	66	783-1471	Cover, Spindle LH
33	714-0470	Pin, Cotter, 1/8 x 1.25	67	783-04726	Bracket, Stationary Idler
34	714-3004	Pin, Cotter, 3/32 x 1.25			

Model P805K



REF. NO.	PART NUMBER	DESCRIPTION
1	783-04419B	Bracket, Clutch
2	710-0726	Screw, 5/16-12, .75
3	710-1260A	Screw, 5/16-18, .75
4	710-04379A	Screw, Hex Cap, 7/16-20 x 3.50 GR5
5	736-0171	Washer, Lock, 7/16
6	717-1774B	Clutch, PTO
7	736-0277	Washer, Flat, 1.031 x 1.62 x .095
8	736-0277	Washer, Flat, 1.031 x 1.62 x .095
9	783-04467	Deck Stop
10	756-0639A	Pulley, 3.56"