



### N/P/Q-Style Panel



| Ref. | Part Number | Description                     |
|------|-------------|---------------------------------|
| 1    | 710-04484   | Screw, Taptite, 5/16-18 x .750  |
| 2    | 631-04134B  | Clutch Lock, RH                 |
| —    | 631-04133A  | Clutch Lock, LH                 |
| 3    | 931-04181A  | Handle Panel w/ Light           |
| —    | 731-05334B  | Handle Panel w/o Light          |
| 4    | 684-04105B  | Auger Engage                    |
| 5    | 684-04106C  | Drive Engage                    |
| 6    | 684-04250   | Pivot Rod                       |
| 7    | 710-04326   | Screw, Plastite, 8-16 x .50     |
| 8    | 710-04586   | Screw, Taptite, 1/4-20 x 1.625  |
| 9    | 710-0837    | Screw, 10-16 x 0.625            |
| 10   | 710-1233    | Screw, 10-24 x 1.375            |
| 11   | 710-3069    | Screw, 1/4-20 x .50             |
| 12   | 712-04064   | Nut, Flange Lock, 1/4-20        |
| 13   | 712-04081A  | Nut, Hex, 1/4-20                |
| 14   | 914-0145    | Click Pin, .092 x 1.64          |
| 15   | 720-04039   | Shift Knob                      |
| 16   | 725-0157    | Cable Tie, 7"                   |
| 17   | 925-1629    | Lamp, 12.8V                     |
| 18   | 710-0572    | Screw, Carriage, 5/16-48 x 2.25 |
| 19   | 725-04393   | Heated Grip Switch              |
| 20   | 725-05149   | Heated Grip                     |
| —    | 720-0274    | Grip                            |

| Ref. | Part Number | Description                            |
|------|-------------|----------------------------------------|
| 21   | 925-1649    | Lamp Socket                            |
| 22   | 926-0154    | Cable Tie, Push Mount                  |
| 23   | 731-04894D  | Plate, Lock                            |
| 24   | 731-04896B  | Cam, Clutch Lock                       |
| 25   | 732-0193    | Compression Spring, .39 x .60 x .88    |
| 26   | 732-04219C  | Clutch Lock Spring                     |
| 27   | 732-04238   | Torsion Spring, 0.8156 x .3038         |
| 28   | 935-0199A   | Rubber Bumper                          |
| 29   | 936-0267    | Washer, Flat, .385 x .87               |
| 30   | 738-04125   | Screw, Shield, .374 x 1.05             |
| 31   | 738-04348   | Screw, Shoulder, .437 x 1.345 x 1/4-20 |
| 32   | 946-04396A  | Speed Selector Cable                   |
| 33   | 790-00248C  | Panel Bracket                          |
| 34   | 790-00311A  | Shift Lever                            |
| 35   | 920-0284    | Wing Knob                              |
| 36   | 749-04138A  | Lower Handle                           |
| 37   | 749-04190A  | Upper RH Handle                        |
| 38   | 749-04191A  | Upper LH Handle                        |
| 39   | 731-05319   | Lens Panel, Troy-Bilt                  |
| 40   | 777X41805   | Lens Label, Troy-Bilt                  |
| —    | 729-04035   | Amp Connector, Not Shown               |
| —    | 925-04137   | Harness Assembly, Not Shown            |
| —    | 725-05148   | Heated Grips Harness, Not Shown        |

## Auger & Auger Housing




\* 30" models only

## Auger & Auger Housing

| Ref. | Part Number | Description                          |
|------|-------------|--------------------------------------|
| 1    | 731-2635    | Cleanout Tool Mount                  |
| 2    | 684-04057A  | Impeller Assembly, 12"               |
| 3    | 710-0347    | Hex Screw, 3/8-16 x 1.75             |
| 4    | 710-04484   | Hex Washer Screw, 5/16-18 x .750     |
| 5    | 710-0451    | Carriage Bolt, 5/16-18 x .750        |
| 6    | 712-04063   | Flange Lock Nut, 5/16-18             |
| 7    | 712-04065   | Flange Lock Nut, 3/8-16              |
| 8    | 714-04040   | Bow-Tie Cotter Pin                   |
| 9    | 725-0157    | Cable Tie, 3/16 x .05 x 7.4          |
| 10   | 926-04012   | Push Nut, .25 Dia.                   |
| 11   | 732-04460   | Extension Spring                     |
| 12   | 736-0174    | Wave Washer, .625 x .885 x .015      |
| 13   | 736-0242    | Bell Washer, .340 x .872 x .060      |
| 14   | 931-2643    | Chute Cleanout Tool                  |
| 15   | 738-0143    | Shoulder Bolt, .496 x .336 x 3/8-16  |
| 16   | 938-0281    | Shoulder Screw, .625 x .17 x 3/8-16  |
| 17   | 738-04124A  | Shear Pin, .25 x 1.50                |
| 18   | 941-0245    | Hex Flange Bearing, .75 ID           |
| 19   | 941-0309    | Ball Bearing, .75 ID x 1.85 OD       |
| 20   | 756-04224   | Idler Pulley, 2.75 OD                |
| 21   | 790-00075   | Bearing Housing, 1.85 ID             |
| 22   | 790-00080B  | Auger Idler Bracket                  |
| 23   | 929-0071A   | Extension Cord (Electric Start Only) |
| 24   | 784-5580    | Skid Shoe                            |
| 25   | 790-00091   | Deluxe Skid Shoe                     |
| 26   | 710-0703    | Carriage Screw, 1/4-20 x .75         |
| 27   | 712-04064   | Flange Lock Nut, 1/4-20              |
| 28   | 731-04705D  | Chute Adapter, 5"                    |
| —    | 731-07525   | Chute Adapter, 5" (4-way)            |
| —    | 731-07117   | Chute Adapter, 5" (side crank)       |
| 29   | 710-0276    | Carriage Screw, 5/16-18 x 1.00       |
| 30   | 936-0159    | Flat Washer, .349 x .879 x .063      |
| 31   | 941-0475    | Plastic Bushing, .380 ID             |
| 32   | 784-5647    | Chute Crank Bracket                  |
| 33*  | 731-04871   | Spacer, 1.250 x .75 ID x 3/16 LG     |
| 34   | 710-04071   | Carriage Bolt, 5/16-18 x 1.00        |
| 35   | 918-04170B  | Gearbox Assembly, 22"                |
| —    | 918-04171B  | Gearbox Assembly, 24"                |
| —    | 918-04172B  | Gearbox Assembly, 26"                |
| —    | 918-04173A  | Gearbox Assembly, 28"                |
| —    | 918-04165A  | Gearbox Assembly, 30"                |
| 36   | 684-04107   | Spiral Assembly, LH                  |

| Ref. | Part Number | Description                           |
|------|-------------|---------------------------------------|
| 37   | 684-04108   | Spiral Assembly, RH                   |
| 38   | 684-04266   | Auger Housing Assembly, 22"           |
| —    | 684-04265   | Auger Housing Assembly, 24"           |
| —    | 684-04270   | Auger Housing Assembly, 24" (T-B)     |
| —    | 684-04264   | Auger Housing Assembly, 26"           |
| —    | 684-04271   | Auger Housing Assembly, 26" (T-B)     |
| —    | 684-04268   | Auger Housing Assembly, 28"           |
| —    | 684-04272   | Auger Housing Assembly, 28" (T-B)     |
| —    | 684-04267   | Auger Housing Assembly, 30"           |
| 39   | 731-04870   | Spacer, 1.2500 x .75 ID x 1.00        |
| 40   | 736-0188    | Flat Washer, .76 x 1.49 x .06         |
| 41   | 741-0493A   | Flange Bushing, .800 ID x .910 OD     |
| 42   | 790-00087A  | Bearing Housing, 1"                   |
| 43   | 790-00117   | Shave Plate, 22"                      |
| —    | 790-00120   | Shave Plate, 24"                      |
| —    | 790-00121   | Shave Plate, 26"                      |
| —    | 790-00118   | Shave Plate, 28"                      |
| —    | 790-00119   | Shave Plate, 30"                      |
| 44   | 918-0123A   | Housing Assembly, RH                  |
| 45   | 918-0124A   | Housing Assembly, LH                  |
| 46   | 710-0642    | Hex Washer Screw, 1/4-20 x .750       |
| 47   | 711-04286   | Auger Axle, 22"                       |
| —    | 711-04285   | Auger Axle, 24"                       |
| —    | 711-04284   | Auger Axle, 26"                       |
| —    | 711-04283   | Auger Axle, 28"                       |
| —    | 711-04282   | Auger Axle, 30"                       |
| 48   | 914-0161    | Hi-Pro Key                            |
| 49   | 715-04021   | Dowel Pin, .25 OD x 1.25 LG           |
| 50   | 917-04126   | Worm Shaft, .75 OD                    |
| 51   | 917-04861   | Worm Gear 20 T, 22", 24" & 26"        |
| —    | 917-0528A   | Worm Gear 20 T, 28" & 30"             |
| 52   | 718-04071   | Thrust Collar, .756 ID x .600         |
| 53   | 721-0325    | Plug, 1/4 x .437                      |
| 54   | 721-0327    | Oil Seal, .75 x 1.131 x .188          |
| 55   | 936-0351    | Flat Washer, .760 ID x 1.50 ID        |
| 56   | 736-3084    | Flat Washer, .51 x 1.12 x .06         |
| 57   | 741-0662    | Flange Bearing, .75 ID x 1.0 OD x .59 |
| 58   | 741-0663    | Flange Bearing, .50 ID x .75 OD x .59 |
| 59   | 946-04230A  | Auger Drive Cable                     |
| 60   | 936-0159    | Washer, Flat, .349 x .879             |
| 61   | 731-05984A  | Slide Shoe, Poly                      |
| 62   | 710-0276    | Carriage Screw, 5/16-18 x 1.00        |

## Drive System




| Ref. | Part Number | Description                         | Ref. | Part Number | Description                         |
|------|-------------|-------------------------------------|------|-------------|-------------------------------------|
| 1    | 656-04055   | Disc Assembly, Friction Wheel       | 40   | 790-00217A  | Speed Selector Pivot Bracket        |
| 2    | 684-04153   | Friction Wheel Assembly, 5.5 OD     | 41   | 790-00218A  | Speed Selector Shift Bracket        |
| 3    | 684-04154B  | Friction Wheel Support Bracket      | 42   | 684-04169   | Idler Pulley Assembly               |
| 4    | 684-04156A  | Rod Shift Assembly                  | 43   | 710-0191    | Hex Screw, 3/8-24 x 1.25            |
| 5    | 710-0627    | Hex Head Screw, 5/16-24 x .750      | 44   | 710-0654A   | Sems Screw, 3/8-16 x 1.00           |
| 6    | 710-0788    | Taptite Screw, 1/4-20 x 1.000       | 45   | 710-0672    | Hex Screw, 5/16-24 x 1.25           |
| 7    | 710-1652    | Taptite Screw, 1/4-20 x .625        | 46   | 710-0809    | Hex Screw, 1/4-20 x 1.25            |
| 8    | 712-04065   | Flange Lock Nut, 3/8-16             | 47   | 738-04439   | Shoulder Screw, 5/16-24 x .5        |
| 9    | 712-0417A   | Flange Nut, 5/8-18                  | 48   | 926-04012   | Push-on Nut, .25 Dia.               |
| 10   | 914-0126    | Hi-pro Key, 3/16 x 3/4 Dia.         | 49   | 731-06401   | Belt Cover, 4-Way Irg. block        |
| 11   | 916-0104    | E-Ring                              | —    | 731-05353   | Belt Cover, 4-Way                   |
| 12   | 716-0136    | Retaining E-Ring, .875 Dia.         | —    | 731-04792A  | Belt Cover, Standard                |
| 13   | 916-0231    | E-Ring, .750 Dia.                   | 50   | 732-04308A  | Torsion Spring, .850 ID x .333      |
| 14   | 917-04209A  | Hex Shaft, 7-Tooth                  | 51   | 735-04099   | Plug, 3/8 ID                        |
| 15   | 917-04230   | Gear, 80-Tooth                      | 52   | 735-04100   | Plug, 1/2 ID                        |
| 16   | 726-0221    | Speed Nut, .500                     | 53   | 936-0119    | Lock Washer, 5/16                   |
| 17   | 932-0264    | Extension Spring                    | 54   | 736-0247    | Flat Washer, .406 x 1.25 x .157     |
| 18   | 732-04311A  | Torsion Spring, .750 x .968         | 55   | 936-0329    | Washer, Lock, 1/4                   |
| 19   | 736-0242    | Bell Washer, .340 x .872 x .060     | 56   | 736-0505    | Flat Washer, .34 x 1.50 x .150      |
| 20   | 936-0287    | Flat Washer, .793 x 1.24 x .060     | 57   | 715-04020   | Pin, Spirol, 2.5"                   |
| 21   | 736-04161   | Flat Washer, .75 x 1.00 x .060      | 58   | 748-04053A  | Adapter Pulley, .75 Dia.            |
| 22   | 936-0140    | Washer, Flat, .385 x .62 x .063     | 59   | 748-04112B  | Shoulder Spacer, .3175 x .5 x .0975 |
| 23   | 731-07101   | Belt Cover                          | 60   | 750-04303   | Spacer, .875 ID x 1.185 OD          |
| 24   | 738-04184A  | Shoulder Screw, .368 x .113, 1/4-20 | 61   | 750-04477A  | Spacer, .340 x .750 x .330          |
| 25   | 738-0924A   | Shoulder Screw, 1/4-28, .340 x .355 | 62   | 750-04571   | Shoulder Space, .260 x .785 x .538  |
| 26   | 941-0245    | Hex Flange Bearing                  | 63   | 954-04195   | Auger Drive Belt, 4-Way Irg. block  |
| 27   | 941-0563    | Ball Bearing, 17 x 40 x 12          | —    | 954-04050   | Auger Drive Belt, Standard          |
| 28   | 946-04229B  | Wheel Clutch Cable, 44.95"          | 64   | 954-04201A  | Wheel Drive Belt, 4-Way Irg. block  |
| 29   | 710-0751    | Hex Head Screw, 1/4-20 x .620       | —    | 954-04260   | Wheel Drive Belt, Standard          |
| 30   | 748-0190    | Spacer, .508 ID x .75 OD x .68      | 65   | 756-04109   | Auger Drive Pulley, 8.1 x .5        |
| 31   | 756-0625    | Cable Roller                        | 66   | 756-04113   | Pulley Half, 2.600 OD               |
| 32   | 790-00096   | Auger Cable Front Guide Bracket     | 67   | 756-04252   | Pulley Half, 3/8 x 1.716 OD         |
| 33   | 790-00180A  | Frame                               | 68   | 790-00208C  | Wheel Drive Idler Bracket           |
| 34   | 790-00206A  | Auger Cable Guide Bracket           | 69   | 790-00332   | Cover Plate, 4-Way Irg. block       |
| 35   | 790-00207C  | Drive Cable Guide Bracket           | —    | 790-00289A  | Cover Plate, Standard               |
| 36   | 790-00316   | Frame Cover                         | 70   | 710-04022   | Hex Head Screw, 1.25 x 20           |
| 37   | 712-04063   | Flange Lock Nut, 5/16-18            | 71   | 936-0264    | Washer, Flat, .330 x .630 x .0635   |
| 38   | 712-04064   | Flange Lock Nut, 1/4-20             | 72   | 732-04677   | Cable Guide                         |
| 39   | 936-3015    | Washer, Flat, .469 x .875 x .105    | 73   | 732-0705    | Cable Guide                         |

Cont'd on next page

## Drive System

| Ref. | Part Number     | Description                        |
|------|-----------------|------------------------------------|
| 74   | 738-04164A      | Friction Disc Bearing Pin          |
| 75   | 741-04098       | Ball Bearing, 30 x 55 x 13         |
| 76   | 618-0063A       | Bearing Assembly                   |
| 77   | 710-0896        | Screw, 1/4-14 x .625               |
| 78   | 935-04054       | Friction Wheel Rubber              |
| 79   | 790-00174       | Friction Wheel Plate               |
| 80   | 731-04873       | Spacer, 1.25 x .75 x 3.0           |
| 81   | 938-04168       | Axle, .75 x 22                     |
| 82   | 736-0320        | Washer, Flat, .38 x 1.38 x .125    |
| 83   | 684-04360       | Friction Wheel Ass'y, Single-Speed |
| 84   | 917-04793       | Shaft, Single-Speed                |
| 85   | 710-1245B       | Hex Cap Screw, 5/16-24 x .875      |
| 86   | 634-04144A-0911 | Snow Hog Wheel, 13 x 4 x 6         |
| —    | 634-04142A-0911 | Snow Hog Wheel, 15 x 5 x 6         |
| —    | 634-04141-0911  | Snow Hog Wheel, 15 x 4.8           |
| 87   | 634-04167A-0911 | X-Trac Wheel, 13 x 4 x 6, LH       |
| —    | 634-04168A-0911 | X-Trac Wheel, 13 x 4 x 6, RH       |
| —    | 634-04147A-0911 | X-Trac Wheel, 15 x 5 x 6, LH       |
| —    | 634-04148A-0911 | X-Trac Wheel, 15 x 5 x 6, RH       |
| —    | 634-04145-0911  | X-Trac Wheel, 16 x 4.8 x 8, LH     |
| —    | 634-04146-0911  | X-Trac Wheel, 16 x 4.8 x 8, RH     |
| —    | 634-04136-0911  | X-Trac Wheel, 16 x 6.5 x 8, RH     |
| —    | 634-04137-0911  | X-Trac Wheel, 16 x 6.5 x 8, LH     |

## Standard 2-Way Chute





| Ref. | Part Number | Description                     |
|------|-------------|---------------------------------|
| 1    | 631-04131B  | Lower Chute Assembly            |
| 2    | 731-04912B  | Lower Chute                     |
| 3    | 710-04071   | Carriage Bolt, 5/16-18 x 1.00   |
| 4    | 710-0451    | Carriage Bolt, 5/16-18 x .750   |
| 5    | 712-04063   | Flange Lock Nut, 5/16-18        |
| 6    | 920-0284    | Wing Knob                       |
| 7    | 731-04426A  | Upper Chute                     |
| 8    | 731-04869A  | Flange Keeper                   |
| 9    | 684-04104   | Chute Crank                     |
| 10   | 914-0104    | Cotter Pin, .072 x 1.13         |
| 11   | 720-0201A   | Crank Knob                      |
| 12   | 926-0100    | Push Cap, 3/8                   |
| 13   | 735-0234    | Rubber Grommet                  |
| 14   | 936-0185    | Flat Washer, .375 x .738 x .063 |
| 15   | 747-04263   | Eye Bolt                        |
| 16   | 684-04350   | Joint Assembly                  |
| 17   | 684-04351   | Chute Crank                     |
| 18   | 710-0599    | Taptite Screw, 1/4-20 x .500    |
| 19   | 914-0101    | Cotter Pin, .08 x 1.42          |
| 20   | 715-04095   | Pin, .156 x .875                |
| 21   | 710-04484   | Taptite Screw, 5/16-18 x 2.25   |
| 22   | 720-04102   | Shift Knob                      |
| 23   | 747-05154   | Upper Chute Rod                 |
| 24   | 747-05157   | Chute Rod Eye Bolt              |
| 25   | 747-05159   | Lower Chute Rod                 |
| 26   | 710-0276    | Carriage Screw, 5/16-18 x 1.00  |
| 27   | 936-0159    | Flat Washer, .349 x .879 x .063 |
| 28   | 941-0475    | Plastic Bushing, .380 ID        |
| 29   | 784-5647    | Chute Crank Bracket             |