


## Augers, Auger Housing, and Gearbox




## Augers, Auger Housing, and Gearbox

| Ref. | Part No.   | Description                       |
|------|------------|-----------------------------------|
| 1    | 05244B     | Housing, Bearing                  |
| 2    | 784-0315A  | Housing, Bearing                  |
| 3    | 918-04514  | Gear Box Assembly                 |
| 4    | 918-0281A  | Bracket Assembly, Auger Brake     |
| 5    | 684-0090B  | Impeller, 16"                     |
| 6    | 684-04226  | Housing, Auger                    |
| 7    | 684-04151  | Spiral Assembly, LH               |
| 8    | 684-04152  | Spiral Assembly, RH               |
| 9    | 710-1245B  | Screw, Hex Cap Lock, 5/16-24      |
| 10   | 710-0389   | Screw, Carriage, 3/8-16 x .75     |
| 11   | 710-0451   | Screw, Carriage, 5/16-18 x .75    |
| 12   | 937-3000   | Fitting, Lube                     |
| 13   | 710-0376   | Screw, Hex Cap, 5/16-18 x 1.0 Gr5 |
| 14   | 710-04484  | Screw, 5/16-18 x .750             |
| 15   | 926-04012  | Nut, Push                         |
| 16   | 731-05162  | Spacer, 1.0 x 1.5 x 2.5 Lg        |
| 17   | 710-3168   | Screw, Carriage, 3/8-16 x 1.00    |
| 18   | 710-04606A | Screw w/Stud, 5/16-18 x .4300     |
| 19   | 911-0677   | Ferrule                           |
| 20   | 725-0157   | Tie Strap                         |
| 21   | 712-04063  | Nut, Hex Flange Lock, 5/16-18     |
| 22   | 712-04065  | Nut, Hex Flange Lock, 3/8-16      |
| 23   | 936-0291   | Wash, Flat, .88 ID x .38 OD       |
| 24   | 784-5697   | Skid Shoe                         |
| 25   | 736-0505   | Washer, Flat, .34 x 1.5 x .15 Ht. |
| 26   | 914-0135   | Key, Woodruff, 1/4 x 3/4          |
| 27   | 714-04040  | Pin, Bow-tie Cotter               |
| 28   | 915-0118   | Pin, Spiral, 5/16 x 1.75          |
| 29   | 790-00264A | Bracket, Gear Box Support         |
| 30   | 731-1696B  | Adapter, Chute, 6"                |
| 31   | 731-05163  | Spacer, 1.0 x 1.5 x 1.0 Lg        |
| 32   | 732-0858   | Spring, Extension                 |
| 33   | 936-0159   | Washer, Flat, .349 x .879 .063    |
| 34   | 736-0174   | Washer, Wave, .625 x .885 x .015  |
| 35   | 712-3007   | Jam Nut, 5/16-18                  |

| Ref. | Part No.   | Description                               |
|------|------------|-------------------------------------------|
| 36   | 936-3008   | Washer, .344 x .75 x .12                  |
| 37   | 736-3046A  | Washer, 1.01 x 1.86 x .06                 |
| 38   | 731-2635   | Clip, Mounting                            |
| 39   | 931-2643   | Tool, Clean-out                           |
| 40   | 921-0145   | Seal, Oil                                 |
| 41   | 741-0184   | Bearing, Thrust                           |
| 42   | 736-0188   | Washer, Flat, .76 x 1.49 x .06            |
| 43   | 936-0266   | Wash, Flat, 1.52ID x 2.0 OD               |
| 44   | 938-0281   | Screw, Shoulder, .625 x .17               |
| 45   | 738-04155  | Pin, Shear, .25 x 1.75                    |
| 46   | 938-04158  | Shaft, Spiral                             |
| 47   | 741-0494   | Bushing, Flange,                          |
| 48   | 941-0170   | Bearing, Flange w/Flats                   |
| 49   | 941-04024  | Bearing, Self Aligning                    |
| 50   | 941-0217   | Sleeve                                    |
| 51   | 747-0980A  | Rod, Auger Idler                          |
| 52   | 748-04067A | Adapter, Pulley w/Pins                    |
| 53   | 950-04020  | Spacer, 1.004 x 1.375 x .25               |
| 54   | 954-04194A | V-Belt, 1/2 x 42                          |
| 55   | 738-0275   | Shaft, Gear, Worm                         |
| 56   | 756-04244A | Pulley, Auger Drive, 10.0                 |
| 57   | 784-0385D  | Bracket, Auger Idler                      |
| 58   | 721-0325   | Plug                                      |
| 59   | 917-0299   | Gear, Worm                                |
| 60   | 914-0126   | Key, Hi Pro, 3/16 x 3/4                   |
| 61   | 784-5714B  | Plate, Shave                              |
| 62   | 921-0146   | Oil Seal                                  |
| 63   | 918-0246   | Hsg, Ass'y, Auger RH (Incl. Ref. 62 & 67) |
| 64   | 918-0435   | Hsg, Ass'y, Auger LH (Incl. Ref. 62 & 67) |
| 65   | 710-1260A  | Screw, LD, 5/16-18 x .750                 |
| 66   | 711-04714  | Shaft, Drive, Auger                       |
| 67   | 741-0670   | Flange Bearing                            |
| 68   | 716-0111   | External, Retaining, Ring                 |
| 69   | 917-1425   | Gear, Worm, LH                            |
| 70   | 790-00181  | Blade Guide                               |

## Handles, Handle Panel & Discharge Chute




## Handles, Handle Panel & Discharge Chute

| Ref. | Part Number | Description                          |
|------|-------------|--------------------------------------|
| 1    | 684-04308A  | Chute Crank Assembly                 |
| 2    | 684-04350   | Joint Block Assembly                 |
| 3    | 710-0276    | Screw, Carriage, 5/16-18 x 1.0       |
| 4    | 710-04682   | Screw, Hex, 3/8-16 x 2.00 Lock       |
| 5    | 710-0572    | Screw, Carriage, 5/16-18 x 2.5       |
| 6    | 710-3118    | Screw, Hex, 3/8-16 x 1.0 Lock, Gr5   |
| 7    | 712-04063   | Flange Lock Nut, 5/16-18             |
| 8    | 912-3010    | Hex Nut, 5/16-18                     |
| 9    | 714-04040   | Pin, Bow-tie Cotter                  |
| 10   | 715-04095   | Spring Pin                           |
| 11   | 720-0201A   | Knob, Crank                          |
| 12   | 920-0284    | Wing Knob                            |
| 13   | 926-0100    | Cap, Push, 3/8                       |
| 14   | 735-0234    | Grommet, Rubber                      |
| 15   | 736-0105    | Washer, Bel, .375 x .87 x .063       |
| 16   | 936-0159    | Washer, Flat, .349 x .879 .063       |
| 17   | 936-0185    | Washer, .375 x .738 x .063           |
| 18   | 736-0242    | Washer, Belleville, .34 x .872 x .06 |
| 19   | 941-0475    | Plastic Bushing, .380 I.D.           |
| 20   | 747-04747   | Eye Bolt                             |
| 21   | 747-04925A  | Chute Rod                            |
| 22   | 749-04675   | Handle, Upper - LH                   |
| 23   | 749-04674   | Handle, Upper - RH                   |
| 24   | 749-0991    | Handle, Lower                        |
| 25   | 790-00329   | Chute Crank Bracket                  |
| 26   | 716-04036   | Ring, Retainer                       |
| 27   | 725-0157    | Cable Tie                            |
| 28   | 731-06113   | Trigger                              |
| 29   | 738-04126   | Pin, 3/16                            |
| 30   | 710-04022   | Hex Head Screw, MB 1.25              |
| 31   | 732-04677   | Cable Guide                          |
| 32   | 936-0264    | Flat Washer, .330 x .630 x .0635     |
| 33   | 984-04230   | 2-Way Chute Control™ Assy            |
| 34   | 710-04187   | Hi-Lo Screw, 1/4-15 x 0.5            |
| 35   | 710-0458    | Bolt, Carriage, 5/16-18 x 1.75       |
| 36   | 710-0597    | Screw, 1/4-20 x 1.00                 |
| 37   | 710-0895    | Hi-Lo Screw, 1/4-15 x .75            |
| 38   | 712-04064   | Flange Lock Nut, 1/4-20              |
| 39   | 731-0846C   | Upper Chute                          |
| 40   | 731-0851A   | Chute, Flange Keeper                 |
| 41   | 731-0903E   | Lower Chute                          |
| 42   | 731-1313C   | Chute Tilt Cable Guide               |
| 43   | 936-0231    | Flat Washer                          |

| Ref. | Part Number | Description                        |
|------|-------------|------------------------------------|
| 44   | 784-5594    | Cable Bracket                      |
| 45   | 936-0159    | Washer, Flat, .349 x .879          |
| 46   | 631-04133A  | Handle Clutch Lock - LH            |
| 47   | 631-04134B  | Handle Clutch Lock - RH            |
| 48   | 931-04181A  | Handle Panel                       |
| 49   | 646-0012    | Cable Assembly, Auger/Drive        |
| 50   | 684-04111B  | Handle Engage Assy - LH            |
| 51   | 684-04112C  | Handle Engage Assy - RH            |
| 52   | 684-04250   | Rod Ass'y, Clutch Lock Pivot       |
| 53   | 710-04326   | Screw, #8-16 x 0.50                |
| 54   | 710-04586   | Screw, 1/4-20 x 1.625              |
| 55   | 710-1233    | Screw, #10-24 x 0.375              |
| 56   | 710-3069    | Screw, 1/4-20 x .375               |
| 57   | 712-04081A  | Shoulder Nut, 1/4-20               |
| 58   | 725-05149   | Heated Grip                        |
| 59   | 720-04039   | Shift Knob                         |
| 60   | 925-1629    | Lamp                               |
| 61   | 731-04894D  | Lock Plate                         |
| 62   | 731-04896B  | Clutch Lock Cam                    |
| 63   | 732-0193    | Compression Spring                 |
| 64   | 732-04219C  | Clutch Lock Spring                 |
| 65   | 732-04238   | Torsion Spring                     |
| 66   | 935-0199A   | Rubber Bumper                      |
| 67   | 936-0267    | Flat Washer, .385 x .87 x .06      |
| 68   | 738-04125   | Shoulder Screw                     |
| 69   | 738-04348   | Shoulder Screw, 1/4-20 x 1.345     |
| 70   | 746-04341   | Speed Selector Cable               |
| 71   | 790-00248C  | Panel Bracket                      |
| 72   | 790-00281B  | Shift Lever                        |
| 73   | 731-05319   | Lens Panel                         |
| 74   | 777X41805   | Reflector Label                    |
| 75   | 746-04338   | Cable, Chute Tilt                  |
| 76   | 925-1649    | Light Socket                       |
| 77   | 710-0837    | Screw, #10-16 x .625               |
| 78   | 736-0413    | Washer, Spring, .39 x .625 x .012  |
| 79   | 738-04185   | Screw, Shoulder, .31 x .995:1/4-20 |
| 80   | 790-00200A  | Bracket, Mounting                  |
| 81   | 731-05307   | Cover, Tilt Cover                  |
| 82   | 914-0101    | Internal Cotter Pin                |
| 83   | 710-0599    | 1/4-20 x .50                       |
| 84   | 725-05148   | Wire Harness                       |
| 85   | 725-04393   | Heated Grip Switch                 |

# Snow Thrower Drive System



## Snow Thrower Drive System

| Ref. | Part Number | Description                          |
|------|-------------|--------------------------------------|
| 1    | 05244B      | Housing, Bearing                     |
| 2    | 618-0279P   | Dogg, Steering Drive, LH             |
| 3    | 618-0280P   | Dogg, Steering Drive, RH             |
| 4    | 918-0282E   | Shaft Assembly, Steering             |
| 5    | 918-04178   | Assembly, Friction Wheel             |
|      | 718-04034   | Wheel, Friction, Bonded              |
|      | 710-0896    | Screw, Hex Wash                      |
| 6    | 684-0118B   | Bracket, Auger Actuator              |
| 7    | 684-0119B   | Bracket, Drive Actuator              |
| 8    | 684-04212   | Brkt, Friction Drive Suprt.          |
| 9    | 684-04229   | Rod Assembly, Shift                  |
| 10   | 684-04235   | Sprocket, 32T                        |
| 11   | 710-04484   | TT Screw, 5/16-18 x .750             |
| 12   | 710-0538    | Screw, Hex Cap Lock,                 |
| 13   | 710-0599    | Screw, Self-tapping, 1/4-20, 0.500   |
| 14   | 710-0751    | Hex Head Screw, 1/4-20               |
| 15   | 710-1652    | Screw, Hex Wash.                     |
| 16   | 710-3001    | Screw, Hex Cap, 3/8-16               |
| 17   | 911-04279   | Shaft, Hex Drive                     |
| 18   | 711-04605   | Shaft, Actuator                      |
| 19   | 912-0116    | Nut, Hex Insert Jam Lock             |
| 20   | 912-0138    | Nut, Hex, 1/4-28 GR5                 |
| 21   | 712-04063   | Flange Lock Nut, 5/16-18             |
| 22   | 712-04064   | Flange Lock Nut, 1/4-20              |
| 23   | 712-04065   | Flange Lock Nut, 3/8-16              |
| 24   | 912-0413    | Hex Nut, 5/8-18                      |
| 25   | 712-0717    | Nut, Insert 3/8-16                   |
| 26   | 713-0284    | Chain, Endless, #41 x 36L            |
| 27   | 713-0286    | Chain, #420 x 40L                    |
| 28   | 913-04015   | Sprocket, #41 x 10T                  |
| 29   | 914-0104    | Pin, Internal Cotter                 |
| 30   | 914-0135    | Key, Woodruff                        |
| 31   | 914-0388    | Key, Hi-Pro, 3/16 x 5/8              |
| 32   | 916-0104    | E-Ring                               |
| 33   | 716-0136    | Ring, Retaining                      |
| 34   | 716-04048   | Ring, Retainer                       |
| 35   | 917-0302    | Plate, Drive                         |
| 36   | 726-0221    | Speed Nut, .500                      |
| 37   | 932-0121    | Spring, Extension                    |
| 38   | 932-0209    | Spring, Extension                    |
| 39   | 732-04385   | Torsion Spring, .750 I.D. x .968 Lg. |
| 40   | 936-0158    | Washer, Lock, 5/8                    |
| 41   | 736-0242    | Wsh, Bell., .34 x .872 x .06         |
| 42   | 936-0864    | Wash, .375 x .812 x .060             |
| 43   | 936-0329    | Washer, Lock, 1/4                    |
| 44   | 936-3015    | Flat Washer, .469 x .875 x .105      |
| 45   | 790-00257   | Cover, Upper Frame                   |
| 46   | 790-00259   | Cover, Lower Frame                   |
| 47   | 937-3000    | Fitting, Lube, 3/16 Drive            |
| 48   | 738-0143    | Screw, Shldr., .498 x .34            |
| 49   | 738-0279    | Spindle, Drive Plate                 |
| 50   | 738-04184A  | Shoulder Screw, .368 x .113          |
| 51   | 738-0924A   | Screw, Hex Shldr., 1/4-28            |
| 52   | 741-0163A   | Ass'y, Bearing/Housing               |
| 53   | 941-04025   | Bearing, Self Aligning               |
| 54   | 741-04108   | Bearing, Hex Flange                  |
| 55   | 941-0563    | Bearing, Ball                        |
| 56   | 741-0747    | Bush, Flg, .5625 x 1.375 x .4375     |
| 57   | 741-0748    | Bush, Flg, .5 ID x .627 OD           |

| Ref. | Part Number    | Description                          |
|------|----------------|--------------------------------------|
| 58   | 946-04337A     | Steering Cable, 35.97" Long          |
| 59   | 946-0951A      | Cable, Auger Idler                   |
| 60   | 747-0973       | Rod, Drive Clutch                    |
| 61   | 750-04703      | Spacer, 1.0 ID x 1.50 OD             |
| 62   | 750-04717      | Spacer, .51 ID x 7.895 Lg.           |
| 63   | 750-04718      | Spacer, .51 ID x 3.66 Lg.            |
| 64   | 750-04719      | Spacer, .5151 ID x .750 OD x .220    |
| 65   | 750-05342      | Spacer, .566 ID x .87 OD x .190      |
| 66   | 750-05343      | Spacer, .566 ID x .87 OD x 1.25      |
| 67   | 750-0903B      | Spacer, .514 x .632 x 2.44           |
| 68   | 950-0997       | Spacer, .675 x 1.0 x .23             |
| 69   | 750-1302B      | Spacer, .6725 x 1.125 x 2.48         |
| 70   | 756-0344       | Pulley, Auger                        |
| 71   | 756-0625       | Roller, Cable                        |
| 72   | 784-0404       | Bearing Retaining Bracket            |
| 73   | 784-0406A      | Bracket, Frame Support               |
| 74   | 784-0407       | Bracket, Axle Support                |
| 75   | 790-00217A     | Speed Selector Pivot Bracket         |
| 76   | 790-00218A     | Speed Selector Shift Bracket         |
| 77   | 790-00349      | Transmission Frame                   |
| 78   | 684-04169      | Idler Pulley Assembly                |
| 79   | 710-0627       | Screw, Hex Cap, 5/16-24              |
| 80   | 710-0191       | Hex Hd. Screw, 3/8-24 x 1.25 GR8     |
| 81   | 710-0607       | Screw, Hx Wash Hd Tapp               |
| 82   | 710-0624       | Screw, Hex Cap, 5/16-24 x 1.50       |
| 83   | 710-0654A      | Screw, 3/8-16 x 1.00                 |
| 84   | 710-0809       | Screw, 1/4-20 x 1.25                 |
| 85   | 738-04439      | Screw, Shldr., .500 x .145           |
| 86   | 710-0347       | Hex Head Screw, 3/8-16 x 1.75        |
| 87   | 914-0105       | Square Key, 3/16 x 1.00              |
| 88   | 926-04012      | Nut, Push                            |
| 89   | 931-2531       | Cover, Belt                          |
| 90   | 732-04308A     | Torsion Spring, .850 dia. x .333 lg. |
| 91   | 936-0119       | Washer, Lock, 5/16                   |
| 92   | 736-3082A      | Washer, Flat, .45 x 1.5              |
| 93   | 736-3092       | Washer, Flat, .265 x 1.0 x .030      |
| 94   | 750-05316      | Spacer, 1.155 ID x 1.50 OD x .15     |
| 95   | 748-04112B     | Shoulder Spcr., .3175 x .500 x .094  |
| 96   | 750-04571      | Shoulder Spacer, .260 x .785 x .538  |
| 97   | 750-04821      | Shoulder Spacer, .340 x 1.00         |
| 98   | 750-05318      | Spacer, 1.004 ID x 1.625 OD x .35    |
| 99   | 756-0344       | Pulley, Drive                        |
| 100  | 954-04194A     | V-Belt, 4L x 44.60 Lg.               |
| 101  | 954-04202      | V Belt, 3/8 x 36.68                  |
| 102  | 756-04224      | Pulley, Flat Idler, 2.75 OD          |
| 103  | 756-04351      | Double Pulley, 3.25 x 2.75           |
| 104  | 784-0385D      | Bracket, Auger Idler                 |
| 105  | 790-00167A     | Belt Keeper Bracket                  |
| 106  | 790-00208C     | Idler Drive Wheel Bracket            |
| 107  | 790-00254A     | Belt Cover Bracket                   |
| 108  | 914-0149B      | Pin, Internal Cotter                 |
| 109  | 634-0225A-0911 | Wheel Ass'y. - LH                    |
|      | 634-0226A-0911 | Wheel Ass'y. - RH                    |
|      | 734-2031       | Tire                                 |
|      | 934-0255       | Valve                                |
|      | 741-0246A      | Bearing                              |
| 110. | 711-04607A     | Axle, Wheel, 33"                     |
| 111. | 711-04615      | Pin, Clevis                          |